

HELP I HAVE ALLERGIES - loratadine tablet
Help Remedies, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

Drug Facts

Active Ingredient (in each tablet)	Purpose
Loratadine 10mg.....	Antihistamine

Use

Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies

- runny nose
- itchy, watery eyes
- itching of the nose or throat
- sneezing

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- liver or kidney disease
- your doctor should determine if you need a different dose

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

If pregnant or breast feeding, ask a health professional before use.

Directions

- adults and children 6 years and over: 1 tablet daily; not more than 1 tablet in 24 hours
- children under 6 years of age: ask a doctor
- consumers with liver or kidney disease: ask a doctor

Other Information

- do not use if individual blister is open or torn
- store between 20-25 degrees celcius (68-77 degrees fahrenheit)
- protect from excessive moisture

- use by expiration date on package
- keep carton. They contain important information.

Inactive Ingredients

corn starch, lactose monohydrate, magnesium stearate, pregelatinized starch

Distributed by Help Remedies,
57 W. 28th St. Fl. 4
New York, NY 10001
www.helpneedhelp.com

<p>Drug Facts (continued)</p> <p>Directions</p> <ul style="list-style-type: none"> • adults and children 6 years and over: 1 tablet daily; not more than 1 tablet in 24 hours • children under 6 years of age: ask a doctor • consumers with liver or kidney disease: ask a doctor <p>Other Information</p> <ul style="list-style-type: none"> • do not use if individual blister is open or torn • store between 20-25°C (68-77°F) • protect from excessive moisture • use by expiration date on package • keep carton. They contain important information. → 	<p>If you dislike pseudoephedrine sulfate, you will be happy to hear <i>Help I have allergies</i> contains none. If you have no opinion, you will not be happy or sad.</p> <p>LOT: EXP:</p>  <p>8 37654 16611 6</p> <p>Drug Facts</p> <table border="1"> <thead> <tr> <th>Active Ingredient (in each tablet)</th> <th>Purpose</th> </tr> </thead> <tbody> <tr> <td>Loratadine 10 mg</td> <td>Antihistimine</td> </tr> </tbody> </table> <p>Use Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies</p> <ul style="list-style-type: none"> • runny nose • itchy, watery eyes <p>PEEL HERE FOR MORE DRUG FACTS →</p>	Active Ingredient (in each tablet)	Purpose	Loratadine 10 mg	Antihistimine
Active Ingredient (in each tablet)	Purpose				
Loratadine 10 mg	Antihistimine				

page 2
typ 1.9375"

page 3
typ 1.8125"

<p>Drug Facts (continued)</p> <ul style="list-style-type: none"> • itching of the nose or throat • sneezing <p>Warnings</p> <p>Do not use if you have ever had an allergic reaction to this product or any of its ingredients</p> <p>Ask a doctor before use if you have</p> <ul style="list-style-type: none"> • liver or kidney disease • your doctor should determine if you need a different dose <p>→</p>	<p>Drug Facts (continued)</p> <p>When using this product do not take more than directed. Taking more than directed may cause drowsiness.</p> <p>Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.</p> <p>If pregnant or breast feeding, ask a health professional before use.</p> <p>→</p>
--	--

Base Web
2.25" X 2.25" label size

<p>Black</p>  <p>10-31845</p>	<p>Drug Facts (continued)</p> <p>Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.</p> <p>Inactive Ingredients corn starch, lactose monohydrate, magnesium stearate, pregelatinized starch</p> <p>Distributed by Help Remedies, 57 W. 28th St. Fl. 4 New York, NY 10001 www.helpneedhelp.com</p>
--	---

DO NOT USE IF SEAL IS BROKEN OR TAMPARED WITH

HELP I HAVE ALLERGIES

loratadine tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49260-611	
Route of Administration	ORAL			
Active Ingredient/Active Moiety				
	Ingredient Name	Basis of Strength	Strength	
	Loratadine (UNII: 7AJO3BO7QN) (Loratadine - UNII:7AJO3BO7QN)	Loratadine	10 mg	
Inactive Ingredients				
	Ingredient Name		Strength	
	STARCH, CORN (UNII: O8232NY3SJ)			
	LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)			
	MAGNESIUM STEARATE (UNII: 70097M6I30)			
	STARCH, CORN (UNII: O8232NY3SJ)			
Product Characteristics				
Color	white (white)	Score	no score	
Shape	ROUND (round)	Size	7mm	
Flavor		Imprint Code	RX526	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49260-611-24	24 in 1 BOTTLE		
2	NDC:49260-611-08	8 in 1 BLISTER PACK		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved drug other		07/01/2009		

Labeler - Help Remedies, Inc. (050359682)

Revised: 3/2013

Help Remedies, Inc.