

SHISEIDO BENEFIANCE WRINKLE SMOOTHING DAY- avobenzone, homosalate, octisalate, and octocrylene cream
Shiseido Americas Corporation

SHISEIDO BENEFIANCE WRINKLE SMOOTHING DAY

☐Drug Facts

☐Active Ingredients

Avobenzone 2.5%
Homosalate 4.5%
Octisalate 4.5%
Octocrylene 5.0%

☐Purpose

Sunscreen
Sunscreen
Sunscreen
Sunscreen

Uses

- helps prevent sunburn

Warnings

For external use only

Do not use

- on damaged or broken skin

When using this product

- keep out of eyes. Rinse with water to remove

Stop use and ask a doctor if

- rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact Poison Control Center right away

Directions

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increase your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures

including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months: ask a doctor

Other information

- protect this product in this container from excessive heat and direct sun.

Water □ Glycerin □ Dipropylene Glycol □ Dimethicone □ Alcohol Denat. □ C12-15 Alkyl Benzoate □ Behenyl Alcohol □ Butylene Glycol □ Silica □ Diphenylsiloxy Phenyl Trimethicone □ Isododecane □ Sorbitol □ Stearyl Alcohol □ Phytosteryl Macadamiate □ Erythritol □ Tocopheryl Acetate □ PEG/PPG-14/7 Dimethyl Ether □ PEG/PPG-17/4 Dimethyl Ether □ Xanthan Gum □ Caffeine □ Sapindus Mukorossi Peel Extract □ Angelica Keiskei Leaf/Stem Extract □ Camellia Sinensis Leaf Extract □ Citrus Junos Seed Extract □ Ziziphus Jujuba Fruit Extract □ Eucheuma Serra/Grateloupia Sparsa/Saccharina Angustata/Ulva Linza/Undaria Pinnatifida Extract □ Potentilla Erecta Root Extract □ Polyquaternium-51 □ Saccharina Angustata/Undaria Pinnatifida Extract □ Chlorella Vulgaris Extract □ Beheneth-20 □ Batyl Alcohol □ Alcohol □ Succinoglycan □ Trisodium EDTA □ Sodium Citrate □ Sodium Metaphosphate □ BHT □ Citric Acid □ Sodium Metabisulfite □ PPG-3 Dipivalate □ Tocophero □ Phenoxyethanol □ Fragrance □ Iron Oxides □

Questions or Comments?

Call toll free 1-800-906-7503

PRINCIPAL DISPLAY PANEL - 50 mL Jar Carton

SHISEIDO

GINZA TOKYO

BENEFIANCE

Wrinkle Smoothing Day Cream

BROAD SPECTRUM SPF 25 SUNSCREEN

Target wrinkles

50mL NET. WT. 1.8 OZ.



SHISEIDO BENEFIANCE WRINKLE SMOOTHING DAY

avobenzone, homosalate, octisalate, and octocrylene cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-017
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZ ONE	1.295 g in 50 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	2.331 g in 50 mL
OCTISALATE (UNII: 4X49Y0596W) (ETHYLHEXYL SALICYLATE - UNII:4X49Y0596W)	OCTISALATE	2.331 g in 50 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	2.59 g in 50 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ALCOHOL (UNII: 3K9958V90M)	
C12-15 ALKYL BENZOATE (UNII: A9EJ3J61HQ)	
BEHENYL ALCOHOL (UNII: 9G10E216XY)	
BUTYLENE GLYCOL (UNII: 3XUS85KORA)	
SILICA (UNII: ETJ7Z6XBU4)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
ISODODECANE (UNII: A8289P68Y2)	
SORBITOL (UNII: 506T60A25R)	
STEARYL ALCOHOL (UNII: 2KR89I4H1Y)	

PHYTOSTERYL MACADAMIATE (UNII: 233VSF903M)
ERYTHRITOL (UNII: RA96B954X6)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)
PEG/PPG-17/4 DIMETHYL ETHER (UNII: 4ET18WJG5K)
XANTHAN GUM (UNII: TTV12P4NEE)
CAFFEINE (UNII: 3G6A5W338E)
SAPINDUS MUKOROSI FRUIT RIND (UNII: 3D1P12PN9U)
ANGELICA KEISKEI WHOLE (UNII: 40RUH3S7RZ)
CAMELLIA SINENSIS LEAF (UNII: W2ZU1RY8B0)
CITRUS JUNOS SEED (UNII: UY43O1Q45N)
ZIZIPHUS JUJUBA WHOLE (UNII: AQQ914O70P)
POTENTILLA ERECTA ROOT (UNII: BI896CKT6B)
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)
CHLORELLA VULGARIS (UNII: RYQ4R60M02)
BEHENETH-20 (UNII: BJ4GP2IFLN)
BATYL ALCOHOL (UNII: 39YR661C4U)
SUCCINOGLYCAN (AGROBACTERIUM TUMEFACIENS) (UNII: YP632MQS35)
TRISODIUM EDTA (UNII: 420IP921MB)
SODIUM CITRATE (UNII: 1Q73Q2JULR)
SODIUM METAPHOSPHATE (UNII: 532IUT7IRV)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
CITRIC ACID (UNII: 2968PHW8QP)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
TOCOPHEROL (UNII: ROZB2556P8)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
FERRIC OXIDE RED (UNII: 1K09F3G675)

Product Characteristics

Color	brown	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-017-50	1 in 1 CARTON	05/01/2026	
1		50 mL in 1 JAR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	05/01/2026	

Labeler - Shiseido Americas Corporation (193691821)

Establishment

Name	Address	ID/FEI	Business Operations
Shiseido America Inc.		782677132	manufacture(58411-017) , analysis(58411-017)

Revised: 4/2026

Shiseido Americas Corporation