

**UDDERDINE 55 NPE FREE- iodine teat dip concentrate liquid**  
**BouMatic, LLC**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).*

-----

**Udderdine 55 NPE Free**

**CAUTION**

**KEEP OUT OF REACH OF CHILDREN**

**NOT FOR HUMAN USE**

**FIRST AID:**

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present after the first 5 minutes, then continue rinsing. Contact a physician immediately. If swallowed: Have person sip a glass of water if able to swallow. Do not give anything to an unconscious person. Do not induce vomiting. Contact a physician immediately. If breathing difficulty occurs: Move person to fresh air. Contact a physician immediately. If on skin: Take off contaminated clothing. Rinse skin with soap and water. If irritation develops and persists, contact a physician.

Have the product container or label with you when going for treatment, calling a physician, the emergency number listed on this label or MSDS, or a poison control center.

**PRECAUTION:** Avoid eye contact. Do not ingest. Do not mix with any chemicals except as directed.

**STORAGE:** Store in a closed container away from sources of heat. If product becomes frozen, thaw and mix well before use.

**SEE MATERIAL SAFETY DATA SHEET**

**Udderdine 55 NPE Free**

**IODINE TEAT DIP OR SPRAY**

Helps reduce the spread of organisms which may cause Mastitis

**USE DIRECTIONS**

**NOT FOR HUMAN USE**

**FOR EXTERNAL USE ONLY**

**USE AT FULL STRENGTH**

**PRE-DIPPING:**

Before milking, dip or spray entire teat with this product. Wipe teats dry after application using single-service towels to avoid contamination of milk.

**POST-DIPPING:**


After milking, spray or dip entire teat with this product. Allow to air dry.

Note: If solution in cup becomes visibly dirty, replenish with a fresh mixture of this product. Do not return unused product to original container.



# Udderdine™ 55

IODINE TEAT DIP  
OR SPRAY



Helps reduce the spread of organisms which may cause Mastitis

**USE DIRECTIONS**

**NOT FOR HUMAN USE**

**USE EXTERNELY ONLY**

**PRE-DIPPING:** Before milking, dip

single-service towels to avoid contamination of milk.

**POST-DIPPING:** After milking,

spray or dip entire teat with this product.

Note: If seal on cup becomes visibly dirty, replenish with a fresh mixture of this product. Do not return unused product to original container.

**SOLUTION DE TREMPAGE POUR VAPORISATEUR**

Aide à réduire la prolifération des organismes pouvant causer la mastite

**MODE D'EMPLOI**

**NE PAS EMPLOYER SUR L'HUMAIN**

**POUR L'USAGE EXTERNE SEULEMENT**

**UTILISER À POUVOIR MAXIMAL**

**PRÉ-TRAITE:** Avant la traite, trempez les serviettes à usage unique pour éviter la contamination du lait.

**POST-TRAITE:** Après la traite, trempez ou vaporisez toute la tétine avec le produit. Remplacez le produit si la tétine est visiblement sale, remplacez-le avec une solution fraîche. Ne retournez jamais au récipient original.

**SELLADOR DE YODO O SPRAY**

Reduce the propagation of organisms that could cause mastitis

**DIRECCIONES DE USO**

**NO PARA USO HUMANO**

**PARA USO EXTERNO SOLOAMENTE**

**UTILICEZO SIN DILUIR**

**PRE-SELLADO:** Antes de ordeñar, remoje las serviettas de un solo uso para evitar la contaminación de la leche.

**POST-SELLADO:** Después de ordeñar, moje o vaporice toda la tetina con este producto. Reemplace la solución si la tetina es visiblemente sucia, reemplácela con una nueva mezcla de este producto. No devuelva el producto al usar a los contenedores originales.


Ingredients: Actives (Iodo 0.5%)  
Emollients (Glycerin 5%, Sorbitol 1%)

BouMatic LLC • PO Box 8050 • 1919 S. Stoughton Road • Madison, WI • 53708 • www.boumatic.com • Made in U.S.A.



# Udderdine™ 55

IODINE TEAT DIP  
OR SPRAY



Helps reduce the spread of organisms which may cause Mastitis

**USE DIRECTIONS**

**NOT FOR HUMAN USE**

**USE EXTERNELY ONLY**

**PRE-DIPPING:** Before milking, dip

single-service towels to avoid contamination of milk.

**POST-DIPPING:** After milking,

spray or dip entire teat with this product.

Note: If seal on cup becomes visibly dirty, replenish with a fresh mixture of this product. Do not return unused product to original container.

**SOLUTION DE TREMPAGE POUR VAPORISATEUR**

Aide à réduire la prolifération des organismes pouvant causer la mastite

**MODE D'EMPLOI**

**NE PAS EMPLOYER SUR L'HUMAIN**

**POUR L'USAGE EXTERNE SEULEMENT**

**UTILISER À POUVOIR MAXIMAL**

**PRÉ-TRAITE:** Avant la traite, trempez les serviettes à usage unique pour éviter la contamination du lait.

**POST-TRAITE:** Après la traite, trempez ou vaporisez toute la tétine avec le produit. Remplacez le produit si la tétine est visiblement sale, remplacez-le avec une solution fraîche. Ne retournez jamais au récipient original.

Ingredients: Actives (Iodo 0.5%)  
Emollients (Glycerin 5%, Sorbitol 1%)

BouMatic LLC • PO Box 8050 • 1919 S. Stoughton Road • Madison, WI • 53708 • www.boumatic.com • Made in U.S.A.

## Udderdine™ 55

**CAUTION**  
**NOT FOR HUMAN USE**

**FIRST AID:** If on face and eyes, wash with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Contact a physician immediately. If swallowed, induce vomiting. Contact a physician immediately. If breathing difficulty occurs, move person to fresh air. If in contact with skin, wash with soap and water. If in contact with clothing, remove clothing. If in contact with eyes, flush with water. If in contact with eyes, flush with water. If in contact with eyes, flush with water. If in contact with eyes, flush with water.

**PRECAUTIONS:** Keep out of reach of children. Avoid contact with eyes. If contact with eyes occurs, flush with water. If contact with eyes occurs, flush with water. If contact with eyes occurs, flush with water. If contact with eyes occurs, flush with water.

**KEEP OUT OF REACH OF CHILDREN**  
**NOT FOR HUMAN USE**

**PREMIERS SOINS:** Si sur le visage et les yeux, rincez avec de l'eau pendant 15-20 minutes. Retirez les lentilles de contact, si elles sont présentes, après les premières 5 minutes, puis continuez à rincer. Contactez un médecin immédiatement. Si vous avez avalé, provoquez le vomissement. Contactez un médecin immédiatement. Si vous avez des difficultés respiratoires, déplacez la personne dans un endroit frais. Si vous avez des produits chimiques sur votre peau, lavez avec du savon et de l'eau. Si vous avez des produits chimiques sur vos vêtements, retirez-les. Si vous avez des produits chimiques dans vos yeux, rincez avec de l'eau. Si vous avez des produits chimiques dans vos yeux, rincez avec de l'eau.

**PRECAUTIONS:** Gardez hors de portée des enfants. Évitez le contact avec les yeux. En cas de contact avec les yeux, rincez à l'eau. En cas de contact avec les yeux, rincez à l'eau. En cas de contact avec les yeux, rincez à l'eau.

**PRECAUTION:** Evitar el contacto con los ojos. Si hay contacto con los ojos, lavar con agua. Si hay contacto con los ojos, lavar con agua. Si hay contacto con los ojos, lavar con agua.

**MANTENGA EL PRODUCTO FUERA DEL ALCANCE DE LOS NIÑOS**  
**NO PARA USO HUMANO**

**PREMIERS SOINS:** Si sur le visage et les yeux, rincez avec de l'eau pendant 15-20 minutes. Retirez les lentilles de contact, si elles sont présentes, après les premières 5 minutes, puis continuez à rincer. Contactez un médecin immédiatement. Si vous avez avalé, provoquez le vomissement. Contactez un médecin immédiatement. Si vous avez des difficultés respiratoires, déplacez la personne dans un endroit frais. Si vous avez des produits chimiques sur votre peau, lavez avec du savon et de l'eau. Si vous avez des produits chimiques sur vos vêtements, retirez-les. Si vous avez des produits chimiques dans vos yeux, rincez avec de l'eau. Si vous avez des produits chimiques dans vos yeux, rincez avec de l'eau.

**PRECAUTIONS:** Keep out of reach of children. Avoid contact with eyes. If contact with eyes occurs, flush with water. If contact with eyes occurs, flush with water. If contact with eyes occurs, flush with water.

**PRECAUTION:** Evitar el contacto con los ojos. Si hay contacto con los ojos, lavar con agua. Si hay contacto con los ojos, lavar con agua. Si hay contacto con los ojos, lavar con agua.

**MANTENGA EL PRODUCTO FUERA DEL ALCANCE DE LOS NIÑOS**  
**NO PARA USO HUMANO**

**PREMIERS SOINS:** Si sur le visage et les yeux, rincez avec de l'eau pendant 15-20 minutes. Retirez les lentilles de contact, si elles sont présentes, après les premières 5 minutes, puis continuez à rincer. Contactez un médecin immédiatement. Si vous avez avalé, provoquez le vomissement. Contactez un médecin immédiatement. Si vous avez des difficultés respiratoires, déplacez la personne dans un endroit frais. Si vous avez des produits chimiques sur votre peau, lavez avec du savon et de l'eau. Si vous avez des produits chimiques sur vos vêtements, retirez-les. Si vous avez des produits chimiques dans vos yeux, rincez avec de l'eau. Si vous avez des produits chimiques dans vos yeux, rincez avec de l'eau.

**PRECAUTIONS:** Keep out of reach of children. Avoid contact with eyes. If contact with eyes occurs, flush with water. If contact with eyes occurs, flush with water. If contact with eyes occurs, flush with water.

**PRECAUTION:** Evitar el contacto con los ojos. Si hay contacto con los ojos, lavar con agua. Si hay contacto con los ojos, lavar con agua. Si hay contacto con los ojos, lavar con agua.

## UDDERDINE 55 NPE FREE

iodine teat dip concentrate liquid

### Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:48 106-2003
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Iodine (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	Iodine	5 g in 1 L

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:48 106-2003-1	19 L in 1 DRUM		
2	NDC:48 106-2003-2	56.8 L in 1 DRUM		
3	NDC:48 106-2003-3	208 L in 1 DRUM		
4	NDC:48 106-2003-4	1041 L in 1 CONTAINER, FLEXIBLE INTERMEDIATE BULK		

**Always use caution when introducing your cows to a new teat dip.**

Remember these industry guidelines:  
 Replace the teat dip every 6-8 weeks. When introducing a new dip to a dairy, always replace the dip and/or bucket to prevent the new dip from mixing with the old dip. If any of the dippers are used, they should be rinsed with water to clean the dippers. Aggressively remove barnyard and animal skin from teats. Wash teats with water before dipping. Use a clean teat dip container. Do not use the same teat dip container for multiple dippers. Multiple cows for changes in teat condition. Do not use the same teat dip container for multiple cows. Do not use the same teat dip container for multiple cows. Do not use the same teat dip container for multiple cows. Do not use the same teat dip container for multiple cows.

**Spécifiez toujours prudemment lorsque vous employez une nouvelle solution de trempage pour tétines pour votre troupeau.**

**Always use caution when introducing your cows to a new teat dip.**

**Spécifiez toujours prudemment lorsque vous employez une nouvelle solution de trempage pour tétines pour votre troupeau.**



LN 9890173

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		08/01/2015	

**Labeler** - BouMatic, LLC (124727400)

## Establishment

Name	Address	ID/FEI	Business Operations
Boumatic		080073197	manufacture, api manufacture

Revised: 12/2015

BouMatic, LLC