

**2X MED LIQ- benzocaine liquid**  
**Lornamead**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**8015275 2x Med Liq**

Benzocaine 20%

Menthol 0.1%

Oral anesthetic

Oral anesthetic

temporarily relieves pain associated with the following mouth and gum irritations: \* toothache \* sore gums \* canker sores \* braces \* minor dental procedures

Methemoglobinemia warning: use of this product may cause methemoglobinemia, a serious condition that must be treated promptly because it reduces the amount of oxygen carried in blood. This can occur even if you have used this product before. Stop use and seek immediate medical attention if you or a child in your care develops: \* pale, gray, or blue colored skin (cyanosis) \* headache \* rapid heart rate \* shortness of breath \* dizziness or lightheadedness \* fatigue or lack of energy

Allergy alert: do not use this product if you have a history of allergy to local anesthetics such as procaine, butacaine, benzocaine, or other "caine" anesthetics

Do not use \* more than directed \* for more than 7 days unless told to do so by a dentist or doctor \* for teething \* in children under 2 years of age

Stop use and ask a doctor if \* swelling, rash or fever develops \* irritation, pain or redness persists or worsens \* symptoms do not improve in 7 days \* allergic reaction occurs

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Adults and children 2 years of age and older: \* apply to affected area using applicator tip \* use up to 4 times daily or as directed by a dentist or doctor \* children under 12 years of age should be supervised in the use of this product. children under 2 years of age: do not use

do not use if package has been opened \* store at 20-25°C (68-77°F)

alcohol, flavor, polyethylene glycol, red 40, sodium saccharin, water, yellow 5



## 2X MED LIQ

benzocaine liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:62721-5375
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BENZOCAINE</b> (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)	BENZOCAINE	20 mg in 100 mL
<b>MENTHOL, UNSPECIFIED FORM</b> (UNII: L7T10EIP3A) (MENTHOL, UNSPECIFIED FORM - UNII:L7T10EIP3A)	MENTHOL, UNSPECIFIED FORM	0.1 mg in 100 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>FD&amp;C YELLOW NO. 5</b> (UNII: I753WB2F1M)	
<b>POLYETHYLENE GLYCOL 400</b> (UNII: B697894SGQ)	
<b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	

## Product Characteristics

<b>Color</b>	red (Red/Orange)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62721-5375-9	1 in 1 CARTON	09/01/2021	
1		14.7 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part356	09/01/2021	

**Labeler** - Lornamead (126440440)

**Registrant** - Lornamead (080046418)

## Establishment

Name	Address	ID/FEI	Business Operations
CSR Cosmetic Solutions		243501959	pack(62721-5375) , manufacture(62721-5375)

Revised: 9/2021

Lornamead