

**BIO CO-ENZYME PHASE- beta vulgaris, ascorbicum acidum, cysteinum, natrum oxalaceticum, nicotinamidum, pulsatilla (vulgaris), pyridoxinum, hydrochloricum, riboflavinum, thiaminum hydrochloricum, adrenalinum, aconiticum acidum, cis-, alpha-ketoglutaricum acidum, alpha-lipoicum acidum, cerium oxalicum, citricum acidum, fumaricum acidum, magnesium oroticum dihydricum, malicum acidum, nadidum, natrum pyruvicum, pantothenic acid, succinicum acidum, adenosinum triphosphoricum dinatrum, hepar sulphuris calcareum, sulphur liquid**  
**Deseret Biologicals, Inc.**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

### **Drug Facts:**

#### **ACTIVE INGREDIENTS:**

Beta Vulgaris 4X, Ascorbicum Acidum 6X, Cysteinum 6X, Natrum Oxalaceticum 6X, Nicotinamidum 6X, Pulsatilla (Vulgaris) 6X, Pyridoxinum Hydrochloricum 6X, Riboflavinum 6X, Thiaminum Hydrochloricum 6X, Aconiticum Acidum, Cis 8X, alpha-Ketoglutaricum Acidum 8X, alpha-Lipoicum Acidum 8X, Cerium Oxalicum 8X, Citricum Acidum 6X, Fumaricum Acidum 8X, Magnesium Oroticum Dihydricum 8X, Malicum Acidum 8X, Nadidum 8X, Natrum Pyruvicum 8X, Pantothenic Acid 8X, Succinicum Acidum 8X, Adrenalinum 8X, 12X, 30X, 200X, 12C, 30C, 60C, 200C, Adenosinum Triphosphoricum Dinatrum 10X, Hepar Sulphuris Calcareum 10X, Sulphur 10X, Manganum Phosphoricum 16X, Barium Oxalsuccinicum 30C, Proteus (Morgani) 34C.

#### **HOMEOPATHIC INDICATIONS:**

For the temporary relief of exhaustion, fatigue, and feelings of low energy.\*\*

\*\*These statements are based upon traditional homeopathic principles. They have not been reviewed by the Food and Drug Administration.

#### **WARNINGS:**

**Keep out of reach of children.** In case of overdose, contact physician or a Poison Control Center right away.

**If pregnant or breast-feeding,** ask a health professional before use.

Tamper seal: "Sealed for Your Protection." Do not use if seal is broken or missing.

#### **KEEP OUT OF REACH OF CHILDREN:**

**Keep out of reach of children.** In case of overdose, contact physician or a Poison Control Center right away.

## **DIRECTIONS:**

1-10 drops under the tongue, 2 times a day or as directed by a health professional. Consult a physician for use in children under 12 years of age.

## **HOMEOPATHIC INDICATIONS:**

For the temporary relief of exhaustion, fatigue, and feelings of low energy.\*\*

\*\*These statements are based upon traditional homeopathic principles. They have not been reviewed by the Food and Drug Administration.

## **INACTIVE INGREDIENTS:**

Demineralized Water, 25% Ethanol

## **QUESTIONS:**

Dist. By: Deseret Biologicals, Inc.

469 W. Parkland Drive

Sandy, UT 84070 [www.desbio.com](http://www.desbio.com)

## **PACKAGE LABEL DISPLAY:**

**DES BIO**  
**NDC 43742-1254-1**  
**HOMEOPATHIC**  
**BIO CO-ENZYME PHASE**  
**1 FL OZ (30 ml)**

### **WARNINGS:**

**Keep out of reach of children.** In case of overdose, contact a physician or Poison Control Center right away. **If pregnant or breast-feeding,** ask a health professional before use. Tamper seal: "Sealed for Your Protection." Do not use if seal is broken or missing.

### **DIRECTIONS:**

1-10 drops under the tongue, 2 times a day or as directed by a health professional. Consult a physician for use in children under 12 years of age.

\*\*These statements are based upon homeopathic principles. They have not been reviewed by the Food and Drug Administration.

Dist. By: Deseret Biologicals, Inc.  
469 W. Parkland Drive  
Sandy, UT 84070 [www.desbio.com](http://www.desbio.com)



### **ACTIVE INGREDIENTS:**

Beta Vulg 4X, Ascorbic Ac 6X, Cysteinum 6X, Natrum Oxalaceticum 6X, Nicotinamidum 6X, Pulsatilla 6X, Pyridoxinum Hydrochloricum 6X, Riboflavinum 6X, Thiaminum Hydrochloricum 6X, Aconiticum Acidum, Cis-8X, alpha-Ketoglutar Ac 8X, alpha-Lipoic Ac 8X, Cerium Oxal 8X, Citricum Ac 8X, Fumaricum Ac 8X, Mag Orotate 8X, Malic Ac 8X, Nadidum 8X, Nat Pyr 8X, Pantothenic Acid 8X, Succinicum Acidum 8X, Adrenalinum 8X, 12X, 30X, 200X, 12C, 30C, 60C, 200C, ATP 10X, Hepar Sulph Calc 10X, Sulphur 10X, Manganum Phosphoricum 16X, Proteus (Morgani) 30C, Barium Oxalsuccinicum 34C.

### **HOMEOPATHIC INDICATIONS:**

For the temporary relief of exhaustion, fatigue, and feelings of low energy.\*\*

LOT:

## BIO CO-ENZYME PHASE

beta vulgaris, ascorbicum acidum, cysteinum, natrum oxalaceticum, nicotinamidum, pulsatilla (vulgaris), pyridoxinum, hydrochloricum, riboflavinum, thiaminum hydrochloricum, adrenalinum, aconiticum acidum, cis-, alpha-ketoglutaricum acidum, alpha-lipoicum acidum, cerium oxalicum, citricum acidum, fumaricum acidum, magnesium oroticum dihydricum, malicum acidum, nadidum, natrum pyruvicum, pantothenic acid, succinicum acidum, adenosinum triphosphoricum dinatrum, hepar sulphuris calcareum, sulphur liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:43742-1254
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BETA VULGARIS</b> (UNII: 4G174V5051) (BETA VULGARIS - UNII:4G174V5051)	BETA VULGARIS	4 [hp_X] in 1 mL
<b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R) (ASCORBIC ACID - UNII:PQ6CK8PD0R)	ASCORBIC ACID	6 [hp_X] in 1 mL
<b>CYSTEINE</b> (UNII: K848JZ4886) (CYSTEINE - UNII:K848JZ4886)	CYSTEINE	6 [hp_X] in 1 mL
<b>SODIUM DIETHYL OXALACETATE</b> (UNII: 6CA025Y4FG) (DIETHYL OXALACETATE - UNII:15S56468G7)	SODIUM DIETHYL OXALACETATE	6 [hp_X] in 1 mL
<b>NIACINAMIDE</b> (UNII: 25X5118RD4) (NIACINAMIDE - UNII:25X5118RD4)	NIACINAMIDE	6 [hp_X] in 1 mL
<b>ANEMONE PULSATILLA</b> (UNII: I76KB35JEV) (ANEMONE PULSATILLA - UNII:I76KB35JEV)	ANEMONE PULSATILLA	6 [hp_X] in 1 mL
<b>PYRIDOXINE HYDROCHLORIDE</b> (UNII: 68Y4CF58BV) (PYRIDOXINE - UNII:KV2JZ1BI6Z)	PYRIDOXINE	6 [hp_X] in 1 mL
<b>RIBOFLAVIN</b> (UNII: TLM2976OFR) (RIBOFLAVIN - UNII:TLM2976OFR)	RIBOFLAVIN	6 [hp_X] in 1 mL
<b>THIAMINE HYDROCHLORIDE</b> (UNII: M572600E5P) (THIAMINE ION - UNII:4ABT0J945J)	THIAMINE HYDROCHLORIDE	6 [hp_X] in 1 mL
<b>ACONITIC ACID, (Z)-</b> (UNII: OF5471ZHRR) (ACONITIC ACID, (Z)- - UNII:OF5471ZHRR)	ACONITIC ACID, (Z)-	8 [hp_X] in 1 mL
<b>OXOGLURIC ACID</b> (UNII: 8ID597Z82X) (.ALPHA.-KETOGLUTARIC ACID - UNII:8ID597Z82X)	OXOGLURIC ACID	8 [hp_X] in 1 mL
<b>THIOCTIC ACID</b> (UNII: 73Y7P0K73Y) (.ALPHA.-LIPOIC ACID - UNII:73Y7P0K73Y)	THIOCTIC ACID	8 [hp_X] in 1 mL
<b>CEROUS OXALATE NONAHYDRATE</b> (UNII: 0UV74P3R0J) (CEROUS CATION - UNII:72Q4U60JWM)	CEROUS OXALATE NONAHYDRATE	8 [hp_X] in 1 mL
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL) (ANHYDROUS CITRIC ACID - UNII:XF417D3PSL)	ANHYDROUS CITRIC ACID	8 [hp_X] in 1 mL
<b>FUMARIC ACID</b> (UNII: 88XHZ13131) (FUMARIC ACID - UNII:88XHZ13131)	FUMARIC ACID	8 [hp_X] in 1 mL
<b>MAGNESIUM OROTATE DIHYDRATE</b> (UNII: VQ922CRY87) (OROTIC ACID - UNII:61H4T033E5)	MAGNESIUM OROTATE DIHYDRATE	8 [hp_X] in 1 mL
<b>MALIC ACID</b> (UNII: 817L1N4CKP) (MALIC ACID - UNII:817L1N4CKP)	MALIC ACID	8 [hp_X] in 1 mL
<b>NADIDE</b> (UNII: 0U46U6E8UK) (NADIDE - UNII:0U46U6E8UK)	NADIDE	8 [hp_X] in 1 mL
<b>SODIUM PYRUVATE</b> (UNII: POD38AIF08) (PYRUVIC ACID - UNII:8558G7RUTR)	SODIUM PYRUVATE	8 [hp_X] in 1 mL
<b>PANTOTHENIC ACID</b> (UNII: 19F5HK2737) (PANTOTHENIC ACID -	PANTOTHENIC ACID	8 [hp_X]

UNII:19F5HK2737)	PANTOTHENIC ACID	in 1 mL
<b>SUCCINIC ACID</b> (UNII: AB6MNQ6J6L) (SUCCINIC ACID - UNII:AB6MNQ6J6L)	SUCCINIC ACID	8 [hp_X] in 1 mL
<b>EPINEPHRINE</b> (UNII: YKH834O4BH) (EPINEPHRINE - UNII:YKH834O4BH)	EPINEPHRINE	8 [hp_X] in 1 mL
<b>ADENOSINE TRIPHOSPHATE DISODIUM</b> (UNII: 5L51B4DR1G) (ADENOSINE TRIPHOSPHATE - UNII:8L70Q75FXE)	ADENOSINE TRIPHOSPHATE DISODIUM	10 [hp_X] in 1 mL
<b>CALCIUM SULFIDE</b> (UNII: 1MBW07J51Q) (CALCIUM SULFIDE - UNII:1MBW07J51Q)	CALCIUM SULFIDE	10 [hp_X] in 1 mL
<b>SULFUR</b> (UNII: 70FD1KFU70) (SULFUR - UNII:70FD1KFU70)	SULFUR	10 [hp_X] in 1 mL
<b>MANGANESE PHOSPHATE, DIBASIC</b> (UNII: VZ3U1H7Q5B) (MANGANESE CATION (2+) - UNII:H6EP7W5457)	MANGANESE PHOSPHATE, DIBASIC	16 [hp_X] in 1 mL
<b>BARIUM OXALOSUCCINATE</b> (UNII: L7A49804ZQ) (BARIUM CATION - UNII:V645272HLN)	BARIUM OXALOSUCCINATE	30 [hp_C] in 1 mL
<b>PROTEUS MORGANII</b> (UNII: 56X6LID5ZY) (PROTEUS MORGANII - UNII:56X6LID5ZY)	PROTEUS MORGANII	34 [hp_C] in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43742-1254-1	30 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product	07/20/2018	11/18/2024

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		07/20/2018	11/18/2024

**Labeler** - Deseret Biologicals, Inc. (940741853)

**Registrant** - Apotheca Company (844330915)

### Establishment

Name	Address	ID/FEI	Business Operations
Apotheca Company		844330915	manufacture(43742-1254) , api manufacture(43742-1254) , label(43742-1254) , pack(43742-1254)