

BOWEL SODE- ascaris lumbricoides, borrelia burgdorferi, botulinum, colibacillinum cum natrum muriaticum, enterobius vermicularis, giardia lamblia, helicobacter pylori, proteus (vulgaris), trichinella spiralis, enterococcus faecalis, taenia saginata, taenia solium, adenoviren nosode, campylobacter jejuni, clostridium perfringens, dysentery bacillus, clostridium difficile, entamoeba histolytica spray
Nutritional Specialties, Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

DRUG FACTS:

ACTIVE INGREDIENTS:

Ascaris Lumbricoides 16X, Borrelia Burgdorferi 16X, Botulinum 16X, Colibacillinum Cum Natrum Muriaticum 16X, Enterobius Vermicularis 16X, Giardia Lamblia 16X, Helicobacter Pylori 16X, Proteus (Vulgaris) 16X, Trichinella Spiralis 16X, Enterococcus Faecalis 20X, Taenia Saginata 8C, Taenia Solium 8C, Adenoviren Nosode 12C, Campylobacter Jejuni 12C, Clostridium Perfringens 18C, Dysentery Bacillus 18C, Clostridium Difficile 32C, Entamoeba Histolytica 32C.

PURPOSE:

Aids in temporary relief of symptoms including irregular bowel habits, diarrhea, constipation, abdominal pain, bloating, nausea, itching of the anus and fatigue.†

†Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

WARNINGS:

Professional Use Only

If pregnant or breast-feeding, ask a health professional before use.

In case of overdose, get medical help or contact a Poison Control Center right away.

If condition worsens, seek medical attention.

KEEP OUT OF REACH OF CHILDREN

Do not use if tamper evident seal is broken or missing.

Store in a cool place after opening

KEEP OUT OF REACH OF CHILDREN:

In case of overdose, get medical help or contact a Poison Control Center right away.

DIRECTIONS:

Adults: 2 to 3 sprays orally, three times daily. Children under twelve one half adult dosage. Do not take within 15 minutes of consuming food, beverage or brushing teeth. Consult a physician for use in children under 12 years of age.

INDICATIONS:

Aids in temporary relief of symptoms including irregular bowel habits, diarrhea, constipation, abdominal pain, bloating, nausea, itching of the anus and fatigue.†
†Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

INACTIVE INGREDIENTS:

Alcohol USP 20%, Purified Water USP.

QUESTIONS:

**MANUFACTURED EXCLUSIVELY FOR
NUTRITIONAL SPECIALTIES, INC.**

PO BOX 97227

PITTSBURG, PA 15229

www.phpltd.com

PACKAGE LABEL DISPLAY:

Professional

Health Products

HOMEOPATHIC

NDC 83027-0072-1

BOWEL-SODE

2 FL. OZ (60 ml)

Professional Use Only

WARNINGS: If pregnant or breast-feeding, ask a health professional before use. In case of overdose, get medical help or contact a Poison Control Center right away. If condition worsens, seek medical attention.

KEEP OUT OF REACH OF CHILDREN

Do not use if tamper evident seal is broken or missing.

Store in a cool place after opening.

[†] Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.



NDC 83027-0072-1

BOWEL-SODE

N5 (reorder code)

Active Ingredients: Ascaris Lumbricoides 16x. Borrelia Burgdorferi 16x. Botulinum 16x. Colibacillinum Cum Natrum Muriaticum (E Coli) 16x. Enterobius Vermicularis 16x. Giardia Lamblia 16x. Helicobacter Pylori 16x. Proteus 16x. Trichinella Spiralis 16x. Enterococcus Faecalis 20x. Taenia Saginata 8c. Taenia Solium 8c. Adenoviren Nosode 12c. Campylobacter Jejuni 12c. Clostridium Perfringens 18c. Dysentery Bacillus 18c. Clostridium Difficile 32c. Entamoeba Histolytica 32c.

Inactive Ingredients: Alcohol USP 20%, Purified Water USP.

2 FL. OZ. (60 ml)

Indication: Aids in temporary relief of symptoms including irregular bowel habits, diarrhea, constipation, abdominal pain, bloating, nausea, itching of the anus and fatigue.[†]

Directions For Use: Adults: 2 to 3 sprays orally, three times daily. Children under twelve one half adult dosage. Do not take within 15 minutes of consuming food, beverage or brushing teeth. Consult a physician for use in children under 12 years of age.

PHPP MANUFACTURED EXCLUSIVELY FOR NUTRITIONAL SPECIALTIES, INC. PO BOX 97227 PITTSBURGH, PA 15229 www.phpltd.com rev. 1.0

BOWEL SODE

ascaris lumbricoides, borrelia burgdorferi, botulinum, colibacillinum cum natrum muriaticum, enterobius vermicularis, giardia lamblia, helicobacter pylori, proteus (vulgaris), trichinella spiralis, enterococcus faecalis, taenia saginata, taenia solium, adenoviren nosode, campylobacter jejuni, clostridium perfringens, dysentery bacillus, clostridium difficile, entamoeba histolytica spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83027-0072
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ASCARIS LUMBRICOIDES (UNII: 5694HE17ZQ) (ASCARIS LUMBRICOIDES - UNII:5694HE17ZQ)	ASCARIS LUMBRICOIDES	16 [hp_X] in 1 mL
BORRELIA BURGdorFERI (UNII: 0J8NV9V5Q8) (BORRELIA BURGdorFERI - UNII:0J8NV9V5Q8)	BORRELIA BURGdorFERI	16 [hp_X] in 1 mL
CLOSTRIDIUM BOTULINUM (UNII: 0296055VE0) (CLOSTRIDIUM BOTULINUM - UNII:0296055VE0)	CLOSTRIDIUM BOTULINUM	16 [hp_X] in 1 mL
ESCHERICHIA COLI (UNII: 514B9K0L10) (ESCHERICHIA COLI - UNII:514B9K0L10)	ESCHERICHIA COLI	16 [hp_X] in 1 mL
ENTEROBIUS VERMICULARIS (UNII: W1D68QW48M) (ENTEROBIUS VERMICULARIS - UNII:W1D68QW48M)	ENTEROBIUS VERMICULARIS	16 [hp_X] in 1 mL
GIARDIA LAMBLIA (UNII: 89IEJ09R73) (GIARDIA LAMBLIA - UNII:89IEJ09R73)	GIARDIA LAMBLIA	16 [hp_X] in 1 mL
HELICOBACTER PYLORI (UNII: U09W5JOL3Z) (HELICOBACTER PYLORI - UNII:U09W5JOL3Z)	HELICOBACTER PYLORI	16 [hp_X] in 1 mL
PROTEUS VULGARIS (UNII: 11T9HCO300) (PROTEUS VULGARIS - UNII:11T9HCO300)	PROTEUS VULGARIS	16 [hp_X] in 1 mL
TRICHINELLA SPIRALIS (UNII: 2PYI6D7HCQ) (TRICHINELLA SPIRALIS - UNII:2PYI6D7HCQ)	TRICHINELLA SPIRALIS	16 [hp_X] in 1 mL
ENTEROCOCCUS FAECALIS (UNII: 15E04LZ9CT) (ENTEROCOCCUS FAECALIS - UNII:15E04LZ9CT)	ENTEROCOCCUS FAECALIS	20 [hp_X] in 1 mL
TAENIA SAGINATA (UNII: O27XH54AIC) (TAENIA SAGINATA - UNII:O27XH54AIC)	TAENIA SAGINATA	8 [hp_C]

UNII:O27XH54AIC)	TAENIA SAGINATA	in 1 mL
TAENIA SOLIUM (UNII: 80CZ5Z3WH3) (TAENIA SOLIUM - UNII:80CZ5Z3WH3)	TAENIA SOLIUM	8 [hp_C] in 1 mL
HUMAN ADENOVIRUS E SEROTYPE 4 STRAIN CL-68578 ANTIGEN (UNII: FKD3DUK39I) (HUMAN ADENOVIRUS E SEROTYPE 4 STRAIN CL-68578 - UNII:FKD3DUK39I)	HUMAN ADENOVIRUS E SEROTYPE 4 STRAIN CL-68578 ANTIGEN	12 [hp_C] in 1 mL
CAMPYLOBACTER JEJUNI (UNII: 5U38E02853) (CAMPYLOBACTER JEJUNI - UNII:5U38E02853)	CAMPYLOBACTER JEJUNI	12 [hp_C] in 1 mL
CLOSTRIDIUM PERFRINGENS (UNII: OVP6XX033E) (CLOSTRIDIUM PERFRINGENS - UNII:OVP6XX033E)	CLOSTRIDIUM PERFRINGENS	18 [hp_C] in 1 mL
SHIGELLA DYSENTERIAE (UNII: 1EP6R5562J) (SHIGELLA DYSENTERIAE - UNII:1EP6R5562J)	SHIGELLA DYSENTERIAE	18 [hp_C] in 1 mL
CLOSTRIDIUM DIFFICILE (UNII: PJX89V9R6N) (CLOSTRIDIUM DIFFICILE - UNII:PJX89V9R6N)	CLOSTRIDIUM DIFFICILE	32 [hp_C] in 1 mL
ENTAMOEBA HISTOLYTICA (UNII: 2XC2HJ478W) (ENTAMOEBA HISTOLYTICA - UNII:2XC2HJ478W)	ENTAMOEBA HISTOLYTICA	32 [hp_C] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ALCOHOL (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83027-0072-1	60 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	09/15/2023	09/20/2028

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		09/15/2023	09/20/2028

Labeler - Nutritional Specialties, Inc. (032744609)

Revised: 10/2024

Nutritional Specialties, Inc.