

MUCUS DM- dextromethorphan hbr, guaifenesin tablet, extended release
Meijer Distribution Inc

Meijer Distribution, Inc. Mucus DM Drug Facts

Active ingredients (in each extended-release tablet)

Dextromethorphan HBr 60 mg

Guaifenesin 1200 mg

Purposes

Cough suppressant

Expectorant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves:
- cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
- the intensity of coughing
- the impulse to cough to help you get to sleep

Warnings

Do not use

- for children under 12 years of age
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough accompanied by too much phlegm (mucus)

When using this product

- do not use more than directed

Stop use and ask a doctor if

- cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious illness.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- do not crush, chew, or break tablet
- take with a full glass of water
- this product can be administered without regard for timing of meals
- adults and children 12 years and older: 1 tablet every 12 hours; not more than 2 tablets in 24 hours
- children under 12 years of age: do not use

Other information

- **each tablet contains:** magnesium 25 mg
- do not use if printed foil under cap is broken or missing
- store between 20-25°C (68-77°F)

Inactive ingredients

carbomer homopolymer type B, copovidone, D&C yellow #10 aluminum lake, hypromellose, magnesium hydroxide, magnesium stearate, microcrystalline cellulose, silicon dioxide

Questions or comments?

1-800-719-9260

Package/Label Principal Display Panel

VALUE SIZE

42 EXTENDED-RELEASE TABLETS

Compare to Maximum Strength Mucinex[®] DM active ingredients

MAXIMUM STRENGTH

mucus DM

Guaifenesin 1200 mg & Dextromethorphan Hydrobromide 60 mg Extended-Release Tablets

EXPECTORANT/COUGH SUPPRESSANT

12 HOUR | Controls Cough

Thins and Loosens Mucus

42 Extended-Release Tablets

actual size



meijer
MAXIMUM STRENGTH
mucus DM
 Guaifenesin 1200 mg &
 Dextromethorphan Hydrobromide
 60 mg Extended-Release Tablets
**EXPECTORANT/
 COUGH SUPPRESSANT**
12 HOUR | Controls Cough
Thins and Loosens Mucus

meijer
VALUE SIZE
42 EXTENDED-RELEASE
TABLETS
 NDC 41250-012-55
 Compare to
 Maximum Strength
 Mucinex® DM
 active ingredients*
MAXIMUM STRENGTH
mucus DM
 Guaifenesin 1200 mg &
 Dextromethorphan Hydrobromide
 60 mg Extended-Release Tablets
**EXPECTORANT/
 COUGH SUPPRESSANT**
12 HOUR | Controls Cough
Thins and Loosens Mucus
42 Extended-Release
Tablets
 actual size

NDC 41250-012-55
meijer
MAXIMUM STRENGTH
mucus DM
 Guaifenesin 1200 mg &
 Dextromethorphan Hydrobromide
 60 mg Extended-Release Tablets
**EXPECTORANT/
 COUGH SUPPRESSANT**
12 HOUR
42 Extended-Release
Tablets
 actual size

Drug Facts

Active ingredients	Purposes
(in each extended-release tablet) Dextromethorphan HBr 60 mg.....Cough suppressant Guaifenesin 1200 mg.....Expectorant	

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves:
 - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
 - the intensity of coughing
 - the impulse to cough to help you get to sleep

Warnings

Do not use

- for children under 12 years of age
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough accompanied by too much phlegm (mucus)

When using this product

- do not use more than directed

Stop use and ask a doctor if

- cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious illness.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- do not crush, chew, or break tablet
- take with a full glass of water
- this product can be administered without regard for timing of meals
- adults and children 12 years and older: 1 tablet every 12 hours; not more than 2 tablets in 24 hours
- children under 12 years of age: do not use

Drug Facts (continued)

Other information

- each tablet contains: magnesium 25 mg
- do not use if printed foil under cap is broken or missing
- store between 20-25°C (68-77°F)

Inactive ingredients: carboxer homopolymer type B, copovidone, D&C yellow #10 aluminum lake, hypromellose, magnesium hydroxide, magnesium stearate, microcrystalline cellulose, silicon dioxide

Questions or comments? 1-800-719-9260

Keep the carton. It contains important information.
 *This product is not manufactured or distributed by Reckitt Benckiser LLC, owner of the registered trademark Mucinex®.

DIST. BY MEIJER DISTRIBUTION, INC.
 GRAND RAPIDS, MI 49544
 www.meijer.com



PARENTS:
 Learn about teen medicine abuse
 www.StopMedicineAbuse.org

PID 3917462
 7 19283 15112 4
 81255 6E C1

MUCUS DM

dextromethorphan hbr, guaifenesin tablet, extended release

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41250-812
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	1200 mg
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	60 mg

Inactive Ingredients

Ingredient Name	Strength
CARBOMER HOMOPOLYMER TYPE B (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: HHT01ZNK31)	
COPOVIDONE K25-31 (UNII: D9C330MD8B)	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM HYDROXIDE (UNII: NBZ3QY004S)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	

Product Characteristics

Color	YELLOW (light)	Score	no score
Shape	OVAL	Size	22mm
Flavor		Imprint Code	L812
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41250-812-55	1 in 1 CARTON	08/08/2018	
1		42 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:41250-812-30	1 in 1 CARTON	08/08/2018	03/01/2022
2		28 in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:41250-812-66	1 in 1 CARTON	08/08/2018	

3	14 in 1 BOTTLE; Type 0: Not a Combination Product		
Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA207602	08/08/2018	

Labeler - Meijer Distribution Inc (006959555)

Revised: 12/2023

Meijer Distribution Inc