

**STOOL SOFTENER LAXATIVE- docusate sodium, sennosides tablet  
Good Sense (Geiss, Destin & Dunn, Inc.)**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**DRUG FACTS**

**Active ingredients (in each tablet)**

Docusate sodium 50 mg

Sennosides 8.6 mg

**Purpose**

Stool softener

Stimulant laxative

**Uses**

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 6 to 12 hours

**Warnings**

**Do not use**

- laxative products for longer than 1 week unless directed by a doctor
- if you are now taking mineral oil, unless directed by a doctor

**Ask a doctor before use if you have**

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that lasts over a period of 2 weeks

**Stop use and ask a doctor if**

you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

### Directions

- take only by mouth. Doses may be taken as a single daily dose, preferably in the evening, or in divided doses.

adults and children 12 years and over	take 2-4 tablets daily
children 6 to under 12 years of age	take 1-2 tablets daily
children 2 to under 6 years of age	take up to 1 tablet daily
children under 2	ask a doctor

### Other information

- **each tablet contains:** calcium 21 mg
- **each tablet contains:** sodium 5 mg VERY LOW SODIUM
- store at 25°C (77°F), excursions permitted between 15-30°C (59-86°F)

### Inactive ingredients

carnauba wax, croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C red # 40 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, silicon dioxide, sodium benzoate, stearic acid, titanium dioxide

### Questions or comments?

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

### Principal Display Panel

#### Overnight Relief

Stimulant Laxative Plus

Stool Softener

Docusate sodium 50 mg

Sennosides 8.6 mg

\*Compare to active ingredients in Colace® 2-IN-1

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

\*This product is not manufactured or distributed by Avrio Health L.P., distributor of Colace® 2-IN-1.

Distributed by: Geiss, Destin & Dunn, Inc.  
 Peachtree City, GA 30269

**Product Label**

NDC 50804-878-10

**GOODSENSE®**

**Overnight Relief**

**Stimulant Laxative Plus**

**Stool Softener**

Docusate sodium 50 mg  
Sennosides 8.6 mg

Not Actual Size

\*Compare to active ingredients in Colace® 2-IN-1

100 Tablets

**100% SATISFACTION GUARANTEED**

TAMPER EVIDENT. DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

<b>Drug Facts</b>	<b>Purpose</b>
<b>Active ingredients (in each tablet)</b>	Docusate sodium 50 mg.....Stool softener Sennosides 8.6 mg.....Stimulant laxative
<b>Uses</b>	<ul style="list-style-type: none"> <li>■ relieves occasional constipation (irregularity)</li> <li>■ generally produces bowel movement in 6 to 12 hours</li> </ul>
<b>Warnings</b>	<p><b>Do not use</b></p> <ul style="list-style-type: none"> <li>■ laxative products for longer than 1 week unless directed by a doctor</li> <li>■ if you are presently taking mineral oil, unless told to do so by a doctor</li> </ul>

**Drug Facts (continued under label)**

\*This product is not manufactured or distributed by Avrio Health L.P., distributor of Colace® 2-IN-1.

Distributed by: Geiss, Destin & Dunn, Inc., A Perrigo Company  
 Peachtree City, GA 30269 www.PerrigoDirect.com  
 1-877-753-3935  
 GoodSense® is a registered trademark of L. Perrigo Company.

PLD-H677A Lot No.: Exp. Date:  
 LB007938

8 4603610082 5

PEEL HERE →

<p><b>Questions or comments?</b>                  Call 1-877-753-3935 Monday-Friday 9AM-5PM EST</p>	<p><b>Drug Facts (continued)</b></p> <p><b>Ask a doctor before use if you have</b></p> <ul style="list-style-type: none"> <li>■ stomach pain</li> <li>■ nausea</li> <li>■ vomiting</li> </ul> <p>■ noticed a sudden change in bowel habits that lasts over a period of 2 weeks</p> <p><b>Stop use and ask a doctor if you have rectal bleeding or fail to have a bowel movement after use of a laxative.</b>                  These may indicate a serious condition.</p> <p><b>If pregnant or breast-feeding, ask a health professional before use.</b></p> <p><b>Keep out of reach of children.</b> In case of overdose, get medical help or contact a Poison Control Center right away.</p> <p><b>Directions</b></p> <ul style="list-style-type: none"> <li>■ take only by mouth. Doses may be taken as a single daily dose, preferably in the evening, or in divided doses.</li> </ul> <table border="1" style="width: 100%; border-collapse: collapse; font-size: x-small;"> <tr> <td style="width: 50%;">adults and children 12 years and over</td> <td style="width: 50%;">take 2-4 tablets daily</td> </tr> <tr> <td>children 6 to under 12 years of age</td> <td>take 1-2 tablets daily</td> </tr> <tr> <td>children 2 to under 6 years of age</td> <td>take up to 1 tablet daily</td> </tr> <tr> <td>children under 2</td> <td>ask a doctor</td> </tr> </table> <p><b>Other information</b></p> <ul style="list-style-type: none"> <li>■ each tablet contains: calcium 21 mg</li> <li>■ each tablet contains: sodium 5 mg VERY LOW SODIUM</li> <li>■ store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)</li> </ul> <p><b>Inactive ingredients</b> carnauba wax, croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&amp;C red #40 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, silicon dioxide, sodium benzoate, stearic acid, titanium dioxide</p>	adults and children 12 years and over	take 2-4 tablets daily	children 6 to under 12 years of age	take 1-2 tablets daily	children 2 to under 6 years of age	take up to 1 tablet daily	children under 2	ask a doctor
adults and children 12 years and over	take 2-4 tablets daily								
children 6 to under 12 years of age	take 1-2 tablets daily								
children 2 to under 6 years of age	take up to 1 tablet daily								
children under 2	ask a doctor								

**GOOD SENSE Stool Softener Laxative**

**STOOL SOFTENER LAXATIVE**

docusate sodium, sennosides tablet

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:50804-878
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>DOCUSATE SODIUM</b> (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	50 mg
<b>SENNOSIDES</b> (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)	SENNOSIDES	8.6 mg

## Inactive Ingredients

Ingredient Name	Strength
CARNAUBA WAX (UNII: R12CBM0EIZ)	
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	

## Product Characteristics

Color	red	Score	no score
Shape	ROUND	Size	10mm
Flavor		Imprint Code	TCL097
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50804-878-10	100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	06/30/2020	12/27/2024

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	06/30/2020	12/27/2024

**Labeler** - Good Sense (Geiss, Destin & Dunn, Inc.) (076059836)

Revised: 10/2021

Good Sense (Geiss, Destin & Dunn, Inc.)