

CLOTRIMAZOLE (TOPICAL SOLUTION), 1%- clotrimazole solution
Puro Pharma Inc.

Clotrimazole (Topical Solution) USP, 1%

Drug Facts

Active ingredient

Clotrimazole USP, 1%

Purpose

Antifungal

Uses

Cures most

- Athlete's foot (tinea pedis)
- Jock itch (tinea cruris)
- Ringworm (tinea corporis)

Effectively relieves

- itching • cracking • burning • discomfort which can accompany these conditions.

Warnings

For external use only.

Ask a doctor before use

- on children under 2 years of age

When using this product

- avoid contact with eyes

Stop use and ask a doctor if

- irritation occurs
- there is no improvement within 4 weeks (for athlete's foot and ringworm) or 2 weeks (for jock itch)

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- This product is not effective on the scalp or nails. For best results, follow directions and continue treatment for length of time indicated. For athlete's foot and ringworm: use daily for 4 weeks. For jock itch: use daily for 2 weeks.

- clean the affected area and dry thoroughly
- apply a thin layer of the product over affected area twice daily (morning and night) or as directed by a doctor
- supervise children in the use of this product.

For athlete's foot: pay special attention to spaces between the toes: wear well-fitting, ventilated shoes; change shoes and socks at least once daily.

Other information

- store between 15°-30°C (59°-86°F)

Inactive ingredient

polyethylene glycol

Questions or comments?

Call 1-(845) 450-0141

Mon-Fri 9:00AM to 5:00PM EST

Compare to the active ingredient in Lotrimin® AF*

- **Greaseless, Nonstaining**

Not for Ophthalmic use.

Keep this and all medications out of the reach of children.

TAMPER EVIDENT: This bottle has an imprinted seal around the neck. Do not use if seal is damaged or missing at the time of purchase.

*All trademarks are property of their respective owners. This product is not affiliated with the makers/owners of Lotrimin® AF.

Keep this carton for important information.

Distributed by:

Puro Pharma Inc.

Poughkeepsie, NY 12601

Packaging



NDC 83474-003-34



**Clotrimazole
(Topical Solution)
USP, 1%
Antifungal**

00-R
00000000C
69E00000C



Drug Facts (continued)

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

■ This product is not effective on the scalp or nails. For best results, follow directions and continue treatment for length of time indicated. For athlete's foot and ringworm: use daily for 4 weeks. For jock itch: use daily for 2 weeks.

- clean the affected area and dry thoroughly
- apply a thin layer of the product over affected area twice daily (morning and night) or as directed by a doctor
- supervise children in the use of this product.

For athlete's foot: pay special attention to spaces between the toes; wear well-fitting, ventilated shoes; change shoes and socks at least once daily.

Other information

- store between 15°-30°C (59°-86°F)

Inactive ingredient

polyethylene glycol →

Drug Facts (continued)

Questions or comments?

Call 1-(845) 450-0141
Mon-Fri 9:00AM to 5:00PM EST

*All trademarks are property of their respective owners. This product is not affiliated with the makers/owners of Lotrimin® AF.

Keep this carton for important information.

Distributed by:
Puro Pharma Inc.
Poughkeepsie, NY 12601
Rev.12/23

NDC 83474-003-34

Compare to the active ingredient in Lotrimin® AF*



**Athlete's Foot Solution
Clotrimazole
(Topical Solution)
USP, 1%
Antifungal**

- Relieves Itching & Burning
- Greaseless, Nonstaining

For External use only,
Not for Ophthalmic use.

Keep this and all medications out of the reach of children.

10 mL (1/3 fl oz)

TAMPER EVIDENT: This bottle has an imprinted seal around the neck. Do not use if seal is damaged or missing at the time of purchase.

Drug Facts

Active ingredient Purpose
Clotrimazole USP, 1%.....Antifungal

Uses Cures most

- Athlete's foot (tinea pedis)
 - Jock itch (tinea cruris)
 - Ringworm (tinea corporis)
- Effectively relieves
- itching ■ cracking ■ burning
 - discomfort which can accompany these conditions.

Warnings

For external use only.

Ask a doctor before use

- on children under 2 years of age

When using this product

- avoid contact with eyes

Stop use and ask a doctor if

- irritation occurs
- there is no improvement within 4 weeks (for athlete's foot and ringworm) or 2 weeks (for jock itch)

Keep out of reach of children. →



300000369
543000000
R-00

CLOTRIMAZOLE (TOPICAL SOLUTION), 1%

clotrimazole solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83474-003
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CLOTRIMAZOLE (UNII: G07GZ97H65) (CLOTRIMAZOLE - UNII:G07GZ97H65)	CLOTRIMAZOLE	10 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83474-003-34	1 in 1 CARTON	04/15/2024	
1		10 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M005	04/15/2024	

Labeler - Puro Pharma Inc. (128518845)

Revised: 4/2024

Puro Pharma Inc.