#### CHILDRENS COLD AND COUGH NIGHTTIME- diphenhydramine hcl, phenylephrine hcl liquid Safeway, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

# **Drug Facts**

# Active ingredients (in each 5 mL)

Diphenhydramine HCl 6.25 mg

Phenylephrine HCl 2.5 mg

## Purposes

Antihistamine/Cough suppressant

Nasal decongestant

#### Uses

- temporarily relieves
  - sneezing
  - runny nose
  - itchy nose or throat
  - itchy, watery eyes due to hay fever
  - nasal and sinus congestion
  - cough due to minor throat and bronchial irritations as may occur with a cold

# Warnings

#### Do not use

- in a child under 4 years of age
- in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.
- with any other product containing diphenhydramine, even one used on skin
- for the purpose of making your child sleepy

# Ask a doctor before use if the child has

- heart disease
- high blood pressure
- thyroid disease

- diabetes
- glaucoma
- cough that occurs with too much phlegm (mucus)
- chronic cough that lasts, or as occurs with asthma
- a breathing problem such as chronic bronchitis

# Ask a doctor or pharmacist before use if the child is

taking sedative or tranquilizers.

## When using this product,

- do not exceed recommended dosage
- marked drowsiness may occur
- excitability may occur, especially in children
- sedatives and tranquilizers may increase drowsiness

# Stop use and ask a doctor if

- nervousness, dizziness or sleeplessness occurs
- symptoms do not improve within 7 days or occur with a fever
- cough persists for more than 7 days, comes back or occurs with fever, rash or persistent headache.

These could be signs of a serious condition.

# Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

## Directions

- Do not give more than 6 doses in 24 hours unless directed by a doctor.
- measure only with dosing cup provided Do not use any other dosing device
- keep dosing cup with product
- mL=mililiter
- shake well before using

Age	Dose			
children 6 to under 12 years	10 mL every 4 hours			
	do not use unless directed by a doctor			
children under 4 years of age	do not use			

## **Other Information**

- each 5 mL contains: sodium 3 mg
- store between 20-25°C (68-77°F). Do not refrigerate.

• protect from light

## Inactive ingredients

acesulfame potassium, anhydrous citric acid, EDTA disodium, FD&C blue #1, FD&C red #40, flavor, maltitol, propylene glycol, purified water, sodium benzoate, trisodium citrate dihydrate

#### Questions or comments?

Call 1-888-723-3929 Monday-Friday 7AM-6PM PST

# **Principal Display Panel**

Compare to Children's Triaminic® NightTime Cold & Cough active ingredients\*

Childrens's Nighttime

# Cold & Cough Relief

FOR AGES 6-11 YEARS

Diphenhydramine HCl 6.25 mg - Antihistamine/Cough Suppressant

Phenylephrine HCl 2.5 mg - Nasal Decongestant

## GRAPE FLAVOR

- Relief of: Cough, runny, stuffy nose itchy throat
- Alcohol-Free

## FL OZ (mL)

## TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.

\*This product is not manufactured or distributed by GSK Consumer Healthcare, distributors of Children's Triaminic® Night Time Cold & Cough.

DISTRIBUTED BY

BETTER LIVING BRANDS LLC

P.O. BOX 99, PLEASANTON, CA 94566-0009

www.betterlivingbrandsLLC.com

Package Label





Compare to

Children's Triaminic®

Night Time

active ingredie

Cold & Cough

**Drug Facts** 

Active ingredients

(in each 5 mL)



Purposes

- symptoms do not improve within 7 days or occur with a fever cough persists for more than 7 days, comes back, or occurs with a fever, rash, or persistent headache. These could be signs of a

3 2 1 1 3 0 <sup>11</sup> 7 8 8 8 4 <sup>1</sup> 3 FUD-E320E F0006602			R	D20048	
PLD-E320E					
	3	0"78	888	41 111 3	3

SIGNATURE CARE Children's Nighttime Cold and Cough Relief Grape Flavor

CHILDRENS COLD AND COUGH NIGHTTIME						
Product Information						
Froduct miormation						
Product Type	TypeHUMAN OTC DRUGItem Code (\$			NDC:21	130-379	
Route of Administration	ute of Administration ORAL					
Active Ingradient/Active	Maiaty					
Active Ingredient/Active	-				Charles with	
Ingred	<b>Basis of Strength</b>		Strength			
<b>DIPHENHYDRAMINE HYDROCHLORIDE</b> (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)			DIPHENHYDRAMINE HYDROCHLORIDE		6.25 mg in 5 mL	
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII: 1WS 297W6MV)			PHENYLEPHRINE HYDROCHLORIDE		2.5 mg in 5 mL	

In	active Ingr	edie	nts						
				Ingredient	Nam	е		Strength	
AC	ESULFAME PO	TASS	<b>IUM</b> (UNII: 2	230V73Q5G9)					
sc	DIUM BENZOA	<b>ATE</b> (L	JNII: OJ245F	E5EU)					
AN	IHYDROUS CIT	RIC A	CID (UNII: X	F417D3PSL)					
ED	ETATE DISODI	<b>UM</b> (I	JNII: 7FLD91	.C86K)					
M	ALTITOL (UNII: I	D65D0	6142WK)						
PR	OPYLENE GLY	COL (	UNII: 6DC9C	(167V3)					
W	ATER (UNII: 059	QF0K(	20R)						
FD	&C RED NO. 4	<b>0</b> (UN	II: WZ B9127	XOA)					
TR	ISODIUM CITR	ATE I	DIHYDRATE	(UNII: B22547B	95K)				
FD	&C BLUE NO.	<b>1</b> (UN	II: H3R47K3	TBD)					
Pı	roduct Chai	racto	eristics						
Color Score									
Shape Size									
Flavor GRAPE					Imprint Code				
Co	ontains								
Pa	ackaging								
#	ltem Code		Pa	ckage Description		Marketing Start Date	Marketing End Date		
1	NDC:21130- 379-04	1 in 3	l box				12/31/2015		
1		118 r Com	.8 mL in 1 BOTTLE, PLASTIC; Type 0: Not a ombination Product						
Μ	larketing	Inf	ormati	on					
Marketing Application Number				nograph	Marketing Start Date	Marketing End Date			
от	C monograph fi	nal r	bart341				12/31/2015		
		· r							

# Labeler - Safeway, Inc. (009137209)

Revised: 11/2022

Safeway, Inc.