

**STOOL SOFTENER PLUS STIMULANT LAXATIVE- docusate sodium,
sennosides tablet
Meijer Distribution Inc.**

Meijer Stool Softener plus Stimulant Laxative

Drug Facts

Active ingredients (in each tablet)

Docusate sodium 50 mg
Sennosides 8.6 mg

Purpose

Stool softener

Stimulant Laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 6-12 hours

Warnings

Do not use

- laxative products for longer than 1 week unless directed by a doctor
- if you are presently taking mineral oil, unless directed by a doctor

Ask a doctor before use if you have

- stomach pain ■ nausea ■ vomiting
- noticed a sudden change in bowel habits that lasts over 2 weeks

Stop use and ask a doctor if

you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.

Drug Facts (continued)

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. 1-800-222-1222

Directions

■ Take only by mouth. Doses may be taken as a single daily dose, preferably in the evening, or in divided doses

adults and children 12 years and over	take 2-4 tablets daily
children 6 to under 12 years of age	take 1-2 tablets daily
children 2 to under 6 years of age	take up to 1 tablet daily
children under 2	ask a doctor

Inactive ingredients

Colloidal silicon dioxide, croscarmellose sodium, dicalcium phosphate, FD&C Red #40, hypermellose, magnesium stearate, maltodextrin, microcrystalline cellulose, polyethylene glycol-400, purified water, sodium benzoate, stearic acid, titanium dioxide

Questions or comments?

1-888-333-9792

DISTRIBUTED BY:

MEIJER DISTRIBUTION, INC.

GRAND RAPIDS, MI 49544

PRINCIPAL DISPLAY PANEL

COMPARE TO THE ACTIVE

INGREDIENTS OF PERI-COLACE®†

Stool Softener

with Stimulant Laxative

Docusate Sodium 50 mg

Sennosides 8.6 mg

Relieves

Constipation

ACTUAL SIZE

100 TABLETS

meijer NDC 41250-739-01

Stool Softener + stimulant laxative

FOR RELIEF OF OCCASIONAL CONSTIPATION

Docosate Sodium | 50 mg
Stool Softener
Sennosides | 0.6 mg
Stimulant Laxative

100 TABLETS

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Drug Facts

Active ingredients (in each tablet)	Purpose
Docosate sodium 50 mg	Stool softener
Sennosides 0.6 mg	Stimulant laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 6-12 hours

Warnings

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222)

Directions

- Take only by mouth. Doses may be taken as a single daily dose, preferably in the evening, or in divided doses


adults and children 12 years and over	Take 2-4 tablets daily
children 6 to under 12 years of age	take 1-2 tablets daily
children 2 to under 6 years of age	take up to 1 tablet daily
children under 2	ask a doctor

Other information

- each tablet contains: calcium 2.0 mg, sodium 6 mg
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

Questions or comments? 1-888-333-4792


PD 305542



MADE BY MEIJER DISTRIBUTION, INC.
GRAND RAPIDS, MI 49544 www.meijer.com

ORIG 06/23

LOT:
EXP:



STOOL SOFTENER PLUS STIMULANT LAXATIVE

docusate sodium, sennosides tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41250-739
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	50 mg
SENNOSIDES (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)	SENNOSIDES	8.6 mg

Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
ANHYDROUS DIBASIC CALCIUM PHOSPHATE (UNII: L11K75P92J)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	red	Score	no score
Shape	ROUND	Size	9mm
Flavor		Imprint Code	S44
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41250-739-01	1 in 1 PACKAGE	04/07/2020	
1		100 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	04/07/2020	

Labeler - Meijer Distribution Inc. (006959555)

Revised: 12/2023

Meijer Distribution Inc.