

**STOOL SOFTENER PLUS STIMULANT LAXATIVE- docusate sodium,  
sennosides tablet  
Meijer Distribution Inc.**

-----  
**Meijer Stool Softener plus Stimulant Laxative**

**Drug Facts**

**Active ingredients (in each tablet)**

Docusate sodium 50 mg  
Sennosides 8.6 mg

**Purpose**

Stool softener

Stimulant Laxative

**Uses**

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 6-12 hours

**Warnings**

**Do not use**

- laxative products for longer than 1 week unless directed by a doctor
- if you are presently taking mineral oil, unless directed by a doctor

**Ask a doctor before use if you have**

- stomach pain ■ nausea ■ vomiting
- noticed a sudden change in bowel habits that lasts over 2 weeks

**Stop use and ask a doctor if**

you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.

**Drug Facts (continued)**

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away. 1-800-222-1222

**Directions**

■ Take only by mouth. Doses may be taken as a single daily dose, preferably in the evening, or in divided doses

---

adults and children 12 years and over	take 2-4 tablets daily
children 6 to under 12 years of age	take 1-2 tablets daily
children 2 to under 6 years of age	take up to 1 tablet daily
children under 2	ask a doctor

---

**Inactive ingredients**

Colloidal silicon dioxide, croscarmellose sodium, dicalcium phosphate, FD&C Red #40, hypermellose, magnesium stearate, maltodextrin, microcrystalline cellulose, polyethylene glycol-400, purified water, sodium benzoate, stearic acid, titanium dioxide

**Questions or comments?**

**1-888-333-9792**

DISTRIBUTED BY:

MEIJER DISTRIBUTION, INC.

GRAND RAPIDS, MI 49544

**PRINCIPAL DISPLAY PANEL**

COMPARE TO THE ACTIVE

INGREDIENTS OF PERI-COLACE®†

Stool Softener

with Stimulant Laxative

Docusate Sodium 50 mg

Sennosides 8.6 mg

Relieves

Constipation

ACTUAL SIZE

100 TABLETS

**meijer** NDC 41250-739-01

# Stool Softener + stimulant laxative

FOR RELIEF OF OCCASIONAL CONSTIPATION

Docosate Sodium | 50 mg  
Stool Softener  
Sennosides | 0.6 mg  
Stimulant Laxative

**100 TABLETS**

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.**

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

**Drug Facts**

<b>Active ingredients (in each tablet)</b>	<b>Purpose</b>
Docosate sodium 50 mg	Stool softener
Sennosides 0.6 mg	Stimulant Laxative

**Uses**

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 6-12 hours

**Warnings**

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222)

**Directions**

- Take only by mouth. Doses may be taken as a single daily dose, preferably in the evening, or in divided doses

adults and children 12 years and over	Take 2-4 tablets daily
children 6 to under 12 years of age	take 1-2 tablets daily
children 2 to under 6 years of age	take up to 1 tablet daily
children under 2	ask a doctor

**Other information**

- each tablet contains: calcium 2.0 mg, sodium 6 mg
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

**Questions or comments?** 1-888-333-4792


PD 305542



MADE BY MEIJER DISTRIBUTION, INC.  
GRAND RAPIDS, MI 49544 [www.meijer.com](http://www.meijer.com)

ORIG 06/23

LOT:  
EXP:



## STOOL SOFTENER PLUS STIMULANT LAXATIVE

docusate sodium, sennosides tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:41250-739
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DOCUSATE SODIUM</b> (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	50 mg
<b>SENNOSIDES</b> (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)	SENNOSIDES	8.6 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>CROSCARMELOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>ANHYDROUS DIBASIC CALCIUM PHOSPHATE</b> (UNII: L11K75P92J)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>POLYETHYLENE GLYCOL 400</b> (UNII: B697894SGQ)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	

**Product Characteristics**

<b>Color</b>	red	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	9mm
<b>Flavor</b>		<b>Imprint Code</b>	S44
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41250-739-01	1 in 1 PACKAGE	04/07/2020	
1		100 in 1 BOTTLE; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	04/07/2020	

**Labeler** - Meijer Distribution Inc. (006959555)