SALICYLIC ACID- corn and callus remover liquid Chain Drug Consortium, LLC

Premier Value Liquid Corn And Callus Remover

Active ingredient

Salicylic acid 17%w/w

Purpose

Corn and callus remover

Uses

- for the removal of corns and calluses
- relieves pain by removing corns and calluses

Warnings

Flammable

- keep away from fire or flame
- cap bottle tightly and store at room temperature away heat

Do not use

- on irritated skin
- on any area that is infected or reddened
- if you are a diabetic, or if you have poor blood circulation, except under the advice and supervision of a doctor or podiatrist

When using this product

- avoid contact with eyes
- avoid inhaling vapors
- if product gets into the eyes, flush with water for 15 minutes

Stop and ask a doctor if

discomfort persists, see your doctor or podiatrist

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wash affected area and dry thoroughly
- apply one drop at a time with applicator, to sufficiently cover each corn/callus; let dry

- use cushions with hole centered over corn or callus to relieve pressure (additional cushions may be purchased separately)
- repeat this procedure once or twice daily as needed for up to 14 days (until corn/callus is removed)

Other information

store between 20°C to 30°C (68°F to 86°F)

Inactive ingredients

camphor, castro oil, ethanol, ethyl ether, nitrocellulose

Questions?

Call 1-866-964-0939

Principal Display Panel

Premier Value


Liquid Corn And Callus Remover

with Salicylic Acid

- Cushions against Pain and Pressure
- Removes corn and calluses safely

3 Cushions

1/3 FL OZ (9.8 mL)





SALICYLIC ACID

corn and callus remover liquid

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:68016-610

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength

SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ) SALICYLIC ACID 0.17 mg in 15 mL

Inactive Ingredients

| ı | Ingredient Name | Strength |
|---|--|----------|
| ı | CAMPLION (NATURAL) (UNIII, NOCULI 70041) | |

CAMPHOR (NATURAL) (UNII: N20HL7Q941)

PYROXYLIN (UNII: KYR8BR2X6O)
CASTOR OIL (UNII: D5340Y2I9G)

| P | ackaging | | | |
|---|----------------------|--|-------------------------|-----------------------|
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| 1 | NDC:68016- 610-00 | 15 mL in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product | 05/23/2003 | 12/13/2017 |
| 2 | NDC:68016- 610-09 | 9.8 mL in 1 BOTTLE, WITH APPLICATOR; Type 0: Not a Combination Product | 05/23/2017 | |

| Marketing Information | | | |
|-----------------------|---|-------------------------|-----------------------|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| OTC Monograph Drug | M030 | 05/23/2003 | |
| | | | |

Labeler - Chain Drug Consortium, LLC (101668460)

Revised: 12/2024 Chain Drug Consortium, LLC