

**DAYTIME AND NIGHTTIME COLD AND FLU- acetaminophen, dextromethorphan hydrobromide, doxylamine succinate, phenylephrine hydrochloride**  
**PuraCap Pharmaceutical LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Daytime and Nighttime Cold and Flu**

**Active ingredients (in each softgel)**

***Active ingredients for Nighttime (in each Softgel)***

Acetaminophen 325 mg

Dextromethorphan HBr 15 mg

Doxylamine succinate 6.25 mg

***Active ingredients for Daytime (in each Softgel)***

Acetaminophen 325 mg

Dextromethorphan HBr 10 mg

Phenylephrine HCl 5 mg

**Purposes**

**NIGHTTIME COLD/FLU LIQUID CAPS**

Pain reliever/fever reducer

Cough suppressant

Antihistamine

**DAY TIME COLD/FLU LIQUID CAPS**

Pain reliever/fever reducer

Cough suppressant

Nasal decongestant

**Uses**

temporarily relieves common cold/flu symptoms:

- cough due to minor throat and bronchial irritation
- sore throat
- headache
- minor aches & pains
- fever
- runny nose & sneezing (Nighttime only)
- nasal congestion (Daytime only)

**Liver warning**

These products contain acetaminophen. Severe liver damage may occur if you take

- more than 4 doses in 24 hrs, which is the maximum daily amount for these products
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using these products

### **Sore throat warning**

If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

### **Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- to make a child sleep (Nighttime only)

### **Ask a doctor before use if you have**

- liver disease
- heart disease (Daytime only)
- thyroid disease (Daytime only)
- diabetes (Daytime only)
- high blood pressure (Daytime only)
- cough that occurs with too much phlegm (mucus)
- a breathing problem or chronic cough that lasts or as occurs with smoking, asthma, chronic bronchitis or emphysema
- trouble urinating due to an enlarged prostate gland
- glaucoma (Nighttime only)

### **Ask a doctor or pharmacist before use if you are**

- taking sedatives or tranquilizers (Nighttime only)
- taking the blood thinning drug warfarin

### **When using these products**

- **do not use more than directed**

### **In addition, when using Nighttime:**

- excitability may occur, especially in children
- marked drowsiness may occur
- avoid alcoholic drinks
- be careful when driving a motor vehicle or operating machinery
- alcohol, sedatives, and tranquilizers may increase drowsiness

### **Stop use and ask a doctor if**

- you get nervous, dizzy, or sleepless (Daytime only)

- pain, cough or nasal congestion (Daytime only) gets worse or last more than 7 days
- redness or swelling is present
- fever gets worse or lasts more than 3 days
- new symptoms occur
- cough comes back, or occurs with rash, or headache that lasts.

These could be signs of a serious condition.

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.**

**Overdose warning:**

Taking more than the recommended dose can cause serious health problems. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- take only as directed - see **Overdose warning**
- Take Nighttime or Daytime
- do not exceed 4 doses per 24 hrs

<b>Age</b>	<b>Daytime</b>	<b>Nighttime</b>
adults and children 12 yrs & over	2 softgels with water every 4 hrs	2 softgels with water every 6 hrs
children 4 to under 12 yrs	ask a doctor	ask a doctor
children under 4 yrs	<b>do not use</b>	<b>do not use</b>

- **When using other Daytime or Nighttime products, carefully read each label to ensure correct dosing**

**Other information**

- store at room temperature 15°-30°C (59°-86°F) and avoid excessive heat

**Inactive ingredients**

**Daytime:** FD&C red #40, FD&C yellow #6, gelatin, glycerin, polyethylene glycol, povidone, propylene glycol, purified water, sorbitol sorbitan solution and white edible ink

**Nighttime:** D&C yellow # 10, FD&C blue #1, gelatin, glycerin, polyethylene glycol, povidone, propylene glycol, purified water, sorbitol sorbitan solution and white edible ink

**Questions or comments?**

Call toll free: **1-855-215-8180**

**Principal Display Panel**

Daytime and Nighttime Liquid Capsules 12ct

NDC 51013-196-02

\*Compare to the active ingredients in VICKS® DayQuil® and NyQuil® Cold and Flu LiquiCaps®



## DAYTIME AND NIGHTTIME COLD AND FLU

acetaminophen, dextromethorphan hydrobromide, doxylamine succinate, phenylephrine hydrochloride kit

Product Information			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:510 13-196

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51013-196-02	1 in 1 CARTON; Type 0: Not a Combination Product	07/12/2017	

## Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 BLISTER PACK	8
Part 2	1 BLISTER PACK	4

## Part 1 of 2

### DAYTIME COLD AND FLU

acetaminophen, dextromethorphan hydrobromide, phenylephrine hydrochloride capsule, liquid filled

## Product Information

Route of Administration ORAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE	5 mg

## Inactive Ingredients

Ingredient Name	Strength
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE (UNII: FZ989GH94E)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SORBITOL (UNII: 506T60A25R)	
SORBITAN (UNII: 6O92ICV9RU)	

## Product Characteristics

Color	orange (clear)	Score	no score
Shape	capsule (oblong)	Size	20mm

<b>Flavor</b>		<b>Imprint Code</b>	PC9
<b>Contains</b>			

<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		1 in 1 CARTON		
1		8 in 1 BLISTER PACK; Type 0: Not a Combination Product		

<b>Marketing Information</b>			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	07/12/2017	

**Part 2 of 2**

**NIGHTTIME COLD AND FLU**  
acetaminophen, dextromethorphan hydrobromide, doxylamine succinate capsule, liquid filled

<b>Product Information</b>	
<b>Route of Administration</b>	ORAL

<b>Active Ingredient/Active Moiety</b>		
Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	15 mg
DOXYLAMINE SUCCINATE (UNII: V9BI9B5YI2) (DOXYLAMINE - UNII:95QB77JKPL)	DOXYLAMINE SUCCINATE	6.25 mg

<b>Inactive Ingredients</b>	
Ingredient Name	Strength
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
FD&C BLUE NO. 1 (UNII: HBR47K3TBD)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE (UNII: FZ989GH94E)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SORBITOL (UNII: 506T60A25R)	
SORBITAN (UNII: 6O92ICV9RU)	

## Product Characteristics

<b>Color</b>	green (clear)	<b>Score</b>	no score
<b>Shape</b>	capsule (oblong)	<b>Size</b>	20mm
<b>Flavor</b>		<b>Imprint Code</b>	PC10
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		1 in 1 CARTON		
1		4 in 1 BLISTER PACK; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	07/12/2017	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	07/12/2017	

**Labeler** - PuraCap Pharmaceutical LLC (962106329)

## Establishment

Name	Address	ID/FEI	Business Operations
Humanwell PuraCap Pharmaceuticals (Wuhan) Co., Ltd		421293287	manufacture(51013-196) , analysis(51013-196)

Revised: 12/2019

PuraCap Pharmaceutical LLC