

VANQUISH EXTRA STRENGTH- acetaminophen, aspirin, and caffeine tablet, coated

DSE Healthcare Solutions, LLC

Vanquish Extra Strength

Drug Facts

Active ingredients (in each caplet)	Purposes
Acetaminophen 250 mg	Pain reliever
Aspirin 250 mg (NSAID)*	Pain reliever
Caffeine 65 mg	Pain reliever aid

* nonsteroidal anti-inflammatory drug

Uses temporarily relieves minor pain due to

- headache
- arthritis
- backache
- a cold
- menstrual cramps
- muscle aches

Warnings

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert: Aspirin may cause a severe allergic reaction which may include:

- hives
- facial swelling
- asthma (wheezing)
- shock

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 8 caplets in 24 hours, which is the maximum daily amount for this product
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Stomach bleeding warning: This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you

- are age 60 or older
- have had stomach ulcers or bleeding problems
- take a blood thinning (anticoagulant) or steroid drug
- take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others)
- have 3 or more alcoholic drinks every day while using this product
- take more or for a longer time than directed

Caffeine warning: The recommended dose of this product contains about as much caffeine as a cup of coffee. Limit the use of caffeine-containing medications, foods, or beverages while taking this product because too much caffeine may cause nervousness, irritability, sleeplessness, and, occasionally, rapid heartbeat.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to aspirin or any other pain reliever/fever reducer

Ask a doctor before use if

- you have liver disease
- stomach bleeding warning applies to you
- you have a history of stomach problems, such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis, or kidney disease
- you are taking a diuretic
- you have asthma

Ask a doctor or pharmacist before use if you are taking a prescription drug for

- gout
- diabetes
- arthritis

Stop use and ask a doctor if

- an allergic reaction occurs. Seek medical help right away.
- you experience any of the following signs of stomach bleeding:
 - feel faint

- vomit blood
- have bloody or black stools
- have stomach pain that does not get better
- pain gets worse or lasts more than 10 days
- redness or swelling is present
- ringing in the ears or loss of hearing occurs
- new symptoms occur

If pregnant or breast-feeding, ask a health professional before use. It is especially important not to use aspirin during the last 3 months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- do not take more than the recommended dose
- drink a full glass of water with each dose
- adults and children 12 years and over: take 2 caplets every 6 hours, not to exceed 8 caplets in 24 hours unless directed by a doctor
- children under 12 years: consult a doctor

Other information

- save carton for full directions and warnings
- store at room temperature

Inactive ingredients

Corn Starch, Hypromellose, Maltodextrin, Medium Chain Triglycerides, Microcrystalline Cellulose, Polydextrose, Povidone K30, Silicon Dioxide, Stearic Acid, Talc, Titanium Dioxide.

Questions or comments?

Call: 1-800-214-2379

VANQUISH® is a registered trademark of DSE Healthcare Solutions

Distributed by DSE Healthcare Solutions, LLC.
138 East Main Street, Suite 201, Kent, OH 44240

Principal Display Panel

MADE IN USA

with Domestic and Imported Ingredients

**Extra
Strength**

Effective Headache Relief

VANQUISH®
*Aspirin (NSAID) / Acetaminophen / Caffeine
Pain Reliever / Pain Reliever Aid*

100 Analgesic
COATED CAPLETS

Top Panel

Do not use this product if printed safety
seal under cap is torn or missing.

Effective Headache Relief

***VANQUISH® 50 Years of Proven Pain Relief
Refreshed for Today's Digital Lifestyle***

LOT:

EXP:

Bottom Panel

Questions or comments?

Call: 1-800-214-2379

VANQUISH® is a registered trademark of DSE Healthcare Solutions
Distributed by DSE Healthcare Solutions, LLC.
138 East Main Street, Suite 201, Kent, OH 44240

R53211

011-2208
09/24



Do not use this product if printed safety seal under cap is torn or missing.

See Carton for Full Information

Questions or Comments?
1-800-214-2379 or www.vanquishheadacherelief.com

www.dsehealth.com

09/24

R53210

Do not use this product if printed safety seal under cap is torn or missing.

Effective
Headache Relief

EXTRA STRENGTH / **VANQUISH**[®]

*Aspirin (NSAID)/
Acetaminophen/Caffeine
Pain Reliever
/Pain Reliever Aid*



MADE IN USA
with Domestic and Imported Ingredients

100 Analgesic COATED CAPLETS

See Carton for Full Information. Active Ingredients (in each caplet) Acetaminophen 250 mg, Aspirin 250 mg (NSAID)¹, Caffeine 65 mg, *nonsteroidal anti-inflammatory drug. **Warnings:** Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness. **Allergy alert:** Aspirin may cause a severe allergic reaction which may include: hives, facial swelling, asthma (wheezing), and shock. **Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include: skin reddening, blisters and rash. If a skin reaction occurs, stop use and seek medical help right away. **Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take ● more than 8 caplets in 24 hours, which is the maximum daily amount for this product ● with other drugs containing acetaminophen ● 3 or more alcoholic drinks every day while using this product. **Stomach bleeding warning:** This product contains a nonsteroidal anti-inflammatory drug (NSAID), which may cause severe stomach bleeding. The chance is higher if you: ● are age 60 or older ● have had stomach ulcers or bleeding problems ● take a blood thinning (anticoagulant) or steroid drug ● take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others) ● have 3 or more alcoholic drinks every day while using this product ● take more or for a longer time than directed. **Caffeine warning:** The recommended dose of this product contains about as much caffeine as a cup of coffee. Limit the use of caffeine-containing medications, foods, or beverages while taking this product because too much caffeine may cause nervousness, irritability, sleeplessness, and, occasionally, rapid heartbeat. **Do not use** ● with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. ● if you are allergic to aspirin or any other pain reliever/fever reducer. **Stop use and ask a doctor if** ● an allergic reaction occurs (seek medical help right away) ● you experience any of the following signs of stomach bleeding: feel faint, vomit blood, have bloody or black stools, have stomach pain that does not get better ● pain gets worse or lasts more than 10 days ● redness or swelling is present ● ringing in the ears or loss of hearing occurs ● new symptoms occur. **If pregnant or breast-feeding,** ask a health professional before use. **Directions:** Do not take more than the recommended dose. Drink a full glass of water with each dose. Adults and children 12 years and over: take 2 caplets every 6 hours, not to exceed 8 caplets in 24 hours unless directed by a doctor. Children under 12 years: consult a doctor.

Questions or Comments? 1-800-214-2379 or www.vanquishheadacherelief.com www.dsehealth.com 09/24

011-2208

Distributed by DSE Healthcare Solutions, LLC,
138 East Main Street, Suite 201, Kent, OH 44240

LOT: _____
EXP: _____

R53210

VANQUISH EXTRA STRENGTH

acetaminophen, aspirin, and caffeine tablet, coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:42364-2208
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Acetaminophen (UNII: 362O9ITL9D) (Acetaminophen - UNII:362O9ITL9D)	Acetaminophen	250 mg
Aspirin (UNII: R16CO5Y76E) (Aspirin - UNII:R16CO5Y76E)	Aspirin	250 mg
Caffeine (UNII: 3G6A5W338E) (Caffeine - UNII:3G6A5W338E)	Caffeine	65 mg

Inactive Ingredients

Ingredient Name	Strength
Starch, Corn (UNII: O8232NY3SJ)	
Hypromellose, Unspecified (UNII: 3NXW29V3WO)	
Maltodextrin (UNII: 7CVR7L4A2D)	
Medium-Chain Triglycerides (UNII: C9H2L21V7U)	
Microcrystalline Cellulose (UNII: OP1R32D61U)	
Polydextrose (UNII: VH2XOU12IE)	
Povidone K30 (UNII: U725QWY32X)	
Silicon Dioxide (UNII: ETJ7Z6XBU4)	
Stearic Acid (UNII: 4ELV7Z65AP)	
Talc (UNII: 7SEV7J4R1U)	
Titanium Dioxide (UNII: 15FIX9V2JP)	

Product Characteristics

Color	WHITE	Score	no score
Shape	OVAL	Size	17mm
Flavor		Imprint Code	VANQUISH
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:42364-2208-1	1 in 1 CARTON	01/15/2025	
1		100 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	01/15/2025	

Labeler - DSE Healthcare Solutions, LLC (603016069)

Revised: 12/2025

DSE Healthcare Solutions, LLC