

COPPERTONE KIDS SPF 50 SUNSCREEN- avobenzene 3%, homosalate 10%, octisalate 5%, octocrylene 5% aerosol, spray
Beiersdorf Inc

Kids Spray SPF 50

Drug Facts

Active ingredients

(To Deliver) Avobenzene 3%, Homosalate 10%, Octisalate 5%, Octocrylene 5%

Purpose

Sunscreen

Use

■ helps prevent sunburn

Warnings

For external use only

Flammable:Do not use near heat, flame, or while smoking

Do not use on damaged or broken skin

When using this product

■ keep away from face to avoid breathing it

■ keep out of eyes. Rinse with water to remove.

■ use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

■ do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

■ shake well before each use

- spray liberally and spread evenly by hand 15 minutes before sun exposure
- hold container 4 to 6 inches from the skin to apply
- do not spray directly into face. Spray on hands then apply to face.
- do not apply in windy conditions
- use in a well-ventilated area
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
 - children under 6 months: Ask a doctor

Other information

- protect this product from excessive heat and direct sun
- store between 20° to 25°C (68° to 77°F)
- may stain or damage some fabrics or surfaces

Inactive ingredients

SD alcohol 40-B (42.8% v/v), isobutane, neopentyl glycol diheptanoate, polyester-27, acrylates/octylacrylamide copolymer, dimethicone, fragrance

Questions?

1-866-288-3330

Coppertone® Sunscreen Spray

#1 Pediatrician Recommended Brand

kids

50

Stays on Strong Even in Water

Free of Oxybenzone, Octinoxate, Dyes & PABA

Water Resistant (80 Minutes)

Broad Spectrum SPF 50

Net Wt 5.0 oz (156 g)

**50%
MORE**

FAMILY SIZE
8.3 oz vs 5.5 oz

Coppertone
SUNSCREEN SPRAY



KiDs

50

**STAYS ON STRONG
EVEN IN WATER**

Free of Oxybenzone,
Octinoxate, Dyes & PABA

Water Resistant (80 Minutes)
Broad Spectrum SPF 50

NET WT 8.3 OZ (235 g)

Broad Spectrum UVA/UVB protection in a durable formula that keeps up with active kids. #1 Pediatrician Recommended Sunscreen Brand.

Drug Facts

Active ingredients **Purpose**
(To Deliver) Avobenzone 3%, Homosalate 10%, Octisalate 5%, Octocrylene 5% Sunscreen

Uses
■ helps prevent sunburn
■ if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings
For external use only

Flammable: Do not use near heat, flame, or while smoking
Do not use on damaged or broken skin

When using this product
■ keep away from face to avoid breathing it
■ keep out of eyes. Rinse with water to remove.
■ use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.
■ do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F.

Stop use and ask a doctor if rash occurs
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions
■ shake well before each use
■ spray liberally and spread evenly by hand 15 minutes before sun exposure
■ hold container 4 to 6 inches from the skin to apply
■ do not spray directly into face. Spray on hands then apply to face.
■ do not apply in windy conditions
■ use in a well-ventilated area
■ reapply:
■ after 80 minutes of swimming or sweating
■ immediately after towel drying
■ at least every 2 hours
■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
■ limit time in the sun, especially from 10 a.m. – 2 p.m.
■ wear long-sleeve shirts, pants, hats, and sunglasses
■ children under 6 months: Ask a doctor

Other information
■ protect this product from excessive heat and direct sun
■ store between 20° to 25°C (68° to 77°F)
■ may stain or damage some fabrics or surfaces

Inactive ingredients SD alcohol 40-B (42.8% v/v), isobutane, neopentyl glycol diheptanoate, polyester-27, acrylates/octylacrylamide copolymer, dimethicone, fragrance

Questions? 1-866-288-3330
www.coppertone.com



DOT-2P M5655

Beiersdorf

Beiersdorf Inc. Stamford, CT 06901
©=reg. TM. of Beiersdorf AG, Germany



10013050

COPPERTONE KIDS SPF 50 SUNSCREEN

avobenzone 3%, homosalate 10%, octisalate 5%, octocrylene 5% aerosol, spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66800-4353
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	10 g in 100 g
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 g in 100 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	5 g in 100 g
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y1O)	
ISOBUTANE (UNII: BXR49TP611)	
ALCOHOL (UNII: 3K9958V90M)	
NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKWBC543X)	
POLYESTER-7 (UNII: 0841698D2F)	
FRAGRANCE FLORAL ORC0902236 (UNII: R66Z4YW3X0)	
ACRYLATES CROSSPOLYMER-6 (UNII: 4GXD0Q30S3)	

Product Characteristics

Color	yellow (Clear to Pale Yellow)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66800-4353-5	156 g in 1 CAN; Type 0: Not a Combination Product	11/01/2021	
2	NDC:66800-4353-6	196 g in 1 CAN; Type 0: Not a Combination Product	11/01/2021	
3	NDC:66800-4353-7	208 g in 1 CAN; Type 0: Not a Combination Product	11/01/2021	
4	NDC:66800-4353-8	235 g in 1 CAN; Type 0: Not a Combination Product	11/01/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	11/01/2021	

Labeler - Beiersdorf Inc (001177906)

Revised: 12/2025

Beiersdorf Inc