

AQUAFLORA HIGH POTENCY 9- abies canadensis, agaricus muscarius, allium cepa, allium sativum, aloe, antimonium crudum, asafoetida, borax, candida albicans, candida parapsilosis, carpinus betulus, flos, ignatia amara, lachesis mutus, lycopodium clavatum, malus pumila, flos, olea europaea, flos, phosphoricum acidum, phytolacca decandra, pulsatilla, sabadilla, sticta pulmonaria, sulphur, thuja occidentalis. liquid
King Bio Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Aquaflora High Potency 9

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center immediately.

Reference image: High Potency 9.jpg

Directions

Bottle contains approximately 45 adult doses.

Adults: 1 measuring teaspoon, 2 times daily on an empty stomach, before breakfast and at bedtime.

Children 6-12 years: 1/2 measuring teaspoon, 2 times daily on an empty stomach, before breakfast and at bedtime.

Reference image: High Potency 9.jpg

Other Information

Tamper resistant for your protection. Use only if seal is intact.

King Bio, Inc. FDA Reg. #1053442
3 Westside Dr. Asheville, NC 28806 USA
Questions? Call 866.298.2740

Reference image: High Potency 9.jpg

Inactive ingredients

Citrus Extract (ascorbic acid, citric acid, citrus aurantium amara fruit extract, citrus aurantium sinensis peel extract, citrus reticulata fruit extract, demineralized water, glycerin, lactic acid), Honeysuckle (Lonicera japonica), Polylysine, Purified Water, Shagbark Hickory (Carya ovata) Bark Extract, Steviol (Steviol glycosides).

Reference image: High Potency 9.jpg

Equal volumes of each HPUS** ingredient in 12X, 30X, 100X, and 1LM potencies.

Abies canadensisgnawing hunger, irritable, peculiar cravings, light-headed
Agaricus muscarius gastric disturbances, bloating
Allium cepa.....burning in mouth, throat, bladder, and skin
Allium sativumconstipation, cough
Aloe headache, pain, nausea
Antimonium crudumear ringing, pimples, coated tongue
Asafoetida alcohol cravings, bloating, flatulence
Borax.....nervousness, intestinal upset
Candida albicans..... yeast infections, thrush
Candida parapsilosis...nail fungus, spacey, itchy scalp
Carpinus betulus, flos.....fatigue, weariness
Ignatia amara changeable mood, rash
Lachesis mutus melancholy, sleeplessness, food sensitivity
Lycopodium clavatum..... forgetfulness, drowsy, sensitive to odors, stress, fear
Malus pumila, flos.....obsessive cleansing
Olea europaea, flos.....complete exhaustion
Phosphoricum acidum..... nervous exhaustion, listlessness
Phytolacca decandra.....scaly scalp, dry skin
Pulsatilla..... overly emotional, chilliness, daytime sleepiness
Sabadilla.....cravings for sweets and starches
Sticta pulmonaria.....frothy stools, diarrhea, cough
Sulphur..... cravings for sweets, milk and sweets disagree
Thuja occidentalis..... GI irritation, brittle nails

“HPUS” indicates the active ingredients are in the official Homeopathic Pharmacopeia of the United States

Reference image: High Potency 9.jpg

Active Ingredient

Equal volumes of each HPUS** ingredient in 12X, 30X, 100X, and 1LM potencies.

Abies canadensis, Agaricus muscarius, Allium cepa, Allium sativum, Aloe, Antimonium crudum, Asafoetida, Borax, Candida albicans, Candida parapsilosis, Carpinus betulus, flos, Ignatia amara, Lachesis mutus, Lycopodium clavatum, Malus pumila, flos, Olea europaea, flos, Phosphoricum acidum, Phytolacca decandra, Pulsatilla, Sabadilla, Sticta pulmonaria, Sulphur, Thuja occidentalis.

“HPUS” indicates the active ingredients are in the official Homeopathic Pharmacopeia of the United States.

Reference image: High Potency 9.jpg

Use

Temporarily relieves symptoms due to overgrowth of *Candida albicans* yeast:

yeast infections

thrush

nail fungus

constipation

headache

nausea

itchy scalp

fatigue

diarrhea

flatulence

forgetfulness

sleeplessness

cravings

† as per various homeopathic materia medicas.
Claims based on traditional homeopathic practice, not accepted medical evidence. These uses have not been evaluated by the FDA, and product has not been clinically tested.

Reference image: High Potency 9.jpg

Warnings

Stop use and consult a physician if symptoms worsen or persist for more than 7 days.

If pregnant or breast-feeding, ask a healthcare professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center immediately.

Reference image: High Potency 9.jpg

Drug Facts (continued)

■ Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center immediately.

Directions

■ Bottle contains approximately 45 adult doses.
 ■ Adults: 1 measuring teaspoon, 2 times daily on an empty stomach, before breakfast and at bedtime. ■ Children 6-12 years: 1/2 measuring teaspoon, 2 times daily on an empty stomach, before breakfast and at bedtime.

Other information Tamper resistant for your protection. Use only if safety seal is intact.

Inactive ingredients

Citrus Extract* (ascorbic acid, citric acid, citrus aurantium amara fruit extract, citrus aurantium sinensis peel extract, citrus reticulata fruit extract, demineralized water, glycerin, lactic acid), Honeysuckle (Lonicera japonica), Polyllysine, Purified Water, Shagbark Hickory (Carya ovata) Bark Extract, Steviol (Steviol glycosides).

*Organic Ingredient

Doctors who specialize in its treatment agree that the overgrowth of *Candida albicans* can result in a broad spectrum of symptoms. Aquaflora High Potency 9 targets those symptoms for men, women, and children.

Benefits of homeopathy:

- NO known negative side effects
- NO known negative drug interactions
- Awakens the body's natural ability to heal
- Over 200 years of use worldwide

NATURAL MEDICINE INSTITUTE

Is dedicated to education and research for developing improved healthcare solutions. Your donations are tax deductible. nminstitute.org

Dr. King's



aquaflora®

Since 1990

High Potency 9™
Multi-Strain Candida Formula

Broad-Spectrum Relief for

Candida

22 active ingredients including

3 flower ESSENCES

Homeopathic

8 fl oz (236 mL)

Pure Water Base
Less than 1% Alcohol

Meet Dr. King, the formulator of Aquaflora and the founder of King Bio, a trusted name in natural products since 1989.

DrKings.com

[f](#) [t](#) [p](#)

Telltale Symptoms

Yeast infections
 Thrush
 Nail fungus
 Cravings
 Constipation
 Headache
 Indigestion
 Skin irritations
 Diarrhea
 Fatigue
 Forgetfulness
 Sleeplessness
 Bloating, Flatulence
 Stress

Take your Candida test
DrKings.com

Questions?
 Call 866.296.2740
 King Bio, Inc.
 3 Westside Drive
 Asheville, NC 28806 USA
 FDA Reg. #1053442

[kingbio](http://kingbio.com)
 The Healing Revolution is here

www.DrKings.com

Drug Facts

Active ingredients **Purpose†**

Equal volumes of each HPUS** ingredient in 12X, 30X, 100X, and 1LM potencies.

Abies canadensisgrawling hunger, irritable, peculiar cravings, light-headed

Agaricus muscariusgastric disturbances, bloating

Allium cepaburning in mouth, throat, bladder, and skin

Allium sativumconstipation, cough

Aloeheadache, pain, nausea

Antimonium crudumear ringing, pimples, coated tongue

Asafoetidaalcohol cravings, bloating, flatulence

Boraxnervousness, intestinal upset

Candida albicansyeast infections, thrush

Candida parapsilosisnail fungus, spacy, itchy scalp

Carpinus betulus, flosfatigue, weariness

Ignatia amarachangeable mood, rash

Lachesis mutusmelancholy, sleeplessness, food sensitivity

Lycopodium clavatumforgetfulness, drowsy, sensitive to odors, stress, fear

Malus pumila, flosobsessive cleansing

Olea europaea, floscomplete exhaustion

Phosphoricum acidumnervous exhaustion, listlessness

Phytolacca decandrascaly scalp, dry skin

Pulsatillaoverly emotional, chilliness, daytime sleepiness

Sabadillacravings for sweets and starches

Sticta pulmonariafrothy stools, diarrhea, cough

Sulphurcravings for sweets, milk and sweets disagree

Thuja occidentalisGI irritation, brittle nails

†**HPUS** indicates the active ingredients are in the official Homeopathic Pharmacopoeia of the United States.

Uses temporarily relieves symptoms due to overgrowth of *Candida albicans* yeast: ■ yeast infections ■ thrush ■ nail fungus ■ constipation ■ headache ■ nausea ■ itchy scalp ■ fatigue ■ diarrhea ■ flatulence ■ forgetfulness ■ sleeplessness ■ cravings.

† as per various homeopathic materia medicas. Claims based on traditional homeopathic practice, not accepted medical evidence. These uses have not been evaluated by the FDA, and product has not been clinically tested.

Warnings

■ Stop use and consult a physician if symptoms worsen or persist for more than 7 days.

■ If pregnant or breast-feeding, ask a healthcare professional before use.

Keep carton for complete drug facts and product information.

AQUAFLOA HIGH POTENCY 9

abies canadensis, agaricus muscarius, allium cepa, allium sativum, aloe, antimonium crudum, asafoetida, borax, candida albicans, candida parapsilosis, carpinus betulus, flos, ignatia amara, lachesis mutus, lycopodium clavatum, malus pumila, flos, olea europaea, flos, phosphoricum acidum, phytolacca decandra, pulsatilla, sabadilla, sticta pulmonaria, sulphur, thuja occidentalis. liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:57955-1814
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TSUGA CANADENSIS BARK (UNII: R53V5F950S) (TSUGA CANADENSIS BARK - UNII:R53V5F950S)	TSUGA CANADENSIS BARK	12 [hp_X] in 236 mL
AMANITA MUSCARIA FRUITING BODY (UNII: DIF093I037) (AMANITA MUSCARIA FRUITING BODY - UNII:DIF093I037)	AMANITA MUSCARIA FRUITING BODY	12 [hp_X] in 236 mL
ONION (UNII: 492225Q21H) (ONION - UNII:492225Q21H)	ONION	12 [hp_X] in 236 mL
GARLIC (UNII: V1V998DC17) (GARLIC - UNII:V1V998DC17)	GARLIC	12 [hp_X] in 236 mL
ALOE (UNII: V5VD430YW9) (ALOE - UNII:V5VD430YW9)	ALOE	12 [hp_X] in 236 mL
ANTIMONY TRISULFIDE (UNII: F79059A38U) (ANTIMONY TRISULFIDE - UNII:F79059A38U)	ANTIMONY TRISULFIDE	12 [hp_X] in 236 mL

FERULA ASSA-FOETIDA RESIN (UNII: W9FZA51AS1) (ASAFETIDA - UNII:W9FZA51AS1)	FERULA ASSA-FOETIDA RESIN	12 [hp_X] in 236 mL
SODIUM BORATE (UNII: 91MBZ8H3QO) (BORATE ION - UNII:44OAE30D22)	SODIUM BORATE	12 [hp_X] in 236 mL
CANDIDA ALBICANS (UNII: 4D7G21HDBC) (CANDIDA ALBICANS - UNII:4D7G21HDBC)	CANDIDA ALBICANS	12 [hp_X] in 236 mL
CANDIDA PARAPSILOSIS (UNII: 0KZ676D44N) (CANDIDA PARAPSILOSIS - UNII:0KZ676D44N)	CANDIDA PARAPSILOSIS	12 [hp_X] in 236 mL
CARPINUS BETULUS FLOWERING TOP (UNII: QOI241B01F) (CARPINUS BETULUS FLOWERING TOP - UNII:QOI241B01F)	CARPINUS BETULUS FLOWERING TOP	12 [hp_X] in 236 mL
STRYCHNOS IGNATII SEED (UNII: 1NM3M2487K) (STRYCHNOS IGNATII SEED - UNII:1NM3M2487K)	STRYCHNOS IGNATII SEED	12 [hp_X] in 236 mL
LACHESIS MUTA VENOM (UNII: VSW71SS07I) (LACHESIS MUTA VENOM - UNII:VSW71SS07I)	LACHESIS MUTA VENOM	12 [hp_X] in 236 mL
LYCOPODIUM CLAVATUM SPORE (UNII: C88X29Y479) (LYCOPODIUM CLAVATUM SPORE - UNII:C88X29Y479)	LYCOPODIUM CLAVATUM SPORE	12 [hp_X] in 236 mL
MALUS DOMESTICA FLOWER (UNII: EF626V855K) (MALUS DOMESTICA FLOWER - UNII:EF626V855K)	MALUS DOMESTICA FLOWER	12 [hp_X] in 236 mL
OLEA EUROPAEA FLOWER (UNII: 498M34P1VZ) (OLEA EUROPAEA FLOWER - UNII:498M34P1VZ)	OLEA EUROPAEA FLOWER	12 [hp_X] in 236 mL
PHOSPHORIC ACID (UNII: E4GA8884NN) (PHOSPHORIC ACID - UNII:E4GA8884NN)	PHOSPHORIC ACID	12 [hp_X] in 236 mL
PHYTOLACCA AMERICANA ROOT (UNII: 11E6VI8VEG) (PHYTOLACCA AMERICANA ROOT - UNII:11E6VI8VEG)	PHYTOLACCA AMERICANA ROOT	12 [hp_X] in 236 mL
PULSATILLA VULGARIS WHOLE (UNII: I76KB35JEV) (ANEMONE PULSATILLA - UNII:I76KB35JEV)	PULSATILLA VULGARIS WHOLE	12 [hp_X] in 236 mL
SCHOENOCAULON OFFICINALE SEED (UNII: 6NAF1689IO) (SCHOENOCAULON OFFICINALE SEED - UNII:6NAF1689IO)	SCHOENOCAULON OFFICINALE SEED	12 [hp_X] in 236 mL
LOBARIA PULMONARIA (UNII: D1YM0P5Z2T) (LOBARIA PULMONARIA - UNII:D1YM0P5Z2T)	LOBARIA PULMONARIA	12 [hp_X] in 236 mL
SULFUR (UNII: 70FD1KFU70) (SULFUR - UNII:70FD1KFU70)	SULFUR	12 [hp_X] in 236 mL
THUJA OCCIDENTALIS LEAFY TWIG (UNII: 1NT28V9397) (THUJA OCCIDENTALIS LEAFY TWIG - UNII:1NT28V9397)	THUJA OCCIDENTALIS LEAFY TWIG	12 [hp_X] in 236 mL

Inactive Ingredients

Ingredient Name	Strength
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
CITRUS AURANTIUM FRUIT OIL (UNII: 59JDQ5VT0T)	
ORANGE PEEL (UNII: TI9T76XD44)	
CITRUS RETICULATA FRUIT OIL (UNII: 25P9H3QU5E)	
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
LACTIC ACID, UNSPECIFIED FORM (UNII: 33X04XA5AT)	
LONICERA JAPONICA FLOWER (UNII: 4465L2WS4Y)	
POLYEPSILON-LYSINE (4000 MW) (UNII: WB0M8X4TWR)	
CARYA OVATA BARK (UNII: X765CF609L)	
STEVIOL (UNII: 4741LYX6RT)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
---	-----------	---------------------	----------------------	--------------------

1	NDC:57955-1814-8	1 in 1 CARTON	02/23/2022	10/01/2025
1		236 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic			02/23/2022	10/01/2025

Labeler - King Bio Inc. (617901350)

Registrant - King Bio Inc. (617901350)

Establishment			
Name	Address	ID/FEI	Business Operations
King Bio Inc.		617901350	manufacture(57955-1814) , api manufacture(57955-1814)