COMFORT SHIELD BARRIER- dimethicone cloth Sage Products LLC

Comfort Shield Barrier Cream Cloths

Active Ingredient

Dimethicone 3%

Purpose

Skin protectant

Uses

- helps seal out wetness
- helps treat and prevent perineal dermatitis
- protects from minor skin irritation associated with perineal dermatitis

Warnings

For external perineal use only.

Avoid contact with the eyes.

Stop use and consult a doctor if condition worsens or does not improve within 7 days

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away

Directions

- remove wet and soiled garment
- cleanse soiled area using a fresh barrier cream cloth
- discard cloth after use DO NOT FLUSH CLOTHS
- use as often as necessary, especially if prolonged exposure to wetness is anticipated
- for individual use only
- reseal label between uses
- · discard package immediately if cloths are dry

If warming is desired:

- peel open label without completely removing it
- heat entire package in microwave no longer than [see package for time].
- since microwave wattage varies, adjust heating time accordingly
- Comfort Shield® may also be used at room temperature or warmed in a Comfort Personal Cleansing Warmer.
- Caution: If there is any indication barrier cloths are excessively hot, do not use
- Remember, gloves diminish your sensitivity to heat

• Closely monitor heat level with infants, unresponsive or skin sensitive individuals

Inactive Ingredients

Water, glyceryl stearate, PEG-100 stearate, isopropyl palmitate, cetyl alcohol, glycerin, stearyl alcohol, phenoxyethanol, methylpropanediol, chlorhexidine gluconate, hydroxyethyl cellulose, ethylhexylglycerin, polyquaternium-37, propylene glycol dicaprylate/dicaprate, glucono-delta-lactone, PPG-1 trideceth-6

Barrier cloths: cellulose fiber/polyester (PET) fiber

Questions or Comments?

800-323-2220

Comfort Shield Barrier





COMFORT®
PERSONAL CLEANSING

Now you can purchase Comfort Shield® for use at home!



DO NOT FLUSH

- FOR INDIVIDUAL USE ONLY
- NOT MADE WITH NATURAL RUBBER LATEX



Patents: www.sageproducts



Reorder #7508



R5474B



DO NOT **FLUSH**

Drug Facts

Active Ingredient Purpose Dimethicone 3% Skin protectant

- Dimethicone 3% Skin protectars

 helps seal out wetness
 helps treat and prevent
 perineal dermatitis
 protects from minor skin
 irritation associated with
 perineal dermatitis

Warnings
For external perineal use only.
Avoid contact with the eyes.
Stop use and consult a
doctor if condition worsens
or does not improve within
7 days

- 7 days.
 Keep out of reach of children,
 8 reallowed, get medical help
 1 reallowed, get medical help
 2 content of the content of the content of the content of the content right early
 2 a fresh barrier cream cloth
 4 dispared to the content of the content right early
 2 a fresh barrier cream cloth
 4 dispared to the content of the content right early
 2 a fresh barrier cream cloth
 4 dispared to the content of the c

skin sensitive indviduals inactive Ingredients Water, gberng stemene, PEG-103 stemens, incorpor, PEG-103 stemens, incorpor, gbern, stemen, abond, phenosyethanol, methylacopanedid, ethorheciding ductomate, ethorheciding places, polyguenium, 227, propylene ethylhecyligycent, polyguenium, 27, propylene ethylhecyligycent, polyguenium, 27, propylene ethylhecyligycent, gberno-cellis-lasterie, PPG-104, propylene ethylecylights of propylene ethoric getter.


Questions or Comments?



Peri Check™ Guide

Terrencen Guide		
Check skin condition for Incontinence-Associated Dermatitis and report to nurse		
□Red □Intact □Broken		
☐ Other		
ID		
Time		
Checked by		
Date		
© 2016 Sage Products LLC		

© 2016 Sage Products LLC Patents: www.sageproducts.com/patents







Drug Facts

Active Ingredient Purpose

- Uses helps seal out we'ness
- helps shall our vertices
 helps treat and prevent perheal dermatits
 protects from minor okin initiation associated with perheal dermatit.

Warnings

For external perincal use only.
Avoid contact with the eyes.

Stop use and consult a doctor if condition worsens or does not improve within 7 days.

Keep out of reach of children, F swellowed, get medical help or contact a Poteon Control Center right away

Directions

- Directions

 chance oiled area using a frish
 barrier cream cloth
 closine oiled area using a frish
 barrier cream cloth
 decided cloth after use DO MOT
 FLUSH CLOTHS

 use as often as necessary,
 especially if protonged exposure
 to wetness is articipated
- discard package immediately if cloths are dry

If warming is desired:

- If Warming is desired:

 * tear open spackage

 * hear serdire paddage in misconoses
 no larger than 15 occasis;
 adjust hearing that is occasis;
 content State* may also be
 used at soom temperature or
 be used at soom temperature or
 content State* may also be
 used at soom temperature or
 used at soom temperature or
 Construct I there is any indication
 do not use.

 * Caustion: If there is any indication
 do not use.

 * Remember, glaves deminish your
 serantivity to heat

 Closely monitor heat lead with
 relate, unexpensive or with
 serantive ted dodast
 serantive ted dodast.

Inactive Ingredients

materive Ingredients
Water, dyvery lessons, FEG-100
disaste, separagy fairhible, celyl
aborid, gloverin, sharey dubbet,
celyl
aborid, gloverin, sharey dubbet,
celyl
disable, displace of the company
disagness of the company
to the compan

harrier doths: collulose fiber(sollyester (PET) fiber

800-323-2220

Questions or Comments?







Active Ingredient

Uses

Uses

helps and outwelvess

helps had and preven perional de

Warnings

Per extending before use only. Another contact with the eyes.

Stop use and consult a disclor if somition revisions or does not improve within 7 days.

Keep out of reach of shillden, I avail award, get reacted help or contact of Polson Control Center right sway.

Directions
- sonour wet and soled garment
- deaner soled area using a flesh
barrier gream cloth.

discard obth after use = DO NOT FLUSH CLOTHS

ase as often as recessory if probegod exposure to a anticipated

discard poologie inmediately if disti

If warming is desired:

tear upon padkage had entire package in mic no longer than 12 xeconds

since microwave waitage series, adjust teating fine accordingly. Control Siniski's may also be used at noon temperature or warmed in a Control Personal Cleanaing Warmer.

Caution: If there is any indication barrier doffer are escensively hat, do not use

Machine Ingredients
Wars, dever I deserts, PED-100 stein
wars, dever I deserts, PED-100 stein
mention of self-time, only laboral, three
mentions of the self-time of the self-time
mentions of the self-time of the self-time
mentions of the self-time of the self-time
dependent of the self-time of time
dependent of the self-time of time
self-time of time of time of time
the self-time of time of time of time of time
the self-time of time of time of time of time
the self-time of time of time of time of time
the self-time of time of time of time of time
the self-time of time of time of time of time of time
the self-time of time of time of time of time of time of time of time
the self-time of time of time

Questions or Comments?



COMFORT

elo

BARRIER CREAM CLOTHS





ONE STEP

- Cleans
- Treats
- Protects

Treats & Prevents ASSOCIATED **DERMATITIS**

- CHG Compatible



COMFORT SHIELD BARRIER

dimethicone cloth

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:53462-915

Route of Administration TOPICAL

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
DIMETHICONE (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE	30 mg in 1 g

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
GLYCERYL MONOSTEARATE (UNII: 2300U9XXE4)	
PEG-100 STEARATE (UNII: YD01N1999R)	
ISOPROPYL PALMITATE (UNII: 8CRQ2TH63M)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
GLYCERIN (UNII: PDC6A3C0OX)	
STEARYL ALCOHOL (UNII: 2KR89I4H1Y)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
METHYLPROPANEDIOL (UNII: N8F53B3R4R)	
CHLORHEXIDINE GLUCONATE (UNII: MOR84MUD8E)	
HYDROXYETHYL CELLULOSE (4000 MPA.S AT 1%) (UNII: ZYD53NBL45)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
POLYQUATERNIUM-37 (25000 MPA.S) (UNII: 31L31U8285)	
PROPYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: O4446S9CRA)	
GLUCONOLACTONE (UNII: WQ29KQ9POT)	
PPG-1 TRIDECETH-6 (UNII: 1K7417JX6Q)	

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53462- 915-50	3 in 1 PACKAGE	01/01/1990	
1		26 g in 1 APPLICATOR; Type 0: Not a Combination Product		
2	NDC:53462- 915-51	3 in 1 PACKAGE	01/01/1990	
2		19 g in 1 APPLICATOR; Type 0: Not a Combination Product		
3	NDC:53462- 915-62	24 in 1 PACKAGE	01/01/1990	09/21/2016
3		24 g in 1 APPLICATOR; Type 0: Not a Combination Product		
4	NDC:53462- 915-80	8 in 1 PACKAGE	01/01/1990	
4		27 g in 1 APPLICATOR; Type 0: Not a Combination Product		
5	NDC:53462- 915-81	8 in 1 PACKAGE	01/01/1990	
5		19 g in 1 APPLICATOR; Type 0: Not a Combination Product		
6	NDC:53462- 915-24	24 in 1 PACKAGE	12/11/2023	
6		24 g in 1 APPLICATOR; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M016	01/01/1990	

Labeler - Sage Products LLC (054326178)

Revised: 12/2023 Sage Products LLC