

EXAPRIN-AC- aspirin,caffeine tablet, film coated
HART Health

EXAPRIN-AC

Active ingredients (in each caplet)

Aspirin (NSAID*) 500 mg *nonsteroidal anti-inflammatory drug

Caffeine 32.5 mg

Purpose

Pain reliever/fever reducer

Pain reliever aid

Uses

for the temporary relief of minor aches and pains due to

- headache
- muscular aches
- backache pain
- minor arthritis pain
- common cold
- toothache
- menstrual cramps

Temporarily reduces fever

Warnings

Reye's syndrome:

Children and teenagers should not use this medicine for chicken pox or flu symptoms before a doctor is consulted about Reye's Syndrome, a rare but serious illness reported to be associated with salicylates.

Allergy alert:

Magnesium salicylate may cause a severe allergic reaction which may include:

- hives
- facial swelling
- asthma (wheezing)
- shock

Stomach bleeding warning:

This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you:

- are age 60 or older

- have had stomach ulcers or bleeding problems
- take a blood thinning (anticoagulant) or steroid drug
- take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others)
- have 3 or more alcoholic drinks every day while using this product
- take more or for a longer time than directed

Do not use if you have ever had an allergic reaction to any pain reliever/fever reducer.

Ask a doctor before use if

- stomach bleeding warning applies to you
- you have a history of stomach problems, such as heartburn
- you have asthma, high blood pressure, heart disease, liver cirrhosis, or kidney disease
- you are taking a diuretic

Ask a doctor or pharmacist before use if you take any drug for diabetes, gout or arthritis

Stop use and ask a doctor if

- an allergic reaction occurs, seek medical help right away
- fever worsens or lasts more than 3 days
- pain worsens or lasts more than 10 days
- you have any of the following signs of stomach bleeding: feel faint, vomit blood, have bloody or black stools, or stomach pain that does not get better
- ringing in the ears or loss of hearing occurs
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. It is especially important not to use aspirin at 20 weeks or later in pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. 1-800-222-1222

Directions

Do not take more than directed.

Adults and children 12 years of age and over:

- take 2 caplets with a full glass of water every 6 hours while symptoms persist
- do not take more than 8 caplets in 24 hours unless directed by a doctor


Children under 12 years: ask a doctor

Other information

- caplets enclosed in a sealed packet
- do not use if packet is torn, cut or open
- store at 59° to 86°F (15°-30°C)
- avoid excessive heat and humidity

Inactive ingredients

corn starch, hypromellose, maltodextrin, microcrystalline cellulose, polyethylene glycol, sodium lauryl sulfate



EXAPRIN-AC			
aspirin, caffeine tablet, film coated			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50332-0143

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)	ASPIRIN	500 mg
CAFFEINE (UNII: 3G6A5W338E) (CAFFEINE - UNII:3G6A5W338E)	CAFFEINE	32.5 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	

Product Characteristics

Color	white	Score	no score
Shape	CAPSULE (Caplet)	Size	17mm
Flavor		Imprint Code	44;413
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50332-0143-3	20 in 1 BAG	01/09/2023	
1		2 in 1 PACKET; Type 0: Not a Combination Product		
2	NDC:50332-0143-4	40 in 1 BOX	01/09/2023	
2		2 in 1 PACKET; Type 0: Not a Combination Product		
3	NDC:50332-0143-7	100 in 1 BOX	01/09/2023	
3		2 in 1 PACKET; Type 0: Not a Combination Product		
4	NDC:50332-0143-8	200 in 1 BOX	01/09/2023	
4		2 in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M	01/09/2023	

Labeler - HART Health (069560969)

Revised: 12/2024

HART Health