MMM - COUGH FORMULA GUAIFENESIN DM- guaifenesin dm liquid Southern Sales & Services, Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

MMM Cough Formula Guaifenesin DM

Active ingredient (in each 5ml tsp.) Dextromethorphan HBr USP 10 mg......Cough suppressant

Guaifenesin USP 100mg......Expectorant

Expectorant, Cough Suppressant

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if you are taking a prescription drug that contains an MAOI drug, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if

you have a cough that lasts or a chronic cough such as occurs with smoking, asthma, chronic bronchitis or emphysema - cough occurs with too much phlegm (mucus)

Stop use and ask a doctor if

cough lasts for more than 7 days, comes back, or occurs with fever, rash, or headache that lasts. These could be signes of a serious condition.

If pregnant or breast-feeding

ask a health professional before use

Keep out of the reach of children

In case of oversdose, get medical help or contact a Poison Control Center right away.

See DOSAGE & ADMINISTRATION

Do not take more than 6 doses in any 24 hour period

adults and children 12 years and over...10ml (2 teaspoonfuls every 4 hours or as directed by doctor)

Children under 12 years...do not use

Store at room temperature - 15°- 30°C (59°- 86°F)

TAMPER-EVIDENT : Do not use if seal under cap is torn, broken or missing.

Propylene glycol, glycerine, citric acid, sucralose, sodium citrate, potassium sorbate, methylparaben, propylparaben, cherry flavor, menthol, FD&C Red#40, purified Water

KEEP OUT OF REACH OF CHILDREN

MMM Cough Formula DM

MMM Cough Formula DM

Drug Facts Active inpreferets (in such 5 ml tag) Destroyments (in 10 ml) Destroyments (in 10 ml) Destroyments	Аммм	Directions Do not take more than 6 doesn in any 24 hours period Adds and children 12 to an 2 heapoent/up even 4 peak and over Directed under 12 years Children under 12 years do not use	
Uses - senserantly quiets cough associated with the conserve cost or inhaled initiants - helps lossen philoge mecus, and this transmission associations to make coughs mare productive.	Cough Formula		
Maxwingue De solt use if pou are non taking a prescription moneumine access embodie (IMACE) portain drugs to depression, exponenties or exercised and andress. Or Parameteria dashage, producting on exercised and andress of parameteria dashage taking the pou are taking a parameteria traiteria tarea (IMACE), which are a docum or planmanist traiteria tarea (IMACE) and a docum or planmanist traiteria tarea (IMACE).	Guaifenesin DM	tom, broken or meaning. Inactive ingredients Propiete gy/db, gycarne, citic acid, suchice, socher nicka, polester, restruct, retrygenature, propylastates, cherry favor, metricol, FDBC RacHell, socher Weter.	
Ask a desize before such if - po, have a rough that leads to denote score node as associate with reading, address, develop together of employeents - saugh course with too much proget denotes and a stock of score with too much. They are and stat a stocker if - score have to react the to state. These could be signs of a sector, a provider, and	Expectorant	Distributed by Achieve Han Miland, R. SPICE	
Entropy and a share and drifter thanks of a state to reach the state of the state o	Cough Suppressant	LOTe:	

MMM - COUGH FORMULA GUAIFENESIN DM guaifenesin dm liguid **Product Information Product Type** HUMAN OTC DRUG Item Code (Source) NDC:69822-021 **Route of Administration** ORAL **Active Ingredient/Active Moiety Ingredient Name Basis of Strength** Strength 100 mg GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ) **GUAIFENES IN** in 5 mL DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) 10 mg DEXTROMETHORPHAN (DEXTROMETHORPHAN - UNII:7355X3ROTS) **HYDROBROMIDE** in 5 mL **Inactive Ingredients Ingredient Name** Strength **PROPYLPARABEN** (UNII: Z8IX2SC10H) **PROPYLENE GLYCOL** (UNII: 6DC9Q167V3) GLYCERIN (UNII: PDC6A3C0OX) CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP) SUCRALOSE (UNII: 96K6UQ3ZD4) SODIUM CITRATE (UNII: 1Q73Q2JULR) METHYLPARABEN (UNII: A2I8C7HI9T) CHERRY (UNII: BUC5I9595W) FD&C RED NO. 40 (UNII: WZB9127XOA) MENTHOL (UNII: L7T10EIP3A)

WATER (UNII: 059QF0KO0R)

POTASSIUM SORBATE (UNII: 1VPU26JZZ4)

Packaging

#	ltem Code	Package Description	Marketing Start Date	Marketing End Date
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2021	
Μ	larketing	Information		
M	larketing Marketing Category	nformation Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
	Marketing	Application Number or Monograph Citation	-	-

Labeler - Southern Sales & Services, Inc (013114906)

Registrant - Southern Sales & Services, Inc. (013114906)

Establishment

Name	Address	ID/FEI	Business Operations
Southern Sales & Services, Inc.		013114906	label(69822-021)

Revised: 1/2021

Southern Sales & Services, Inc