

**TOLNAFTATE- antifungal liquid spray aerosol, spray**  
**Winco Foods, LLC**

-----  
**Winco Antifungal Tolnaftate Liquid Spray**

***Active ingredient***

Tolnaftate 1%

***Purpose***

Antifungal

***Uses***

- proven clinically effective in the treatment of most athlete's foot (tinea pedis) and ringworm (tinea corporis)
- prevent recurrence of most athlete's foot with daily use
- for effective relief of itching, cracking and burning

***Warnings***

**For external use only.**

**Flammable:**

Contents under pressure. Avoid spraying in eyes. Do not use or store near heat or open flame. Do not puncture or incinerate container. Contents under pressure. Do not store at temperature above 120°F. Keep out of the reach of children. Use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

**When using this product**

- avoid contact with the eyes or mouth
- use only as directed

**Stop use and ask a doctor if**

- irritation occurs
- no improvement within 4 weeks for athlete's foot and ringworm

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

- wash affected area and dry thoroughly
- shake can well and spray a thin layer of the product over affected area twice daily

(morning and night) or as directed by a doctor

- supervise children in the use of this product
- for athlete's foot: pay special attention to spaces between the toes; wear well-fitting, ventilated shoes, and change shoes and socks at least once daily
- for athlete's foot and ringworm, use daily for 4 weeks
- if condition persists, consult a doctor
- to prevent athlete's foot: wash the feet and dry thoroughly; spray a thin layer of the product to the feet once or twice daily (morning and/or night)
- this product is not effective on the scalp or nails
- if nozzle clogs, clean with a pin

### ***Other information***

store between 20° and 30°C (68° and 86°F)

### ***Inactive ingredients***

BHT, isobutane, PPG-12-buteth-16, SD alcohol 40-B

### ***Questions?***

Call 800-824-1706 Monday - Friday 9am - 4pm MST

### **Principal Display Panel**

#### **Antifungal**

#### **Liquid Spray**

Tolnaftate 1%/

ANTIFUNGAL

- Cures Most Athlete's Foot & Prevents Recurrences
- Relieves Itching, Cracking & Burning

NET WT 5.3 OZ (150g)

\*Compare to TINACTIN® Athlete's Foot Liquid Spray



**TOLNAFTATE 1%/  
ANTIFUNGAL**  
Cures Most Athlete's Foot  
& Prevents Recurrences

Relieves Itching, Cracking & Burning

NET WT 5.3 OZ (150 g)

**Drug Facts**

**Active ingredient** Tolnaftate 1% **Purpose** Antifungal

**Uses** ■ proven clinically effective in the treatment of most athlete's foot (tinea pedis) and ringworm (tinea corporis) ■ prevents the recurrence of most athlete's foot with daily use ■ for effective relief of itching, cracking and burning

**Warnings**

For external use only.

**Flammable:** Contents under pressure. Avoid spraying in eyes. Do not use or store near heat or open flame. Do not puncture or incinerate container. Do not store at temperature above 120°F. Keep out of reach of children. Use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

**When using this product** ■ avoid contact with the eyes or mouth ■ use only as directed

**Stop use and ask a doctor if** ■ irritation occurs ■ no improvement within 4 weeks for athlete's foot and ringworm

**Do not use** on children under 2 years of age unless directed by a doctor.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- wash affected area and dry thoroughly
- shake can well and spray a thin layer of the product over affected area twice daily (morning and night) or as directed by a doctor
- supervise children in the use of this product
- for athlete's foot: pay special attention to spaces between the toes; wear well-fitting, ventilated shoes, and change shoes and socks at least once daily
- for athlete's foot and ringworm, use daily for 4 weeks
- if condition persists, consult a doctor
- to prevent athlete's foot: wash the feet and dry thoroughly; spray a thin layer of the product to the feet once or twice daily (morning and/or night)
- this product is not effective on the scalp or nails
- if nozzle clogs, clean with a pin

**Other information** store between 20° and 30°C (68° and 86°F)

**Inactive ingredients**

BHT, isobutane, PPG-12-buteth-16, SD alcohol 40-B

**Questions or comments?**

Call 800-824-1706 Monday - Friday 9am - 4pm MST



DISTRIBUTED BY:  
WINCO FOODS, LLC.  
BOISE, ID 83704



MADE IN USA WITH  
U.S. AND IMPORT  
PARTS

\*This product is not manufactured or distributed by BAYER HEALTHCARE, LLC. owner of the registered trademark TINACTIN®.

**TOLNAFTATE**

antifungal liquid spray aerosol, spray

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:67091-391
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
TOLNAFTATE (UNII: 06KB629TKV) (TOLNAFTATE - UNII:06KB629TKV)	TOLNAFTATE	1.5 g in 150 g

**Inactive Ingredients**

Ingredient Name	Strength
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
ISOBUTANE (UNII: BXR49TP611)	
PPG-12-BUTETH-16 (UNII: 58CG7042J1)	
ALCOHOL (UNII: 3K9958V90M)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67091-391-05	150 g in 1 CANISTER; Type 0: Not a Combination Product	09/29/2021	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M005	09/29/2021	

**Labeler** - Winco Foods, LLC (056098817)

Revised: 2/2024

Winco Foods, LLC