

MURO 128- sodium chloride solution
Bausch & Lomb Incorporated

Muro 128

Drug Facts

Active ingredient

Sodium chloride 2%

Purpose

Hypertonicity agent

Uses

temporary relief of corneal edema

Warnings

For external use only

Do not use

- except under the advice and supervision of a doctor
- if solution changes color or becomes cloudy

When using this product

- it may cause temporary burning and irritation
- to avoid contamination, do not touch tip of container to any surface
- replace cap after use

Stop use and ask a doctor if

- condition worsens or persists for more than 72 hours
- you experience eye pain, changes in vision, continued redness or irritation of the eye

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Instill 1 or 2 drops in the affected eye(s) every 3 or 4 hours, or as directed by a doctor.

Other information

- store upright at 15-25 °C (59-77 °F)
- keep tightly closed
- serious side effects associated with use of the product may be reported to the phone number provided below

Inactive ingredients

boric acid, hypromellose, methylparaben, propylene glycol, propylparaben, purified water, sodium borate. Hydrochloric acid and/or sodium hydroxide may be added to adjust pH.

Questions or comments?

[telephone icon] **Call 1-800-553-5340**

Muro 128 is a trademark of Bausch & Lomb Incorporated or its affiliates.

© 2022 Bausch & Lomb Incorporated or its affiliates

Marketed by:

Bausch & Lomb Americas Inc.

Bridgewater, NJ 08807 USA

9756801

AB15511

Package/Label Principal Display Panel

1035



SOLUTION

Muro 128[®]
 sodium chloride hypertonicity
 ophthalmic solution, 2%
BAUSCH + LOMB

Drug Facts

Active ingredient **Purpose**
 Sodium chloride 2%.....Hypertonicity agent

Uses
 temporary relief of corneal edema

Warnings
For external use only
Do not use
 ■ except under the advice and supervision of a doctor
 ■ if solution changes color or becomes cloudy

When using this product
 ■ it may cause temporary burning and irritation
 ■ to avoid contamination, do not touch tip of container to any surface
 ■ replace cap after use

Stop use and ask a doctor if
 ■ condition worsens or persists for more than 72 hours
 ■ you experience eye pain, changes in vision, continued redness or irritation of the eye

Keep out of reach of children.
 If swallowed, get medical help or contact a Poison Control Center right away.

Directions
 Instill 1 or 2 drops in the affected eye(s) every 3 or 4 hours, or as directed by a ▶

Drug Facts (continued)

doctor.

Other information
 ■ store upright at 15–25 °C (59–77 °F)
 ■ keep tightly closed
 ■ serious side effects associated with use of the product may be reported to the phone number provided below

Inactive ingredients
 boric acid, hypromellose, methylparaben, propylene glycol, propylparaben, purified water, sodium borate. Hydrochloric acid and/or sodium hydroxide may be added to adjust pH.

Questions or comments?
 Call 1-800-553-5340

Muro 128 is a trademark of Bausch & Lomb Incorporated or its affiliates.
 © 2022 Bausch & Lomb Incorporated or its affiliates

BAUSCH + LOMB
 NDC 24208-276-15

Muro 128[®]
 sodium chloride hypertonicity
 ophthalmic solution, 2%

SOLUTION

2% Temporary Relief
 of Corneal Edema

STERILE
 1/2 FL OZ (15 mL)

BAUSCH + LOMB

Muro 128[®]
 sodium chloride hypertonicity
 ophthalmic solution, 2%
SOLUTION

**DO NOT USE IF IMPRINTED
 "PROTECTIVE SEAL" WITH
 YELLOW IS NOT INTACT.**

Marketed by:
 Bausch & Lomb Americas Inc.
 Bridgewater, NJ 08807 USA



9756801
 AB15511

1035

BAUSCH + LOMB

NDC 24208-276-15

Muro 128[®]

sodium chloride hypertonicity ophthalmic solution, 2%

SOLUTION

2%

Temporary Relief of Corneal Edema

STERILE

1/2 FL OZ (15mL)

MURO 128

sodium chloride solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:24208-276
Route of Administration	OPHTHALMIC		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X) (SODIUM CATION - UNII:LYR4M0NH37)	SODIUM CHLORIDE	20 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
BORIC ACID (UNII: R57ZHV85D4)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SODIUM BORATE (UNII: 91MBZ8H3QO)	
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:24208-276-15	1 in 1 CARTON	01/01/2011	
1		15 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M018	01/01/2011	

Labeler - Bausch & Lomb Incorporated (196603781)

Establishment

Name	Address	ID/FEI	Business Operations
Bausch & Lomb Incorporated		079587625	manufacture(24208-276)

Revised: 9/2024

Bausch & Lomb Incorporated