

**COPPERTONE SPORT SPF 50 SUNSCREEN- avobenzene 3%, homosalate 10%, octisalate 5%, octocrylene 5% aerosol**  
**Beiersdorf Inc**

-----  
**Coppertone Sport Spray SPF 50 Sunscreen**

***Drug Facts***

***Active ingredients***

Avobenzene 3%, Homosalate 10%, Octisalate 5%, Octocrylene 5%

***Purpose***

Sunscreen

***Uses***

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

***Warnings***

**For external use only**

**Flammable:** Do not use near heat, flame, or while smoking

**Do not use** on damaged or broken skin

**When using this product**

- keep away from face to avoid breathing it
- keep out of eyes. Rinse with water to remove.
- do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F.

**Stop use and ask a doctor if** rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

- spray liberally and spread evenly by hand 15 minutes before sun exposure
- hold container 4 to 6 inches from the skin to apply

- do not spray directly into face. Spray on hands then apply to face.

- do not apply in windy conditions

- use in a well-ventilated area

- reapply:

- after 80 minutes of swimming or sweating

- immediately after towel drying

- at least every 2 hours

- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.

- wear long-sleeve shirts, pants, hats, and sunglasses

- children under 6 months: Ask a doctor

### ***Other information***

- protect this product from excessive heat and direct sun

- avoid long-term storage above 40°C (104°F)

- may stain or damage some fabrics or surfaces

### ***Inactive ingredients***

SD alcohol 40-B (73.9% v/v), neopentyl glycol diheptanoate, polyester-27, acrylates/octylacrylamide copolymer, dimethicone, fragrance, ascorbyl palmitate

### ***Questions***

1-866-288-3330

Coppertone® Sunscreen Spray

Sport 50

Stays on Strong When You Sweat

No Dyes, PABA, Oxybenzone

Water Resistant (80 Minutes)

Broad Spectrum SPF 50

Net Wt 5.5 OZ (156 g)

**Coppertone®**  
SUNSCREEN SPRAY

**SPORT™**

**50**

**Stays on Strong When You Sweat**

No Dyes, PABA, Oxybenzone

Water Resistant (80 Minutes)  
Broad Spectrum SPF 50

NET WT 5.5 OZ (156 g)

**Coppertone® SPORT** Continuous Spray is specially developed for active adults. It helps protect skin against the sun's most damaging UVA/UVB rays – in a high performance formula that stays on strong when you sweat. Plus it feels light and breathable on your skin and does not contain Dyes, PABA, and Oxybenzone.

**Drug Facts**

**Active ingredients**  
Avobenzone 3%, Homosalate 10%, Octisalate 5%, Octocrylene 5% ..... Sunscreen

**Purpose**  
Sunscreen

**Uses**

- helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Flammable:** Do not use near heat, flame, or while smoking

**Do not use** on damaged or broken skin

**When using this product**

- keep out of eyes. Rinse with water to remove.
- do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- apply liberally 15 minutes before sun exposure
- do not spray directly on face. Spray into hands and apply to face
- use in well-ventilated areas
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

**Other information**

- protect this product from excessive heat and direct sun
- avoid long-term storage above 40°C (104°F)
- may stain or damage some fabrics or surfaces

**Inactive ingredients** SD alcohol 40-B (73.9% v/v), neopentyl glycol diheptanoate, polyester-27, acrylates/octylacrylamide copolymer, dimethicone, fragrance, ascorbyl palmitate

**Questions?** 1-866-288-3330

**Beiersdorf**  
Beiersdorf Inc. Wilton, CT 06897  
©=reg. TM. of Beiersdorf AG, Germany

0 41100 00672 1

DOT-2P M5655

20006271

**COPPERTONE SPORT SPF 50 SUNSCREEN**

avobenzone 3%, homosalate 10%, octisalate 5%, octocrylene 5% aerosol

**Product Information**

|                                |                |                           |                |
|--------------------------------|----------------|---------------------------|----------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:66800-4355 |
| <b>Route of Administration</b> | TOPICAL        |                           |                |

**Active Ingredient/Active Moiety**

| Ingredient Name   | Basis of Strength | Strength      |
|---|-------------------|---------------|
| <b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S) | HOMOSALATE        | 10 g in 100 g |

|   |             |              |
|---|-------------|--------------|
| <b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM) | OCTOCRYLENE | 5 g in 100 g |
| <b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)   | OCTISALATE  | 5 g in 100 g |
| <b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)   | AVOBENZONE  | 3 g in 100 g |

### Inactive Ingredients

| Ingredient Name   | Strength |
|---|----------|
| <b>ALCOHOL</b> (UNII: 3K9958V90M)   |          |
| <b>NEOPENTYL GLYCOL DIHEPTANOATE</b> (UNII: 5LKW3C543X)   |          |
| <b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)   |          |
| <b>POLYESTER-7</b> (UNII: 0841698D2F)   |          |
| <b>ACRYLATE/ISOBUTYL METHACRYLATE/N-TERT-OCTYLACRYLAMIDE COPOLYMER (75000 MW)</b><br>(UNII: JU3XHR8VWK) |          |
| <b>FRAGRANCE FLORAL ORC0902236</b> (UNII: R66Z4YW3X0)   |          |
| <b>ASCORBYL PALMITATE</b> (UNII: QN83US2B0N)  |          |

### Packaging

| # | Item Code        | Package Description                               | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:66800-4355-5 | 156 g in 1 CAN; Type 0: Not a Combination Product | 11/03/2020           |                    |
| 2 | NDC:66800-4355-6 | 196 g in 1 CAN; Type 0: Not a Combination Product | 11/03/2020           |                    |
| 3 | NDC:66800-4355-7 | 208 g in 1 CAN; Type 0: Not a Combination Product | 11/03/2020           |                    |
| 4 | NDC:66800-4355-8 | 235 g in 1 CAN; Type 0: Not a Combination Product | 11/03/2020           |                    |

### Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020                                     | 11/03/2020           |                    |

**Labeler** - Beiersdorf Inc (001177906)

Revised: 12/2024

Beiersdorf Inc