

COPPERTONE SPORT SPF 50 SUNSCREEN- avobenzene 3%, homosalate 10%, octisalate 5%, octocrylene 5% aerosol
Beiersdorf Inc

Coppertone Sport Spray SPF 50 Sunscreen

Drug Facts

Active ingredients

Avobenzene 3%, Homosalate 10%, Octisalate 5%, Octocrylene 5%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Flammable: Do not use near heat, flame, or while smoking

Do not use on damaged or broken skin

When using this product

- keep away from face to avoid breathing it
- keep out of eyes. Rinse with water to remove.
- do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- spray liberally and spread evenly by hand 15 minutes before sun exposure
- hold container 4 to 6 inches from the skin to apply

- do not spray directly into face. Spray on hands then apply to face.

- do not apply in windy conditions

- use in a well-ventilated area

- reapply:

- after 80 minutes of swimming or sweating

- immediately after towel drying

- at least every 2 hours

- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.

- wear long-sleeve shirts, pants, hats, and sunglasses

- children under 6 months: Ask a doctor

Other information

- protect this product from excessive heat and direct sun

- avoid long-term storage above 40°C (104°F)

- may stain or damage some fabrics or surfaces

Inactive ingredients

SD alcohol 40-B (73.9% v/v), neopentyl glycol diheptanoate, polyester-27, acrylates/octylacrylamide copolymer, dimethicone, fragrance, ascorbyl palmitate

Questions

1-866-288-3330

Coppertone® Sunscreen Spray

Sport 50

Stays on Strong When You Sweat

No Dyes, PABA, Oxybenzone

Water Resistant (80 Minutes)

Broad Spectrum SPF 50

Net Wt 5.5 OZ (156 g)



50

4-IN-1
PERFORMANCE

Stops up to 98% UV Rays

RESISTS

Sweat + Heat + Water

Free of Oxybenzone, Octinoxate,
PABA, Phthalates & Dyes

Water Resistant (80 Minutes)
Broad Spectrum SPF 50

NET WT 5.5 OZ (156 g)

Broad Spectrum UVA/UVB protection in a durable formula to keep up with your active lifestyle. Feels light & breathable. High performance formula.

Drug Facts

Active ingredients

Avobenzone 3%, Homosalate 10%, Octisalate 5%, Octocrylene 5%Sunscreen

Purpose

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Flammable: Do not use near heat, flame, or while smoking

Do not use on damaged or broken skin

When using this product

- keep away from face to avoid breathing it
- keep out of eyes. Rinse with water to remove.
- do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- spray liberally and spread evenly by hand 15 minutes before sun exposure
- hold container 4 to 6 inches from the skin to apply
- do not spray directly into face. Spray on hands then apply to face.
- do not apply in windy conditions
- use in a well-ventilated area
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
 - children under 6 months: Ask a doctor

Other information

- protect this product from excessive heat and direct sun
- avoid long-term storage above 40°C (104°F)
- may stain or damage some fabrics or surfaces

Inactive ingredients

SD alcohol 40-B (73.9% v/v), neopentyl glycol diheptanoate, polyester-27, acrylates/octylacrylamide copolymer, dimethicone, fragrance, ascorbyl palmitate

Questions? 1-866-288-3330

www.coppertone.com

Beiersdorf

Beiersdorf Inc. Stamford, CT 06901
©=reg. TM. of Beiersdorf AG, Germany



DOT-2P M5655



10013065

COPPERTONE SPORT SPF 50 SUNSCREEN

avobenzone 3%, homosalate 10%, octisalate 5%, octocrylene 5% aerosol

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66800-4355
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	10 g in 100 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	5 g in 100 g
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 g in 100 g
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
POLYESTER-7 (UNII: 0841698D2F)	
ACRYLATE/ISOBUTYL METHACRYLATE/N-TERT-OCTYLACRYLAMIDE COPOLYMER (75000 MW) (UNII: JU3XHR8VWK)	
FRAGRANCE FLORAL ORC0902236 (UNII: R66Z4YW3X0)	
ASCORBYL PALMITATE (UNII: QN83US2B0N)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66800-4355-5	156 g in 1 CAN; Type 0: Not a Combination Product	11/03/2020	
2	NDC:66800-4355-6	196 g in 1 CAN; Type 0: Not a Combination Product	11/03/2020	
3	NDC:66800-4355-7	208 g in 1 CAN; Type 0: Not a Combination Product	11/03/2020	
4	NDC:66800-4355-8	235 g in 1 CAN; Type 0: Not a Combination Product	11/03/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	11/03/2020	

Labeler - Beiersdort Inc (001177906)

Revised: 12/2025

Beiersdort Inc