

**COPPERTONE SPORT SUNSCREEN SPF 70- avobenzene 3%, homosalate 15%, octisalate 5%, octocrylene 10%, oxybenzone 6% aerosol
Beiersdorf Inc**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Coppertone Sport Spray SPF 70

Drug Facts

Active ingredients

Avobenzene 3%, Homosalate 15%, Octisalate 5%, Octocrylene 10%, Oxybenzone 6%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Flammable: Do not use near heat, flame, or while smoking

Do not use on damaged or broken skin

When using this product

- keep away from face to avoid breathing it
- keep out of eyes. Rinse with water to remove.
- do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- spray liberally and spread evenly by hand 15 minutes before sun exposure
- hold container 4 to 6 inches from the skin to apply
- do not spray directly into face. Spray on hands then apply to face.
- do not apply in windy conditions
- use in a well-ventilated area
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
 - children under 6 months: Ask a doctor

Other information

- protect this product from excessive heat and direct sun
- avoid long-term storage above 40°C (104°F)
- may stain or damage some fabrics or surfaces

Inactive ingredients

SD alcohol 40-B (63.5% v/v), acrylates/octylacrylamide copolymer, glycerin, diethylhexyl syringylidenemalonate, tocopherol (vitamin E), fragrance, retinyl palmitate (vitamin A palmitate), caprylic/capric triglyceride

Questions

1-866-288-3330

Coppertone® Sunscreen Spray

Sport™ 70

Stays on Strong When You Sweat

No Dyes, PABA

Water Resistant (80 Minutes)

Broad Spectrum SPF 70

Net Wt 5.5 OZ (156 g)



Coppertone
SUNSCREEN SPRAY

SPORT

Stays on Strong When You Sweat **70**

No Dyes, PABA

Water Resistant (80 Minutes)
Broad Spectrum SPF 70

NET WT 5.5 OZ (156 g)

Coppertone® SPORT Continuous Spray is specially developed for active adults. It helps protect skin against the sun's most damaging UVA/UVB rays – in a high performance formula that stays on strong when you sweat.

| | |
|--|----------------|
| Drug Facts | Purpose |
| Active ingredients Avobenzone 3%, Homosalate 15%, Octisalate 5%, Octocrylene 10%, Oxybenzone 6%.....Sunscreen | |
| Uses ■ helps prevent sunburn ■ If used as directed with other sun protection measures (see <i>Directions</i>), decreases the risk of skin cancer and early skin aging caused by the sun | |
| Warnings For external use only Flammable: Do not use near heat, flame, or while smoking Do not use on damaged or broken skin When using this product ■ keep out of eyes. Rinse with water to remove. ■ do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F. Stop use and ask a doctor if rash occurs Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. | |
| Directions ■ apply liberally 15 minutes before sun exposure ■ do not spray directly on face. Spray into hands and apply to face. ■ use in well-ventilated areas ■ reapply: ■ after 80 minutes of swimming or sweating ■ immediately after towel drying ■ at least every 2 hours ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeve shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor | |
| Other information ■ protect this product from excessive heat and direct sun ■ avoid long-term storage above 40°C (104°F) ■ may stain or damage some fabrics or surfaces | |
| Inactive ingredients SD alcohol 40-B (63.5% v/v), acrylates/octylacrylamide copolymer, glycerin, diethylhexyl syringylidenemalonate, tocopherol (vitamin E), fragrance, retinyl palmitate (vitamin A palmitate), caprylic/capric triglyceride | |
| Questions? 1-866-288-3330 | |

0 41100 00675 2

DOT-2P M5655

Beiersdorf
Beiersdorf Inc. Wilton, CT 06897
©=reg. TM. of Beiersdorf AG, Germany



20006266

COPPERTONE SPORT SUNSCREEN SPF 70

avobenzone 3%, homosalate 15%, octisalate 5%, octocrylene 10%, oxybenzone 6% aerosol

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:66800-2391 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|---------------|
| HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S) | HOMOSALATE | 15 g in 100 g |
| OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W) | OCTISALATE | 5 g in 100 g |
| OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM) | OCTOCRYLENE | 10 g in 100 g |
| OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y) | OXYBENZONE | 6 g in 100 g |
| AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX) | AVOBENZONE | 3 g in 100 g |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| ACRYLATE/ISOBUTYL METHACRYLATE/N-TERT-OCTYLACRYLAMIDE COPOLYMER (75000 MW) (UNII: JU3XHR8VWK) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| TOCOPHEROL (UNII: R0ZB2556P8) | |
| VITAMIN A PALMITATE (UNII: 1D1K0N0VVC) | |
| ALCOHOL (UNII: 3K9958V90M) | |
| DIETHYLHEXYL SYRINGYLIDENEMALONATE (UNII: 3V5U97P248) | |
| FRAGRANCE FLORAL ORC0902236 (UNII: R66Z4YW3X0) | |
| MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U) | |

Product Characteristics

| | | | |
|-----------------|--------------------------------|---------------------|--|
| Color | yellow (Yellow to Pale Yellow) | Score | |
| Shape | | Size | |
| Flavor | | Imprint Code | |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:66800-2391-5 | 156 g in 1 CAN; Type 0: Not a Combination Product | 11/03/2020 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-------------------------|--|----------------------|--------------------|
| OTC monograph not final | part352 | 11/03/2020 | |

Labeler - Beiersdorf Inc (001177906)