

**COPPERTONE TANNING SUNSCREEN SPF 15- avobenzone 2%, octisalate 4.5%, octocrylene 7% aerosol**  
**Beiersdorf Inc**

-----  
**Tanning Spray SPF 15**

***Drug Facts***

***Active ingredients***

Avobenzone 2%, Octisalate 4.5%, Octocrylene 7%

***Purpose***

Sunscreen

***Uses***

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

***Warnings***

**For external use only**

**Flammable:** Do not use near heat, flame, or while smoking

**Do not use** on damaged or broken skin

**When using this product**

- keep away from face to avoid breathing it
- keep out of eyes. Rinse with water to remove.
- do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F.

**Stop use and ask a doctor if** rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

- spray liberally and spread evenly by hand 15 minutes before sun exposure
- hold container 4 to 6 inches from the skin to apply
- do not spray directly into face. Spray on hands then apply to face.

- do not apply in windy conditions
- use in a well-ventilated area
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours

■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

### ***Other information***

- protect this product from excessive heat and direct sun
- avoid long-term storage above 40°C (104°F)
- may stain or damage some fabrics or surfaces

### ***Inactive ingredients***

SD alcohol 40-B (84.1% v/v), neopentyl glycol diheptanoate, polyester-27, tocopherol, fragrance, ascorbyl palmitate

### ***Questions?***

1-866-288-3330

Coppertone® Sunscreen Spray

Tanning 15

Antioxidant-Enriched Light Formula

No Dyes, PABA, Oxybenzone

Water Resistant (80 Minutes)

Broad Spectrum SPF 15

Net Wt 5.5 OZ (156 g)



# Tanning

Antioxidant-Enriched  
Light Formula

15

No Dyes, PABA, Oxybenzone

Water Resistant (80 Minutes)  
Broad Spectrum SPF 15

NET WT 5.5 OZ (156 g)

**Coppertone® Tanning** Continuous Spray provides broad spectrum UVA/UVB protection. Plus the lightweight mist provides quick and even coverage, and dries in seconds. All in a light, hypoallergenic dry oil spray that won't clog pores.

### Drug Facts

Active ingredients	Purpose
Avobenzone 2%, Octisalate 4.5%, Octocrylene 7%	Sunscreen

### Uses

- helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

**For external use only**

**Flammable:** Do not use near heat, flame, or while smoking

**Do not use** on damaged or broken skin

**When using this product**

- keep out of eyes. Rinse with water to remove.
- do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

### Directions


- apply liberally 15 minutes before sun exposure
- do not spray directly on face. Spray into hands and apply to face.
- use in well-ventilated areas
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
  - children under 6 months: Ask a doctor

### Other information

- protect this product from excessive heat and direct sun
  - avoid long-term storage above 40°C (104°F)
  - may stain or damage some fabrics or surfaces

**Inactive ingredients** SD alcohol 40-B (84.1% v/v), neopentyl glycol diheptanoate, polyester-27, tocopherol, fragrance, ascorbyl palmitate

**Questions?** 1-866-288-3330



© 2020

**Beiersdorf**

Beiersdorf Inc. Wilton, CT 06897  
©=reg. TM. of Beiersdorf AG, Germany



20006278

## COPPERTONE TANNING SUNSCREEN SPF 15

avobenzone 2%, octisalate 4.5%, octocrylene 7% aerosol

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:66800-4082
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	2 g in 100 g
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	4.5 g in 100 g
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	7 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>FRAGRANCE FLORAL ORC0902236</b> (UNII: R66Z4YW3X0)	
<b>NEOPENTYL GLYCOL DIHEPTANOATE</b> (UNII: 5LKW3C543X)	
<b>POLYESTER-7</b> (UNII: 0841698D2F)	

### Product Characteristics

<b>Color</b>	white (White to Pale Yellow)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66800-4082-5	156 g in 1 CAN; Type 0: Not a Combination Product	11/02/2020	
2	NDC:66800-4082-6	196 g in 1 CAN; Type 0: Not a Combination Product	11/02/2020	
3	NDC:66800-4082-7	208 g in 1 CAN; Type 0: Not a Combination Product	11/02/2020	
4	NDC:66800-4082-8	235 g in 1 CAN; Type 0: Not a Combination Product	11/02/2020	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	11/02/2020	

**Labeler** - Beiersdorf Inc (001177906)

Revised: 12/2025

Beiersdorf Inc