CHILDRENS ALLERGY- diphenhydramine hcl solution Publix Super Markets Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Publix Super Markets, Inc. Children's Allergy Liquid Drug Facts

Active ingredient (in each 5 mL)

Diphenhydramine HCl 12.5 mg

Purpose

Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
- sneezing
- itching of the nose or throat
- runny nose
- itchy, watery eyes

Warnings

Do not use

- with any other product containing diphenhydramine, even one used on skin
- to make a child sleepy

Ask a doctor before use if the child has

- a breathing problem such as chronic bronchitis
- glaucoma
- a sodium-restricted diet

Ask a doctor or pharmacist before use if the child is

taking sedatives or tranquilizers

When using this product

- marked drowsiness may occur
- excitability may occur, especially in children
- sedatives and tranquilizers may increase drowsiness

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- find right dose on chart below
- mL = milliliter
- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 doses in 24 hours

Age (yr)	Dose (mL)
children under 2 years	do not use
children 2 to 5 years	do not use unless directed by a doctor
children 6 to 11 years	5 mL to 10 mL

Attention: use only enclosed dosing cup specifically designed for use with this product. Do not use any other dosing device.

Other information

- each 5 mL contains: sodium 15 mg
- store at 20-25°C (68-77°F). Protect from light. Store in outer carton until contents used.
- · do not use if printed neckband is broken or missing

Inactive ingredients

anhydrous citric acid, D&C red #33, FD&C red #40, flavor, glycerin, high fructose corn syrup, poloxamer 407, purified water, sodium benzoate, sodium chloride, sodium citrate, sorbitol solution

Principal Display Panel

CHILDREN'S

allergy liquid

DIPHENHYDRAMINE HCl 12.5 mg/5 mL ORAL SOLUTION

ANTIHISTAMINE

Relief of:

Runny nose

Sneezing

Itchy, watery eyes

Itchy throat or nose

CHERRY-FLAVOR LIQUID

ALCOHOL FREE

4-6 HOURS/DOSE

Compare to active ingredient in Children's Benadryl®

4 FL OZ (118 mL)











NDC 56062-379-26

CHILDREN'S

allergyliquid

DIPHENHYDRAMINE HCI 12.5 mg/ 5 mL **ORAL SÖLUTION**

ANTIHISTAMINE



Relief of:

- Runny nose
- Sneezing
 Itchy, watery eyes
 Itchy throat or nose

ALCOHOL FREE

*Compare to active ingredient in Children's Benadryl®

CHERRY-FLAVORED LIQUID

4 FL OZ (118 mL)



NDC 56062-379-26

allergyliquid

DIPHENHYDRAMINE HCI 12.5 mg/ 5 mL **ORAL SOLUTION**

ANTIHISTAMINE



Relief of:

- Runny nose
 Sneezing
 Itchy, watery eyes
 Itchy throat or nose

ALCOHOL FREE 4-6 HOURS/DOSE

CHERRY-FLAVORED LIQUID *Compare to active ingredient in Children's Benadryl®

4 FL OZ (118 mL)

Drug Facts

Active ingredient (in each 5 mL) Diphenhydramine HCl 12.5 mg. Purpose

Antihistami

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
- sneezing itching of the nose or throat
- runny nose itchy, watery eyes

Warnings

- Do not use with any other product containing diphenhydramine, even one used on skin
- to make a child sleepy
- Ask a doctor before use if the child has

 a breathing problem such as chronic bronchitis

 glaucoma

 a sodium-restricted diet

Ask a doctor or pharmacist before use if the child is taking sedatives or tranquilizers

- When using this product
 marked drowsiness may occur
 excitability may occur, especially in children
 sedatiives and tranquilizers may increase

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- find right dose on chart below
- mL = milliliter
 mL = milliliter
 take every 4 to 6 hours, or as directed by a doctor
 do not take more than 6 doses in 24 hours

 | Dose (mL)

Age (yr)	Dose (mL)
children under 2 years	do not use
children 2 to 5 years	do not use unless directed by a doctor
children 6 to 11 years	5 mL to 10 mL

Attention: use only enclosed dosing cup specifically designed for use with this product. Do not use any other dosing device.

Drug Facts (continued)

- Other information

 each 5 mL contains: sodium 15 mg

 store at 20-25°C (88-77°F). Protect from light.
 Store in outer carton until contents used.

 do not use if printed neckband is broken
- or missing


Inactive ingredients
anhydrous citric acid, D&C red #33, FD&C red #40,
flavor, glycerin, high fructose com syrup,
poloxamer 407, purified water, sodium benzoate,
sodium chloride, sodium citrate, sorbitol solution

*This product is not manufactured or distributed by the owner of the registered trademark Benadryf®.

DISTRIBUTED BY PUBLIX SUPER MARKETS, INC., 3300 PUBLIX CORPORATE PARKWAY, LAKELAND, FL 33811 publix.com 1-888-267-3037

PUBLIX GUARANTEE: COMPLETE SATISFACTION OR YOUR MONEY BACK

Publix.





LOT NO.

EXP.

: 37926 63 (9

CHILDRENS ALLERGY

diphenhydramine hcl solution

Product Information

Product Type HUMAN OTC DRUG Item Code (Source)

Route of Administration

ORAL

NDC:56062-379

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDRO CHLO RIDE (UNII: TC2D6 JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	12.5 mg in 5 mL

Inactive Ingredients		
Ingredient Name	Strength	
ANHYDRO US CITRIC ACID (UNII: XF417D3PSL)		
D&C RED NO. 33 (UNII: 9DBA0SBB0L)		
FD&C RED NO. 40 (UNII: WZB9127XOA)		
HIGH FRUCTOSE CORN SYRUP (UNII: XY6 UN3QB6S)		
POLOXAMER 407 (UNII: TUF2IVW3M2)		
WATER (UNII: 059QF0KO0R)		
SODIUM BENZOATE (UNII: OJ245FE5EU)		
SODIUM CHLORIDE (UNII: 451W47IQ8X)		
SODIUM CITRATE (UNII: 1Q73Q2JULR)		
SORBITOL (UNII: 506T60A25R)		
GLYCERIN (UNII: PDC6A3C0OX)		

Product Characteristics			
Color	RED (Bluish-Red)	Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

	Packaging			
l	# Item Code	Package Description	Marketing Start Date	Marketing End Date
l	1 NDC:56062-379-26	1 in 1 CARTON	0 2/11/20 14	
	1	118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	0 2/11/20 14	

Labeler - Publix Super Markets Inc (006922009)

Revised: 1/2019 Publix Super Markets Inc