

**DAYTIME SEVERE COLD MULTI-SYMPTOM- acetaminophen,  
dextromethorphan hbr, guaifenesin, phenylephrine hcl tablet, film coated  
United Natural Foods, Inc. dba UNFI**

-----  
**Equaline 44-503A-CMS ND Delisted**

***Active ingredients (in each caplet)***

Acetaminophen 325 mg  
Dextromethorphan HBr 10 mg  
Guaifenesin 200 mg  
Phenylephrine HCl 5 mg

***Purpose***

Pain reliever/fever reducer  
Cough suppressant  
Expectorant  
Nasal decongestant

***Uses***

- temporarily relieves these common cold and flu symptoms:
  - sore throat
  - cough
  - nasal congestion
  - headache
  - minor aches and pains
- helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive
- temporarily reduces fever

***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if you have**

- heart disease
- liver disease
- diabetes
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- thyroid disease
- cough that occurs with too much phlegm (mucus)
- difficulty in urination due to enlargement of the prostate gland
- high blood pressure

**Ask a doctor or pharmacist before use if you are**

taking the blood thinning drug warfarin.

**When using this product**

**do not exceed recommended dosage.**

**Stop use and ask a doctor if**

- nervousness, dizziness, or sleeplessness occur
- pain, nasal congestion, or cough gets worse or lasts more than 7 days
- new symptoms occur
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

### ***Directions***

- **do not take more than directed**
- adults and children 12 years and over
  - take 2 caplets every 4 hours
  - swallow whole - do not crush, chew, or dissolve
  - do not take more than 10 caplets in 24 hours
- children under 12 years: ask a doctor

### ***Other information***

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°C-30°C (59°F-86°F)
- see end flap for expiration date and lot number

### ***Inactive ingredients***

corn starch, crospovidone, D&C yellow #10 aluminum lake, flavor, magnesium stearate, maltodextrin, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, silicon dioxide, sodium starch glycolate, stearic acid, sucralose, talc, titanium dioxide

### ***Questions or comments?***

**1-855-423-2630**

### ***Principal Display Panel***

**EQUALINE®**

NDC 41163-503-08

**multi-symptom**

**daytime**

**severe cold**

**acetaminophen**

(pain reliever/fever reducer)

dextromethorphan HBr (cough suppressant)

guaifenesin (expectorant)

phenylephrine HCl (nasal decongestant)

non-drowsy

*relieves:*

- *fever/headache/sore throat*
- *cough*
- *chest congestion*
- *nasal congestion*

**24** caplets

PSEUDOEPHEDRINE FREE

actual size

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR  
IF BLISTER UNIT IS TORN, BROKEN OR SHOWS  
ANY SIGNS OF TAMPERING**

50844 REV0718C50308

**DISTRIBUTED BY UNFI, PROVIDENCE, RI 02908 USA**

**100% Quality Guaranteed**

855-423-2630

NDC 41163-503-08



No print/No varnish  
Lot & Exp date

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR  
IF BLISTER UNIT IS TORN, BROKEN OR SHOWS  
ANY SIGNS OF TAMPERING

# EQUALINE®

## multi-symptom daytime severe cold

acetaminophen  
(pain reliever/fever reducer)  
dextromethorphan HBr (cough suppressant)  
guaifenesin (expectorant)  
phenylephrine HCl (nasal decongestant)

non-drowsy

- relieves:
- fever/headache/sore throat
  - cough
  - chest congestion
  - nasal congestion



24 caplets PSEUDOEPHEDRINE FREE actual size

### Drug Facts

KEEP OUT OF REACH OF CHILDREN  
COMPLETE PRODUCT INFORMATION

#### Active ingredients

(in each caplet)  
Acetaminophen 325 mg, Pain reliever/fever reducer  
Dextromethorphan HBr 10 mg, Cough suppressant  
Guaifenesin 200 mg, Expectorant  
Phenylephrine HCl 5 mg, Nasal decongestant

#### Purpose

Uses ■ temporarily relieves these common cold and flu symptoms: ■ sore throat ■ cough ■ nasal congestion ■ headache ■ minor aches and pains ■ helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive

#### Drug Facts (continued)

### Drug Facts (continued)

Questions or comments? 1-855-423-2630

DISTRIBUTED BY UNF, PROVIDENCE, RI 02908 USA

100% Quality GUARANTEED

855-423-2630

### PARENTS:

Learn about teen medicine abuse

www.StopMedicineAbuse.org

50844 REV:0718C50308

### Drug Facts (continued)

Other information ■ TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN  
■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)  
■ see end flap for expiration date and lot number

### Drug Facts (continued)

Inactive ingredients ■ corn starch, crospovidone, D&C yellow #10 aluminum lake, flavor, magnesium stearate, malloxdextrin, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, silicon dioxide, sodium starch glycolate, stearic acid, sucralose, talc, titanium dioxide

doctor promptly.  
Do not use ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.  
■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.  
■ if you have ever had an allergic reaction to this product or any of its ingredients  
Ask a doctor before use if you have ■ heart disease ■ liver disease ■ diabetes

Directions ■ take 2 caplets every 4 hours ■ adults and children 12 years and over ■ do not take more than directed  
Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.  
If pregnant or breast-feeding, ask a health professional before use.  
■ cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition.

B-0019E-503A08CMSR  
REV:0718C50308



Equaline B-0019E-503A08MSR REV0718C

## DAYTIME SEVERE COLD MULTI-SYMPTOM

acetaminophen, dextromethorphan hbr, guaifenesin, phenylephrine hcl tablet, film coated

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:41163-503
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg
<b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>CROSPVIDONE, UNSPECIFIED</b> (UNII: 2S7830E561)	
<b>D&amp;C YELLOW NO. 10 ALUMINUM LAKE</b> (UNII: CQ3XH3DET6)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>POLYVINYL ALCOHOL, UNSPECIFIED</b> (UNII: 532B59J990)	
<b>POVIDONE, UNSPECIFIED</b> (UNII: FZ989GH94E)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>SODIUM STARCH GLYCOLATE TYPE A POTATO</b> (UNII: 5856J3G2A2)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	

TALC (UNII: 7SEV7J4R1U)

TITANIUM DIOXIDE (UNII: 15FIX9V2JP)

### Product Characteristics

<b>Color</b>	yellow	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	19mm
<b>Flavor</b>	MENTHOL	<b>Imprint Code</b>	44;503
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41163-503-08	2 in 1 CARTON	08/04/2005	11/30/2026
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	08/04/2005	11/30/2026

**Labeler** - United Natural Foods, Inc. dba UNFI (943556183)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(41163-503) , pack(41163-503)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(41163-503)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(41163-503)

Revised: 3/2025

United Natural Foods, Inc. dba UNFI