

MCKESSON ORASOL GEL- benzocaine 20% gel
McKesson Medical-Surgical

McKesson Orasol Gel

Drug Facts

Active ingredient

Benzocaine 20% (w/w)

Purpose

Oral anesthetic

Uses

For the temporary relief of minor pain and sore mouth associated with toothache, minor dental procedures and irritations from dentures or orthodontic appliances.

Warnings

For oral use only.

Do not exceed recommended dosage.

Methemoglobinemia warning:

Use of this product may cause methemoglobinemia, a serious condition that must be treated promptly because it reduces the amount of oxygen carried in the blood. This can occur even if you have used this product before.

Stop use and seek medical attention if you or a child in your care develops:

- pale, gray or blue colored skin (cyanosis)
- rapid heart rate
- dizziness or lightheadedness
- headache
- shortness of breath
- fatigue or lack of energy

Allergy alert:

Do not use this product if you have a history of allergy to local anesthetics, such as procaine, butacaine, benzocaine, or other "caine" anesthetics. If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- for teething - any teething related indication will not be an appropriate use of this product
- in children under 2 years of age
- for more than 7 days unless directed by a doctor

Stop use and ask a dentist or doctor if

- sore mouth does not improve in 7 days
- irritation, pain, or redness persists or worsens

- swelling, rash, fever or other allergic reaction develops

When using this product

- avoid contact with eyes

Keep out of reach of children.

If accidentally swallowed get medical help or contact a Poison Control Center right away.

Directions**Adults and children (2 years and older):**

Dry affected area and apply medication undiluted. Use up to 4 times daily, but not more than every two hours, or as directed by a dentist or doctor.

Children under 2 years:

Do not use

Other information

- do not use if packet is torn, cut or opened
- store at room temperature: 59° to 86°F (15° to 30°C)
- tamper evident sealed packets

Inactive ingredients

PEG 400, PEG 3350, peppermint oil, sodium saccharin, sorbic acid

Questions or comments? Call 1-800-777-4908

NDC 68599-8247-4

McKesson

Orasol Gel

Individual Packets

Benzocaine 20% | Oral Anesthetic

Temporary relief of minor pain and sore mouth.

NET WT 0.75 g

75 Packs Per Box

Do Not Reuse

MFR # 82474

Drug Facts

Active ingredient (in each gram) Benzocaine 20% (w/w) **Purpose** Oral anesthetic

Uses
For the temporary relief of minor pain and sore mouth associated with toothache, minor dental procedures and irritations from dentures or orthodontic appliances.

Warnings
For oral use only.
Do not exceed recommended dosage.

Methemoglobinemia warning: Use of this product may cause methemoglobinemia, a serious condition that must be treated promptly because it reduces the amount of oxygen carried in blood. This can occur even if you have used this product before.
Stop use and seek immediate medical attention if you or a child in your care develops:

- pale, gray, or blue colored skin (cyanosis)
- headache
- rapid heart rate
- shortness of breath
- dizziness or lightheadedness
- fatigue or lack of energy

Allergy alert: Do not use this product if you have a history of allergy to local anesthetics such as procaine, tetracaine, benzocaine, or other "caine" anesthetics. If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- for teething — any teething related indication will not be an appropriate use for this product
- in children under 2 years of age
- for more than 7 days unless directed by dentist or doctor

Stop use and ask a dentist or doctor if

- sore mouth does not improve in 7 days
- irritation, pain, or redness persists or worsens
- swelling, rash, hives or other allergic reaction develops

When using this product

- avoid contact with eyes

Drug Facts (continued)

Keep out of the reach of children.
If accidentally swallowed get medical help or contact a Poison Control Center right away.

Directions

Adults and children: (2 years and older) Dry affected area and apply medication undiluted. Use up to 4 times daily, but not more than every 2 hours or as directed by a dentist or doctor.

Children under 2 years: Do not use.

Other information

- do not use if packet is torn, cut or opened
- store at room temperature: 59°-86°F (15°-30°C)
- tamper evident sealed packets

Inactive ingredients
PEG 400, PEG 3350, peppermint oil, sodium saccharin, sorbic acid

Questions or comments? Call 1-800-777-4908


NDC 68599-8247-4

MCKESSON

Orasol Gel

INDIVIDUAL PACKETS
BENZOCAINE 20% | ORAL ANESTHETIC

Temporary relief of minor pain and sore mouth.



NET WT **0.75 g** **75** PACKS PER BOX  MFR # **82474**


NDC 68599-8247-4

MCKESSON

Orasol Gel

INDIVIDUAL PACKETS
BENZOCAINE 20% | ORAL ANESTHETIC

Temporary relief of minor pain and sore mouth.



NET WT **0.75 g** **75** PACKS PER BOX  MFR # **82474**

MCKESSON ORASOL GEL

benzocaine 20% gel

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68599-8247
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
BENZOCAINE (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)	BENZOCAINE	200 mg in 1 g

Inactive Ingredients	
Ingredient Name	Strength
POLYETHYLENE GLYCOL 3350 (UNII: G2M7P15E5P)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
PEPPERMINT OIL (UNII: AV092KU4JH)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SORBIC ACID (UNII: X045WJ989B)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68599-8247-4	75 in 1 BOX	10/04/2021	
1		0.75 g in 1 PACKET; Type 0: Not a Combination Product		

Satisfaction Guaranteed
For complete details, please visit mms.mckesson.com/mckesson-brands.

Distributed by
McKesson Medical-Surgical Inc.
Richmond, VA 23233
PVN A0721
Made in USA



Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M022	10/04/2021	

Labeler - McKesson Medical-Surgical (023904428)

Registrant - Unifirst First Aid Corporation (832947092)

Revised: 9/2025

McKesson Medical-Surgical