### HYDROCORTISONE MAXIMUM STRENGTH- hydrocortisone cream Chain Drug Consortium, LLC

-----

### Hydrocortisone Cream Maximum Strength - Select Brand

## Drug Facts

### Active ingredient

Hydrocortisone USP, 1%

### Purpose

Anti-itch

### Use

- temporarily relieves itching associated with minor skin irritations, inflammation, and rashes due to
  - eczema
  - psoriasis
  - insect bites
  - poison ivy, oak, sumac
  - detergent
  - jewelry
  - cosmetics
  - soaps seborrheic dermatitis
- temporarily relieves external anal and genital itching
- other uses of this product should be only under the advise and supervision of a doctor

### Warnings

### For external use only

### Do not use

- in the genital area if you have a vaginal discharge. Consult a doctor.
- for the treatment of diaper rash. Consult

# When using this product

- avoid contact with the eyes
- do not use more than directed unless directed by a doctor
- do not put directly into the rectum by using fingers or any mechanical device or applicator

## Stop use and ask a doctor if

- condition worsens, symptoms persist for more than 7 days or clear up and occur again within a few days
- do not begin the use of any other hydrocortisone product unless directed by a doctor
- rectal bleeding occurs

## Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

# Direction

- for itching of skin irritation, inflammation, and rashes
  - adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily
  - children under 2 years of age: consult a doctor
- for external anal and genital itching
  - adults: when practical, clean the affected area with mild soap and warm water; rinse thoroughly
  - gently dry by patting or blotting with toilet tissue or a soft cloth before application of this product
  - apply to affected area not more than 3 to4 times daily
  - children under 12 years of age: consult a doctor

# Other information

- store at 15°-30°C (59°-86°F). Protect from freezing.
- before using any medication, read all label directions. Keep carton, it contains important information.

## Inactive ingredients

cetyl alcohol, citric acid\*, glyceryl stearate, isopropyl myristate, methylparaben, polyoxyl 40 stearate, polysorbate 60, propylene glycol, propylparaben, purified water, sodium citrate solution\*, sorbic acid, sorbitan monostearate, stearyl alcohol, white wax

## Questions or comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

# Principal display panel

COMPARE TO THE ACTIVE INGREDIENT IN MAXIMUM STRENGTH CORTIZONE 10®† MAXIMUM STRENGTH Hydrocortisone Cream USP, 1%

### ANTI-ITCH CREAM

Relieves

Itches and Rashes

NET WT. OZ (g)

For the temporary relief of itching associated with minor skin irritations, inflammation and rashes

 $\dagger$ This product is not manufactured or distributed by Chattem, Inc., distributor of Maximum Strength Cortizone 10  $\circledast$ .


Distributed by:

Pharmacy Value Alliance, LLC

407 East Lancaster Avenue,

Wayne, PA 19087

# Package label



Drug Facts (continued)	stoei buo	
Directions = for itching of skin imitation, inflammation, and rashes = for itching of skin end area of non-point active a	esoqnuq tingibagi avitadi 101-imA	
<ul> <li>adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily</li> <li>children under 2 years of age: consult a doctor</li> <li>for external anal and genital tiching</li> <li>for external anal anal genital tiching</li> <li>for external anal and genital tiching</li> <li>for external anal anal genital tiching</li> <li>for external anal genital tiching</li> <li>for external anal anal genital tiching</li> <li>for external anal genital</li> <li>for external anal genital anal anal anal anal anal anal anal a</li></ul>	/Ses m temporarity relieves therming associated with minor akin imitations, mitammation, and markes due to meccama m peortaals m insect bites m poison hy, oak, sumac detergents m jeweiry m cosmetics m scaps m sebormeic dermatitis in other uses of this product should be only under the advice and supervision of a doctor	
children under 12 years of age: consult a doctor	er external use only.	
Other information a store at 15°-30°C (59°-86°F). Protect from freezing. a before using any medication, read all label directions. Keep carlon, it contains a before using any medication, read all label directions.	Do not use m in the genital area if you have a vaginal discharge. Consult a doctor. m for the treatment of diaper reah. Consult a doctor.	
important information. Inactive ingredients cetyl alcohol, citric acid", glyceryl stearate, isopropyl myristate, methylparaber, polyoxyl 40 stearate, polysorbate 60, propylene glycol,	Mnen using this product meteod contact with the eyes to not use more than directed unless directed by a doctor at not put directly into the rectum by using fingers or any mechanical device or applicator	
propylparaber, purified water, sodium citrate solution*, sontic acid, sontitan monostearate, stearyl slochol, white wax *Contains one or more of these ingredients to adjust pH	then 7 days or clear up and occur again within a few days	

PREMIER VALUE Maximum Strength Hydrocortisone Cream 1%

HYDROCORTISONE hydrocortisone cream	MAXIMUM STR	ENGTH						
Product Information								
Product Type	HUMAN OTC DRUG	Item Code (Source)		NDC:680	NDC:68016-909			
Route of Administration	TOPICAL							
<b>Active Ingredient/Active</b>	Moiety							
Ingr	edient Name	Basis of Strer		rength	Strength			
HYDROCORTISONE (UNII: W4X0X7BPJ) (HYDROCORTISONE - UNII:W4X0X7BPJ)			HYDROCORTISONE		1 g in 100 g			
Inactive Ingredients								
Ingredient Name					Strength			
CETYL ALCOHOL (UNII: 936JST6JCN)								
GLYCERYL MONOSTEARATE (UNII: 2300U9XXE4)								
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)								
METHYLPARABEN (UNII: A2I8C7HI9T)								
POLYOXYL 40 STEARATE (UNII: 13A4J4NH9I)								
POLYSORBATE 60 (UNII: CAL22UVI4M)								
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)								
PROPYLPARABEN (UNII: Z8IX2SC10H)								
WATER (UNII: 059QF0KO0R)								
SORBIC ACID (UNII: X045WJ989B)								
SORBITAN MONOSTEARATE (UNII: NVZ 410H58X)								
STEARYL ALCOHOL (UNII: 2KR89)	I4H1Y)							

۱۸/									
WHITE WAX (UNII: 7G1J5DA97F)									
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)									
Packaging									
#	ltem Code	Package Description	Marketing Start Date	Marketing End Date					
1	NDC:68016-909- 01	1 in 1 CARTON	05/07/2021						
1		28 g in 1 TUBE; Type 0: Not a Combination Product							
Marketing Information									
	Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date					
ОТ	C Monograph Drug	M017	05/07/2021						

Labeler - Chain Drug Consortium, LLC (101668460)

Revised: 3/2024

Chain Drug Consortium, LLC