SCARLET OIL- scarlet oil solution Aspen Veterinarian Resources

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Scarlet Oil

Wound Dressing

For Simple Wounds, Cuts and Abrasions



FOR ANIMAL USE ONLY Keep Out of Reach of Children

INDICATIONS:

For use as a dressing for simple wounds, cuts and abrasions on horses and mules.

DIRECTIONS FOR USE:

Clean the affected area, clipping hair if necessary. Direct spray at the site to be treated. Hold container 4 to 6 inches from animal. Apply freely as an open wound treatment or wrap with a clean bandage. Treatment may be applied once or twice daily.

CAUTION:

Use as directed. Avoid contact with eyes and mucous membranes. Do not apply to large areas of broken skin. In case of deep or puncture wounds or serious burns, consult a veterinarian. If redness, irritation, or swelling persists or increases, discontinue use and consult a veterinarian.

ACTIVE INGREDIENT:						
			0.3%	(w/w)	PCMX	
(F	arachlo	rometax	ylenol)		

INACTIVE INGREDIENTS:

. .-.. .-

Mineral Oil, Isopropyl Alcohol, Methyl Salicylate, Benzyl Alcohol, Pine Oil, Eucalyptus Oil, and Scarlet Red.

WARNING:

Not for use on animals intended for food.

STORAGE:

Store at controlled room temperature between 15°-30°C (59°-86°F). Keep container tightly closed when not in use.

WARNING! FLAMMABLE! KEEP AWAY FROM HEAT AND OPEN FLAME.



Net Contents:

16 fl oz (473 mL) A245FP 4/21 One Gallon (3.785 L) A266FP 04/21

Manufactured for:

Aspen Veterinary Resources[®], Ltd. Liberty, MO 64068, USA www.aspenveterinaryresources.com

16 fl oz (473 mL)



1 Gallon (3.785 L)

INDICATIONS: For use as a dressing for simple wounds, cuts and abrasions on horses and mules.

DIRECTIONS FOR USE: Clean the affected area, clipping hair if necessary. Direct spray at the site to be treated. Hold container 4 to 6 inches from animal. Apply freely as an open wound treatment or wrap with a clean bandage. Treatment may be applied once or twice daily.

CAUTION: Use as directed. Avoid contact with eyes and mucous membranes. Do not apply to large areas of broken skin. In case of deep or puncture wounds or serious burns, consult a veterinarian. If redness, irritation, or swelling persists or increases, discontinue use and consult a veterinarian.

Manufactured for:
Aspen Veterinary Resources, **Ltd.
Liberty, M0 64068, USA

www.aspenveterinaryresources.com

A266FP 4/21

Lot No. Exp. Date

No Varnish



Wound Dressing For Simple Wounds, Cuts and Abrasions

33

ACTIVE INGREDIENT: 0.3% (w/w) PCMX (Parachlorometaxylenol)

INACTIVE INGREDIENTS: Mineral Oil, Isopropyl Alcohol, Methyl Salicylate, Benzyl Alcohol, Pine Oil, Eucalyptus Oil, and Scarlet Red.

WARNING: Not for use on animals intended for food.

STORAGE: Store at controlled room temperature between 15° - 30°C (59° - 86°F). Keep container tightly closed when not in use

WARNING! FLAMMABLE! KEEP AWAY FROM HEAT AND OPEN FLAME.

FOR ANIMAL USE ONLY Keep Out of Reach of Children

> NET CONTENTS: 1 Gallon (128 fl oz) (3.785 L)



SCARLET OIL

scarlet oil solution

Product Information

Product Type OTC ANIMAL DRUG Item Code (Source) NDC:46066-259

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength

CHLOROXYLENOL (UNII: 0F32U78V2Q) (CHLOROXYLENOL - UNII: 0F32U78V2Q) CHLOROXYLENOL 2.5 mg in 1 mL

Packaging								
#	Item Code	Package Description	Marketing Start Date	Marketing End Date				
1	NDC:46066-259-16	12 in 1 CASE						
1		473 mL in 1 BOTTLE						
2	NDC:46066-259-01	4 in 1 CASE						
2		3785 mL in 1 JUG						

Marketing Information								
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date					
unapproved drug other		06/15/2017						

Labeler - Aspen Veterinarian Resources (627265361)

Revised: 11/2022 Aspen Veterinarian Resources