

CAMPHOTROL- camphor, menthol gel
PureTek Corporation

Camphotrol®

Extra Strength Pain Relieving Gel Roll-on Applicator

Professional Therapy for Muscle & Joint Pain Relief

***Active Ingredients* (% by weight)**

Camphor 4%

Menthol 10%

Purpose

Analgesic (pain relief)

Uses

for the temporary relief of minor aches and pains of muscles and joints associated with simple backache, arthritis, strains, bruises and sprains, etc.

Warnings

For external use only

Do not use on

■ wounds ■ damaged skin

When using this product

■ avoid getting into eyes or mucous membranes ■ do not bandage tightly

Stop use and ask a doctor if

■ excessive irritation of the skin develops ■ condition worsens

■ symptoms last more than 7 days or clear up and occur again within a few days

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 12 years of age or older: using the roll-on applicator massage a liberal amount of gel directly on the affected area, not more than 3 to 4 times daily
- children under the age of 12: do not use, consult a doctor
- use only as directed

Other information

- keep container tightly closed
- store at 20° to 25°C (68° to 77°F)


Inactive ingredients

Acrylates Copolymer, Alcohol Denat., Boswellia Serrata Extract, Chondroitin Sulfate, Eucalyptus Globulus Leaf Oil, Glucosamine Sulfate, Glycerin, Ilex Paraguariensis (Yerba Mate) Leaf Powder, Magnesium Chloride, Mentha Piperita (Peppermint) Oil, MSM (Methylsulfonylmethane), Propylene Glycol, Triethanolamine, Water.

Camphotrol®

Drug Facts
Active ingredients (% w/w) **Purpose**
Camphor 4%.....Analgesic (pain relief)
Menthol 10%.....Analgesic (pain relief)
Uses for the temporary relief of minor aches and pains of muscles and joints associated with simple backache, arthritis, strains, bruises and sprains, etc.
Warnings
For external use only
Do not use on ■ wounds ■ damaged skin
When using this product
■ avoid getting into eyes or mucous membranes
■ do not bandage tightly
Stop use and ask a doctor if
■ excessive irritation of the skin develops
■ condition worsens
■ symptoms last more than 7 days or clear up and occur again within a few days
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
Directions
■ adults and children 12 years of age or older: using the roll-on applicator massage a liberal

Camphotrol™
Camphotrol®
Extra Strength Pain Relieving Gel
Professional Therapy for Muscle & Joint Pain Relief
Roll-on Applicator (Camphor 4%, Menthol 10%)
Net Wt 3 oz (85 g)

Drug Facts (continued)
amount of gel directly on the affected area, not more than 3 to 4 times daily
■ children under the age of 12: do not use, consult a doctor
■ use only as directed
Other information
■ keep container tightly closed
■ store at 20° to 25°C (68° to 77°F)
Inactive ingredients Acrylates Copolymer, Alcohol Denat., Boswellia Serrata Extract, Chondroitin Sulfate, Eucalyptus Globulus Leaf Oil, Glucosamine Sulfate, Glycerin, Ilex Paraguariensis (Yerba Mate) Leaf Powder, Magnesium Chloride, Mentha Piperita (Peppermint) Oil, MSM (Methylsulfonylmethane), Propylene Glycol, Triethanolamine, Water.
Manufactured in the USA by:
PureTek Corporation
Panorama City, CA 91402
For questions or information
call toll-free: **877-921-7873**
List No. 488071AA Rev. 38448

N 3 59088 48807 12

NDC 59088-488-07

CAMPHOTROL

camphor, menthol gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:59088-488
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
CAMPHOR (SYNTHETIC) (UNII: 5TJD82A1ET) (CAMPHOR (SYNTHETIC) - UNII:5TJD82A1ET)	CAMPHOR (SYNTHETIC)	4 g in 100 g
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	10 g in 100 g

Inactive Ingredients	
Ingredient Name	Strength
METHACRYLIC ACID - ETHYL ACRYLATE COPOLYMER (4500 MPA.S) (UNII: T967IEU43C)	
ALCOHOL (UNII: 3K9958V90M)	
INDIAN FRANKINCENSE (UNII: 4PW41QCO2M)	
CHONDROITIN SULFATE (BOVINE) (UNII: 6IC1M3OG5Z)	
EUCALYPTUS OIL (UNII: 2R04ONI662)	
GLUCOSAMINE SULFATE (UNII: 1FW7WLR731)	
GLYCERIN (UNII: PDC6A3C0OX)	
ILEX PARAGUARIENSIS LEAF (UNII: 1Q953B4O4F)	
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)	
PEPPERMINT OIL (UNII: AV092KU4JH)	
DIMETHYL SULFONE (UNII: 9H4PO4Z4FT)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
TROLAMINE (UNII: 9O3K93S3TK)	
WATER (UNII: 059QF0KO0R)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59088-488-07	85 g in 1 BOTTLE, WITH APPLICATOR; Type 0: Not a Combination Product	01/18/2022	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	01/18/2022	

Labeler - PureTek Corporation (785961046)