

DEXTROSE- dextrose monohydrate injection, solution
Baxter Healthcare Company

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click [here](#).

70% dextrose injection usp

Health Care Professional Letter



Important Prescribing Information

December 18, 2024

Subject: Temporary importation of Sterile Water for Injection and 70% Dextrose Injection from Canada to address drug shortages

Dear Healthcare Professional,

To prevent a drug shortage of large volume parenteral fluid drug products, Baxter Healthcare Corporation (Baxter) is coordinating with the U.S. Food and Drug Administration (FDA) to temporarily import Sterile Water for Injection USP 1,000 mL Pharmacy Bulk Package and 70% Dextrose Injection USP 3,000 mL Pharmacy Bulk Package from Baxter’s manufacturing facility in Alliston, Canada. FDA has not approved these products manufactured by Baxter’s Alliston facility.

You may be provided with additional letters for other imported products you receive. Please read each letter in its entirety because each letter may contain different product-specific information.

At this time, no other entity except Baxter is authorized by the FDA to import or distribute these products in the United States.

Effective immediately, and during this temporary period, Baxter will offer the following imported products:

Product name and description	Size	Product code	Bags per Carton	NDC code of a single bag
Sterile Water for Injection USP	1,000 mL	JB0304	12	0338-9782-01
70% Dextrose Injection USP	3,000 mL	JB0297	4	0338-9789-01

It is important to note the following:

- After opening the carton or box, the bags should be inspected visually to confirm there is no visible particulate matter or bag defects, such as leaks. Container integrity is imperative to ensure sterility of products listed in the table above. Parenteral drug products should be inspected visually for particulate matter and bag defects prior to administration, whenever solution or container permits.
USE A NEW BAG IF PARTICULATES ARE VISIBLE OR IF THE IV BAG CONTAINS A LEAK.
- The imported products are not intended for direct patient administration. When compounding with the imported products, check for compatibility of all additives and stability of the resulting preparation.

- The imported products' port system is fully compatible with Baxter inlets and sets marketed in the United States. **Note that the imported product, Sterile Water for Injection USP, has an additive port as well as an outlet port, while the FDA-approved product only contains the outlet port. The imported product, 70% Dextrose Injection USP, has two outlet ports, one short and one long. We recommend connecting the inlet or set to the longer outlet port, although either ports can be used. The FDA-approved product only has one outlet port.**
- **The barcode on the imported product labels may not register accurately in U.S. scanning systems. The imported products do not have a linear barcode on the bag, rather they have a 2D barcode that contains the product Global Trade Identification Number (GTIN).** Institutions should manually input the products into their systems to ensure that barcode systems do not provide incorrect information when a product is scanned. Alternative procedures should be followed to ensure that the correct drug product is being used in all systems and processes and administered to individual patients.
- Sterile Water for Injection USP and 70% Dextrose Injection USP are available only by prescription in the U.S. However, the imported products do not have the statement "Rx only" on the labeling.

Additional key differences in the labeling between the FDA-approved products and the imported products are stated in the product comparison tables at the end of this letter as follows:

- Table 1 Key differences between FDA-approved and imported Sterile Water for Injection USP**
- Table 2 Label images of FDA-approved and imported Sterile Water for Injection USP**
- Table 3 Key differences between FDA-approved and imported 70% Dextrose Injection USP**
- Table 4 Label images of FDA-approved and imported 70% Dextrose Injection USP**

Reporting Adverse Events or Product Quality Issues

To report **adverse events** associated with these imported products, please call Baxter at 1-866-888-2472, or fax: 1-800-759-1801. Adverse events or quality problems experienced with the use of these imported products may also be reported to the FDA's MedWatch Adverse Event Reporting program either online, by regular mail or by fax:

- Complete and submit the report **Online:** www.fda.gov/medwatch/report.htm
- **Regular mail or Fax:** Download form www.fda.gov/MedWatch/getforms.htm or call 1-800-332-1088 to request a reporting form, then complete and return to the address on the pre-addressed form, or submit by fax to 1-800-FDA-0178 (1-800-332-0178).

To report **product quality issues** associated with these imported products, please contact Baxter Product Surveillance through Baxter Product Feedback Portal (<https://productfeedback.baxter.com>).

Reporting Adverse Events or Product Quality Issues

To report **adverse events** associated with these imported products, please call Baxter at 1-866-888-2472, or fax: 1-800-759-1801. Adverse events or quality problems experienced with the use of these imported products may also be reported to the FDA's MedWatch Adverse Event Reporting program either online, or by regular mail or by fax:

- Complete and submit the report **Online:** <https://www.fda.gov/safety/medwatch-fda-safety-information-and-adverse-event-reporting-program>

- **Regular mail or Fax:** Download form <https://www.fda.gov/safety/medwatch-fda-safety-information-and-adverse-event-reporting-program> or call 1-800-332-1088 to request a reporting form, then complete and return to the address on the pre-addressed form, or submit by fax to 1-800-FDA-0178 (1-800-332-0178).

To report **product quality issues** associated with these imported products, please contact Baxter Product Surveillance through Baxter Product Feedback Portal <https://productfeedback.baxter.com/>

Please refer to the FDA-approved prescribing information for each drug product listed below:

- Sterile Water for Injection USP (click [here](#))
- 70% Dextrose Injection USP (click [here](#))

If you have any questions about the information contained in this letter or the use of the imported products, please contact Baxter's Medical Information Service at 1-800-933-0303.

To place an order, please contact Baxter's Center for Service by calling 1-888-229-0001.

Sincerely,

Lee Ann Schuette
Electronically signed by: Lee Ann Schuette
Reason: I approve this document
Date: Dec 18, 2024 15:42 CST

Lee Ann Schuette
Vice President, Global and US Marketing IV solutions, Clinical Nutrition, Pharmacy Tools
Baxter Healthcare Corporation

Baxter and Viaflex are trademarks of Baxter International Inc.

Please refer to the FDA-approved prescribing information for each drug product listed below:

- Sterile Water for Injection USP (click https://www.accessdata.fda.gov/drugsatfda_docs/label/2016/018632s051lbl.pdf)
- 70% Dextrose Injection USP (click https://www.accessdata.fda.gov/drugsatfda_docs/label/2019/020047s021lbl.pdf)

Product Comparison Table

Table 1 Key differences between FDA-approved and imported Sterile Water for Injection USP



	FDA-approved product	Imported product from Canada
Product name	Sterile Water for Injection USP	Sterile Water for Injection USP
Label Volume	1,000 mL; 2,000 mL; 3,000 mL; 5,000 mL	1,000 mL
Language(s) of the labels	English	English and French
Indications	Sterile Water for Injection is indicated in the aseptic preparation of parenteral admixtures.	Sterile Water for Injection is indicated in the aseptic preparation of parenteral admixtures.
Active ingredients	Sterile Water Injection USP	Sterile Water Injection USP
Additional information	pH is 5.5 (5.0 to 7.0) Osmolarity 0 mOsmol/L (calc)	pH is 5.5 (5.0 to 7.0) Osmolarity 0 mOsmol/L (calc)
Storage conditions	Store at room temperature 25°C/77°F. Protect from freezing.	Store at 15°C/59°F to 25°C/77°F.
Container type	VIAFLEX (PVC)	VIAFLEX (PVC)
Port closures	<p align="center">Outlet port only with pull off port protector (blue color)</p> 	<p align="center">Additive port and outlet port with pull off port protector (blue color)</p> 

Table 2 Label images of FDA-approved and imported Sterile Water for Injection USP

FDA-approved product	Imported product from Canada
Sterile Water for Injection USP	Sterile Water for Injection USP
Label Color: Red and Black. Barcode not shown.	Label Color: Red (fully). White 2D Barcode not shown.
<p>LOT EXP</p> <p>280309 5000 mL NDC 8338-0013-28 DIN 02014882</p> <p>4500</p> <p>Sterile Water For Injection USP</p> <p>Pharmacy Bulk Package Not For Direct Infusion</p> <p>4000</p> <p>3500</p> <p>Rx Only</p> <p>NO ANTIMICROBIAL OR OTHER SUBSTANCE HAS BEEN ADDED pH 5.5 (5.0 TO 7.0) OSMOLARITY 0 mOsm/L (CALC)</p> <p>STERILE NONPYROGENIC</p> <p>CONTAINS NO MORE THAN 25 µg/L OF ALUMINUM</p> <p>ADDITIVES MAY BE INCOMPATIBLE WITH THE FLUID WITHDRAWN FROM THIS CONTAINER CONSULT WITH PHARMACIST IF AVAILABLE WHEN COMPOUNDING ADJUTURES USE ASEPTIC TECHNIQUE MIX THOROUGHLY DO NOT STORE</p> <p>2500</p> <p>DOSAGE ADMX FOR INTRAVENOUS ADMINISTRATION AS DIRECTED BY A PHYSICIAN SEE ACCOMPANYING DIRECTIONS FOR USE ONCE CONTAINER CLOSURE HAS BEEN PENETRATED WITHDRAWAL OF CONTENTS SHOULD BE COMPLETED WITHOUT DELAY AFFIX ACCOMPANYING LABEL FOR DATE AND TIME OF ENTRY DISPENSE CONTENTS WITHIN 4 HOURS AFTER INITIAL ENTRY</p> <p>2000</p> <p>CAUTIONS SQUEEZE AND INSPECT INNER BAG WHICH MAINTAINS PRODUCT STERILITY DISCARD IF LEAKS ARE FOUND DO NOT USE UNLESS SOLUTION IS CLEAR AND SEAL IS INTACT</p> <p>1500</p> <p>STORE UNIT IN MOISTURE BARRIER OVERWRAP AT ROOM TEMPERATURE (25°C/77°F) UNTIL READY TO USE AVOID EXCESSIVE HEAT SEE INSERT</p> <p>VIAFLEX CONTAINER PL 146 PLASTIC</p> <p>1000</p> <p>Baxter BAXTER HEALTHCARE CORPORATION CLINTEC NUTRITION DIVISION OSHEO, OHIO USA MADE IN USA BAXTER PL 146 AND VIAFLEX ARE TRADEMARKS OF BAXTER INTERNATIONAL, INC.</p> <p>500</p>	<p>JB0304 1000 mL DIN 02014882</p> <p>Sterile WATER for Injection USP EAU stérile pour injection USP</p> <p>Sterile WATER / EAU stérile</p> <p>Not for Direct Infusion</p> <p>Ne pas utiliser pour perfuser directement</p> <p>H₂O</p> <p>PHARMACY BULK PACKAGE / CONDITIONNEMENT EN VRAC POUR LA PHARMACIE</p> <p>SINGLE PUNCTURE, MULTIPLE DISPENSING / PERFORATION UNIQUE, DISPENSATION MULTIPLE</p> <p>DISCARD UNUSED PORTION / JETER TOUTE PARTIE INUTILISÉE</p> <p>APPROX mOsmol/L 0 APPROX pH 5.5</p> <p>NO ANTIMICROBIAL AGENT OR OTHER SUBSTANCE HAS BEEN ADDED / AUCUN AGENT ANTIMICROBIEN OU AUTRE SUBSTANCE N'EST AJOUTÉ</p> <p>CAUTIONS: SQUEEZE AND INSPECT BAG / SEE DIRECTIONS FOR USE / MUST NOT BE USED IN SERIES CONNECTIONS / STORE AT 15°C TO 25°C</p> <p>MISES EN GARDE: PRESSER ET INSPECTER LA POCHÉ / CONSULTER LE MODE D'EMPLOI / NE PAS UTILISER POUR LES RACCORDS EN SÉRIE / CONSERVER ENTRE 15 °C ET 25 °C</p> <p>CONTAINS NO MORE THAN 25 µg/L OF ALUMINUM / NE CONTIENT PAS PLUS DE 25 µg/L D'ALUMINIUM</p> <p>NONPYROGENIC / STERILE / APYROGENE / STERILE HYPOTONIC / ADMX ONLY / HYPOTONIQUE / POUR MÉLANGE SEULEMENT</p> <p>DOSAGE: PRESCRIBING INFORMATION AVAILABLE ON REQUEST / POSOLOGIE: RENSEIGNEMENTS POSÉOLOGIQUES DISPONIBLES SUR DEMANDE</p> <p>VIAFLEX PVC CONTAINER / CONTENANT EN PVC VIAFLEX BAXTER AND VIAFLEX ARE TRADEMARKS OF BAXTER INTERNATIONAL, INC. BAXTER ET VIAFLEX SONT DES MARQUES DE COMMERCE DE BAXTER INTERNATIONAL, INC.</p> <p>Baxter Baxter Corporation Mississauga ON L5N 0C2</p> <p>0725-77318</p>

Table 3 Key differences between FDA-approved and imported 70% Dextrose Injection USP





	FDA-approved product	Imported product from Canada
Product name	70% Dextrose Injection USP	70% Dextrose Injection USP
Label Volume	2,000 mL	3,000 mL
Language(s) of the labels	English	English and French
Indications	Dextrose Injection is indicated as a source of calories when mixed with amino acids or other compatible intravenous fluids for patients requiring parenteral nutrition when oral or enteral nutrition is not possible, insufficient, or contraindicated.	Dextrose Injection is indicated as a fluid and nutrient replacement.
Active ingredients	Each 1,000 mL contains 700 g Dextrose Hydrus USP	Each 1,000 mL contains 700 g Dextrose Hydrus USP
Total content of active ingredient in product	1,400 g of dextrose per bag	2,100 g of dextrose per bag
Additional information	pH is 4.0 (3.2 to 6.5) Osmolarity 3,530 mOsmol/L (calc)	pH is 4.0 (3.2 to 6.5) Osmolarity 3,530 mOsmol/L (calc)
Storage conditions	Store at room temperature 25°C/77°F. Protect from freezing.	Store at 15°C/59°F to 25°C/77°F.
Container type	VIAFLEX (PVC)	VIAFLEX (PVC)
Port closures	1 outlet port only with pull off port protector (blue color) 	2 outlet ports with pull off port protectors (blue color) 

Table 4 Label images of FDA-approved and imported 70% Dextrose Injection USP

FDA-approved product	Imported product from Canada
70% Dextrose Injection USP	70% Dextrose Injection USP
Label Color: Blue (fully). Barcode not shown.	Label Color: Black
<p>LOT EXP</p> <p>280296 2000 mL NDC 0338-0719-06 DIN 02014874</p> <p>DEXTROSE 1800 Injection 1600 USP 1400</p> <p>70%</p> <p>Pharmacy Bulk Package Not For Direct Infusion Must Be Diluted 1200</p> <p>Rx Only</p> <p><small>EACH 100 mL CONTAINS 70 g DEXTROSE HYDROUS USP IS INTEND FOR INJECTION USP pH 4.0 (3.2 to 5.8) SPECIFIC GRAVITY 1.34 (CALC) HYPERTONIC OSMOLARITY 350 mOsmol (CALC) STERILE, NONPYROGENIC CONTAINS NO MORE THAN 25 µg/L OF ALUMINUM COLOR VARIATION FROM LIGHT YELLOW TO AMBER IS NORMAL AND DOES NOT ALTER EFFICACY DOSAGE AND ADMINISTRATION SEE PACKAGE INSERT CAUTION: DO NOT USE UNLESS SOLUTION IS CLEAR, CLOSURE IS INTACT AND CONTAINER IS UNDAMAGED CHECK FOR MINUTE LEAKS BY SQUEEZING FIRMLY IF LEAKS ARE FOUND DISCARD AS STERILITY MAY BE IMPAIRED AFFIX ACCOMPANYING LABEL FOR DATE AND TIME OF ENTRY WITHIN 4 HOURS AFTER INITIAL ENTRY DISCARD CONTAINER AND UNUSED CONTENTS STORE UNIT IN MOISTURE BARRIER OVERWRAP AT ROOM TEMPERATURE (25°C/77°F) UNTIL READY TO USE AVOID EXCESSIVE HEAT PROTECT FROM FREEZING</small></p> <p><small>VIAFLEX CONTAINER PL 146 PLASTIC</small></p> <p>Baxter <small>BAXTER HEALTHCARE CORPORATION DEERFIELD, IL 60015 USA MADE IN USA BAXTER, PL 146 AND VIAFLEX ARE TRADEMARKS OF BAXTER INTERNATIONAL INC</small></p> <p><small>DEVELOPED IN CANADA BY BAXTER CORPORATION MONTREAL, QUÉBEC</small></p> <p>70% 400</p> <p>200</p>	<p>JB0297 3000 mL DIN 02014874 2700 70% Dextrose Injection USP Dextrose à 70% USP, Injectable</p> <p>DEXTROSE 70% 2400</p> <p> Pharmacy Use Only / Dilute Before Infusing Pour Usage Par La Pharma- cie Seulement / Diluer Avant La Perfusion 2100</p> <p><small>(01)080303000004</small> Not for Direct Infusion / Ne pas utiliser pour perfuser directement 1800</p> <p>HYPERTONIC / HYPERTONIQUE <small>CONTAINS NO MORE THAN 25 µg/L OF ALUMINUM/ NE CONTIENT PAS PLUS DE 25 µg/L D'ALUMINIUM APPROX mOsmol/L - 350 APPROX pH 4.0 INTRAVENOUS FLUID AND NUTRIENT REPLENISHMENT/ RECHARGE LIQUIDIENNE ET NUTRIMENT PAR INJECTION INTRAVEINEUSE PER 100 mL DEXTROSE HYDROUS USP - 70 g / WATER FOR INJECTION USP qs PAR 100 mL DEXTROSE HYDRATE USP - 70 g / EAU POUR INJECTION USP qs COLOUR VARIATION FROM LIGHT YELLOW TO AMBER IS NORMAL AND DOES NOT ALTER EFFICACY / IL EST NOR- MAL QUE LA COULEUR VARIE D'UN JAUNE PÂLE À UN JAUNE AMBRÉ ET CELA N'AFFECTE PAS L'EFFICACITÉ AFFIX ACCOMPANYING LABEL FOR DATE AND TIME OF ENTRY / APPOSER UNE ÉTIQUETTE ET INSCRIRE LA DATE ET L'HEURE DU PRÉLEVEMENT INITIAL / DISCARD UNUSED CONTENTS WITHIN 4 HOURS OF INITIAL ENTRY / JETER LE CONTENANT 4 HEURES APRÈS LE PREMIER PRÉLEVEMENT CAUTIONS: SQUEEZE AND INSPECT BAG / SEE DIREC- TIONS FOR USE / STORE AT 15°C TO 25°C ATTENTIONS: PRESSER ET INSPECTER LE SAC / VOIR MODE D'EMPLOI / GARDER ENTRE 15°C ET 25°C NONPYROGENIC / STERILE / APYROGENE / STERILE PRESCRIBING INFORMATION AVAILABLE ON REQUEST / INFOR- MATION POSOLOGIQUE DISPONIBLE SUR DEMANDE</small></p> <p>VIAFLEX PVC CONTAINER/CONTENANT DE PVC 300 <small>BAXTER AND VIAFLEX ARE TRADEMARKS OF BAXTER INTERNATIONAL INC BAXTER ET VIAFLEX SONT DES MARQUES DE COMMERCE DE BAXTER INTERNATIONAL INC</small></p> <p>Baxter <small>Baxter Corporation Mississauga ON L5N 0C2</small></p> <p>70% 300</p> <p> 88-70-20-462</p>

PACKAGE/LABEL PRINCIPAL DISPLAY PANEL

JB0297 3000 mL DIN 02014874 2700

70% Dextrose Injection USP

Dextrose à 70% USP, Injectable

DEXTROSE 70% 2400



Pharmacy Use Only / Dilute Before Infusing
Pour Usage Par La Pharmacie Seulement / Diluer Avant La Perfusion 2100

(01)00809080000654

Not for Direct Infusion / Ne pas utiliser pour perfuser directement 1800

HYPERTONIC / HYPERTONIQUE

CONTAINS NO MORE THAN 25 µg/L OF ALUMINUM /
NE CONTIENT PAS PLUS DE 25 µg/L D'ALUMINIUM

APPROX mOsmol/L - 3530 APPROX pH 4.0
INTRAVENOUS FLUID AND NUTRIENT REPLENISHMENT / 1500
RECHARGE LIQUIDIENNE ET NUTRIMENT PAR

INJECTION INTRAVEINEUSE
PER 100 mL DEXTROSE HYDROUS USP - 70 g / WATER
FOR INJECTION USP qs

PAR 100 mL DEXTROSE HYDRATE USP - 70 g / EAU 1200
POUR INJECTION USP qs

COLOUR VARIATION FROM LIGHT YELLOW TO AMBER IS
NORMAL AND DOES NOT ALTER EFFICACY / IL EST NOR-
MAL QUE LA COULEUR VARIE D'UN JAUNE PALE A UN
JAUNE AMBRE ET CELA N'AFPECTE PAS L'EFFICACITE
AFFIX ACCOMPANYING LABEL FOR DATE AND TIME OF 900
ENTRY / APPOSER UNE ETIQUETTE ET INSCRIRE LA
DATE ET L'HEURE DU PRELEVEMENT INITIAL / DISCARD
UNUSED CONTENTS WITHIN 4 HOURS OF INITIAL ENTRY
/ JETER LE CONTENANT 4 HEURES APRES LE PREMIER
PRELEVEMENT

CAUTIONS SQUEEZE AND INSPECT BAG / SEE DIRECTIONS FOR USE / STORE AT 15°C TO 25°C 600

ATTENTIONS PRESSER ET INSPECTER LE SAC / VOIR
MODE D'EMPLOI / GARDER ENTRE 15°C ET 25°C

NONPYROGENIC / STERILE / APYROGENE / STÉRILE
PRESCRIBING INFORMATION AVAILABLE ON REQUEST / 300
INFORMATION POSOLOGIQUE DISPONIBLE SUR DEMANDE

VIAFLEX PVC CONTAINER/CONTENANT DE PVC

BAXTER AND VIAFLEX ARE TRADEMARKS OF BAXTER INTERNATIONAL INC
BAXTER ET VIAFLEX SONT DES MARQUES DE COMMERCE DE BAXTER
INTERNATIONAL INC

Baxter
Baxter Corporation
Mississauga ON L5N 0C2



88-70-20-462

JB-02-97

4 - 3000 mL units

Store at 15° C to 25° C

70% Dextrose Injection USP

LOT: WWWWWW EXP: 2099 99



(01)20809080000658

Pharmacy Bulk

Container Label

JB0297 3000 mL DIN 02014874

70% Dextrose Injection USP

Dextrose à 70% USP, Injectable

DEXTROSE 70%

2D Barcode

(01)00809080000654

**Pharmacy Use Only / Dilute
Before Infusing**

**Pour Usage Par La Pharma-
cie Seulement / Diluer Avant
La Perfusion**

Not for Direct Infusion /

Ne pa utiliser pour perfuser directement

HYPERTONIC / HYPERTONIQUE

CONTAINS NO MORE THAN 25 µg/l OF ALUMINUM /
NE CONTENT PAS PLUS DE 25 µg/l D'ALUMINIUM

APPROX mOsmol/L - 3530 APPROX pH 4.0

INTRAVENOUS FLUID AND NUTRIENT REPLENISHMENT /
RECHARGE LIQUIDIENNE ET NUTRIMENT PAR
INJECTION INTRAVEINEUSE

PER 100 mL DEXTROSE HYDROUS USP - 70 g / WATER
FOR INJECTION USP qs
PAR 100 mL DEXTROSE HYDRATE USP - 70 g / EAU
POUR INJECTION USP qs

COLOUR VARIATION FROM LIGHT YELLOW TO AMBER IS
NORMAL AND DOES NOT ALTER EFFICACY / IL EST NOR-
MAL QUE LA COULEUR VARIE D'UN JAUNE PALE A UN
JAUNE AMBRE ET CELA N'AFFECTE PAS L'EFFICACITE

AFFIX ACCOMPANYING LABEL FOR DATE AND TIME OF
ENTRY / APPOSER UNE ETIQUETTE ET INSCRIRE LA
DATE ET L'HEURE DU PRELEVEMENT INITIAL / DISCARD
UNUSED CONTENTS WITHIN 4 HOURS OF INITIAL ENTRY
/ JETER LE CONTENANT 4 HEURES APRES LE PREMIER
PRELEVEMENT

CAUTIONS SQUEEZE AND INSPECT BAG / SEE DIREC-
TIONS FOR USE / STORE AT 15°C TO 25°C
ATTENTIONS PRESSER ET INSPECTER LE SAC / VOIR
MODE D'EMPLOI / GARDER ENTIRE 15°C ET 25°C

NONPYROGENIC / STERILE / APYROGENE / STERILE
PRESCRIBING INFORMATION AVAILABLE ON REQUEST / INFORMA-
TION POSOLOGIQUE DISPONIBLE SUR DEMANDE

VIAFLEX PVC CONTAINER/CONTENANT DE PVC

BAXTER AND VIAFLEX ARE TRADEMARKS OF BAXTER INTERNATIONAL INC
BAXTER ET VIAFLEX SONT DE MARQUES DE COMMERCE DE BAXTER
INTERNATIONAL INC

Baxter Logo
BAXTER CORPORATION
Mississauga ON L5N 0C2

70%

No Latex Label
88-70-20-462

2100

1800

1500

1200

900

600

300

JB-02-97
4 - 3000 mL units
Store at 15°C to 25°C

70% Dextrose Injection USP

Lot:WWWWWWWWW EXP: 2099 99

2D Barcode
(01)20809080000658

Pharmacy Bulk

DEXTROSE

dextrose monohydrate injection, solution

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:0338-9789
Route of Administration	INTRAVENOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROSE MONOHYDRATE (UNII: LX22YL083G) (ANHYDROUS DEXTROSE - UNII:5SL0G7R00K)	DEXTROSE MONOHYDRATE	70 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0338-9789-04	4 in 1 CARTON	10/18/2024	
1	NDC:0338-9789-01	3000 mL in 1 BAG; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
Unapproved drug for use in drug shortage		10/18/2024	

Labeler - Baxter Healthcare Company (005083209)

Establishment

Name	Address	ID/FEI	Business Operations
------	---------	--------	---------------------

Baxter Corporation	205087968	ANALYSIS(0338-9789) , LABEL(0338-9789) , MANUFACTURE(0338-9789) , STERILIZE(0338-9789) , PACK(0338-9789)
--------------------	-----------	--

Revised: 12/2024

Baxter Healthcare Company