

QUARTER MATE PLUS- iodine solution
WestAgro, Inc.

WESTAGRO QUARTER MATE/PLUS

SOLUCIÓN DESINFECTANTE PARA PEZONES

USO VETERINARIO

PARA USO PECUARIO

Numero de Registro Q-0650-047

FÓRMULA:

Cada 100 mL contiene:

Yodo 0.1%

Vehículoc.b.p. 100%

ACT

ADVANCED CONDITIONING TECHNOLOGY

Io-MaXX

pH ADJUSTED HIGH "FREE" IODINE TECHNOLOGY

Manufactured by:

WESTAGRO

11100 N. Congress Ave.

Kansas City, MO

Tel. 816-891-7700

Importado por:

DeLaval S.A. de C.V.

Acceso III, No 16 B, Int 6

Zona Industrial Benito Juárez

Querétaro, Qro. C.P.76120-México

Tel. +52 442 248 1761

PRODUCT BENEFITS

- **Pre-dip, post-dip, the only dip you need.**
- **Elevated *free iodine* for fast kill of mastitis causing organisms.**
- **University tested using National Mastitis Council protocols. Proven effective in reducing the incidence of mastitis.**
- **Contains food grade ingredients to eliminate residue concerns.**

DIRECTIONS FOR USE:

GENERAL INSTRUCTIONS

- Use at full strength (Do not dilute).
- Consult your veterinarian before using teat dip on a cow with sore or chapped teats.

- Thoroughly clean and sanitize teat dip cup before each milking. Use fresh teat dip for each milking. Dip solution should be changed if it becomes visibly dirty, or if sediment is introduced. Do not pour used teat dip back into original container.
- Do not use Quarter Mate teat dip for cleaning or sanitizing equipment.

PRE-DIPPING

- Make sure udder and teats are clean and dry.
- Check foremilk and udder for mastitis.
- Dip or spray cow's teats with Quarter Mate teat dip.
- Allow 15 to 30 seconds contact time.
- Dry cow's teats with a single service paper towel before milking.
- Attach milker unit.

POST DIPPING

- Immediately after removing inflations, dip or spray cow's teats with Quarter Mate teat dip. Do not wipe.
- If outside temperature is below freezing, allow Quarter Mate teat dip to air-dry on cow's teats before cow leaves the parlor; or allow teat dip to remain on cow's teats for one minute, then dry teats with single service paper towel.

Failure to follow these directions may result in frozen teats and injured animals.

Color added to indicate contact with the animal.

MANTENER FUERA DEL ALCANCE DE LOS NIÑOS

! CUIDADO

FIRST AID

Contact with product can cause irritation to eyes. Keep out of eyes.

Eye Contact: Flush with water. Remove contact lenses, if present, after the first five minutes. Then continue flushing.

If Swallowed: Drink large quantities of water and induce vomiting.

STORAGE AND DISPOSAL:

THOROUGHLY RINSE ALL MEASURING DEVICES AND STORE OUT OF REACH OF CHILDREN. Avoid contact with food or feed. Avoid storing near heat or open flame. Keep container tightly closed when not in use. If product has frozen, thaw in a warm room and shake well before use. Do not reuse empty container. Rinse empty container before disposing in a safe manner.

Read and understand all directions before using this product. For additional information refer to the Material Safety Data Sheet (MSDS) available from your West Agro dealer.

CHEMTREC EMERGENCY NO. 800-00-214-00

NET

CONTENTS:

LOT NO:

EXPIRATION DATE:

2448

- Beneficios del producto**
- Solución para después del ordeño.
 - Altos niveles de yodo libre para eliminar rápidamente los organismos que provocan mastitis.
 - Probado en universidades usando protocolos del Consejo Nacional de Mastitis. Efectividad en la reducción de la incidencia de la mastitis.
 - Contiene ingredientes de grado alimenticio para eliminar por los residuos

DOSIS Y VIA DE ADMINISTRACION

INTRUCCIONES DE USO

INTRUCCIONES GENERALES:

- Usar sin diluir.
- Consultar a su veterinario antes de usar la solución en vacas cuyos pezones estén irritados o agrietados.
- Limpiar y desinfectar minuciosamente el aplicador para la aplicación de la solución desinfectante antes de cada ordeña. Utilizar un aplicador con solución desinfectante nueva para cada ordeña. La solución desinfectante debe cambiarse si se ve sucia o si contiene residuos. No volver a colocar la solución desinfectante usada en el recipiente original.
- No utilizar **Quarter Mate /Plus** para limpiar o desinfectar el equipo.

INTRUCCIONES PARA DESINFECCION DE PEZONES

Desinfección de pezones antes del ordeño

- Asegurarse de que las ubres y pezones estén limpios y secos.
- Verificar que la ubre y el despunte no muestren evidencia de mastitis.
- Sumergir o rociar los pezones de las vacas con **Quarter Mate / Plus**.
- Dejar actuar la solución de 15 a 30 segundos.
- Secar los pezones de las vacas con una toalla de papel desechable antes de ordeñar.
- Colocar la unidad de ordeño.

Desinfección de los pezones después del ordeño

- Inmediatamente después de quitar las pezoneras, sumergir o rociar los pezones de las vacas con **Quarter Mate /Plus**. No limpiar.
- Si la temperatura exterior está por debajo del punto de congelación, dejar que la solución desinfectante Quarter Mate se seque sobre los pezones antes de que la vaca salga de la sala de ordeño; o dejar actuar la solución durante un minuto y luego secar los pezones con una toalla de papel desechable. Si no se siguen estas indicaciones los pezones podrían congelarse lesionado a los animales.


CONSULTE AL MEDICO VETERINARIO

Elaborado por:

 11100 N. Congress Ave.
 Kansas City, MO
 64153-1296
 Tel. 816-891-7700

Importado por:
 DeLaval S.A. de C.V.
 Acceso III, No 16 B, Int 6
 Zona Industrial Benito Juárez
 Querétaro, Qro. C.P.76120-México
 Tel. +52 442 248 1761

2448-F0524



WESTAGRO®

Quarter Mate/Plus

SOLUCIÓN DESINFECTANTE PARA PEZONES

USO VETERINARIO

PARA USO PECUARIO

Numero de Registro Q-0650-047

FÓRMULA:

Cada 100 mL contiene:
 Yodo 0.1%
 Vehículo.....c.b.p. 100%



US.Patent No 5,943,608



US.Patent No 5,368,868

MANTENER FUERA DEL ALCANCE DE LOS NIÑOS



PRIMEROS AUXILIOS

El contacto con este producto puede irritar los ojos. Manténgase alejado de sus ojos. Contacto con los ojos. Enjuagar con agua. Retirar los lentes de contacto, si se están usando, después de los primeros cinco minutos. Luego continuar enjuagando.

Si es ingerido: Beber grandes cantidades de agua no inducir el vomito

ALMACENAMIENTO Y ELIMINACION: ENJUAGAR CUIDADOSAMENTE TODOS LOS DISPOSITIVOS DE MEDICION Y ALMACENAR FUERA DEL ALCANCE DE LOS NIÑOS. Evitar el contacto con alimentos y forraje. Evitar almacenar en lugares calientes perfectamente cerrado cuando no se esté usando. Si el producto se congela, descongelar en una habitación tibia y agitar bien antes de usar. No reutilizar el recipiente vacío. Enjuagar el recipiente vacío antes de desecharlo de manera segura.

Leer y comprender todas las indicaciones antes de usar este producto.

Para mayor información consulte la Hoja de Datos de Seguridad del Material (MSDS) que su distribuidor West Agro tiene a su disposición.

**NÚMERO DE EMERGENCIA ANIQ-SETIQ
800-00-214-00**

CONTENIDO NETO:

LOTE NO.:

FECHA DE CADUCIDAD:

Add image transcription here...

QUARTER MATE PLUS

iodine solution

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:33392-448
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Iodine (UNII: 9679TC07X4) (Iodine - UNII:9679TC07X4)	Iodine	0.1 kg in 100 kg

Inactive Ingredients

Ingredient Name	Strength
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
POLOXAMER 335 (UNII: G6DQL26D50)	

GLYCERIN (UNII: PDC6A3C0OX)	
XANTHAN GUM (UNII: TTV12P4NEE)	
POLOXAMER 403 (UNII: 2E9U4Y94DB)	
water (UNII: 059QF0KO0R)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)	
SODIUM IODIDE (UNII: F5WR8N145C)	
DOCUSATE SODIUM (UNII: F05Q2T2JA0)	
SODIUM IODATE (UNII: U558PCS5Z9)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:33392-448-08	19.1 kg in 1 PAIL		
2	NDC:33392-448-02	57.3 kg in 1 DRUM		
3	NDC:33392-448-01	210 kg in 1 DRUM		
4	NDC:33392-448-27	1050 kg in 1 TANK		
5	NDC:33392-448-23	18927 kg in 1 TANK		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
export only		05/11/2024	

Labeler - WestAgro, Inc. (069288728)

Registrant - WestAgro, Inc. (069288728)

Establishment			
Name	Address	ID/FEI	Business Operations
WestAgro, Inc.		147528723	analysis, api manufacture, label, manufacture, pack

Establishment			
Name	Address	ID/FEI	Business Operations
WestAgro, Inc.		095906480	analysis, api manufacture, label, manufacture, pack