

**NEUTROGENA INVISIBLE DAILY DEFENSE SUNSCREEN BROAD SPECTRUM SPF 30- avobenzone, homosalate, octisalate, and octocrylene lotion**  
Kenvue Brands LLC

-----  
**Neutrogena® Invisible Daily defense lotion sunscreen BROAD SPECTRUM SPF 30**

**Drug Facts**

<b>Active ingredients</b>	<b>Purpose</b>
Avobenzone 1.5%	Sunscreen
Homosalate 5%	Sunscreen
Octisalate 4%	Sunscreen
Octocrylene 6%	Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** rash occurs

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away

**Directions**

- apply liberally 15 minutes before sun exposure
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age: Ask a doctor

## **Other information**

- protect this product from excessive heat and direct sun
- May stain some fabrics

## **Inactive ingredients**

Water, Glycerin, Diisopropyl Adipate, Dimethicone, Alcohol Denat., Silica, Dicaprylyl Carbonate, Caprylyl Methicone, Sodium Acryloyldimethyltaurate/VP Crosspolymer, Polyurethane-62, Pentylene Glycol, Hydroxyacetophenone, Acrylates/Dimethicone Copolymer, Glyceryl Stearate, Phenoxyethanol, Chlorphenesin, Dimethicone Crosspolymer, Fragrance, Tocopheryl Acetate, Disodium EDTA, Sodium Hydroxide, Trideceth-6, Chrysanthemum Parthenium (Feverfew) Flower/Leaf/Stem Juice, Yellow 5, Red 40

## **Questions?**

Call toll-free **800-299-4786** or **215-273-8755** (collect) or visit [www.neutrogena.com](http://www.neutrogena.com)

Distributed by: **JOHNSON & JOHNSON CONSUMER INC.** Skillman, NJ 08558

## **PRINCIPAL DISPLAY PANEL - 88 mL Tube Label**

Neutrogena®

DERMATOLOGIST RECOMMENDED BRAND

Invisible Daily

defense

lotion

sunscreen

BROAD SPECTRUM SPF 30

30

**sun + environment**

oxybenzone free

water resistant (80 minutes)

3.0 FL OZ (88 mL)

# Neutrogena®

DERMATOLOGIST RECOMMENDED BRAND

## Invisible Daily defense lotion

sunscreen

BROAD SPECTRUM SPF 30

# 30

sun + environment

oxybenzone free

water resistant (80 minutes)

3.0 FL OZ (88 mL)

30052183

Neutrogena Invisible Daily™ defense with Helioplex® + technology provides superior broad spectrum UVA/UVB protection. Antioxidant helps fight environmental aggressors such as cold, ozone and pollution. Rubs in invisible on all skin tones.

how2recycle.info



### Drug Facts

#### Active ingredients

Avobenzone 3.5%, Homosalate 8%, Octisalate 4%, Octocrylene 6%

#### Purpose

Sunscreen

**Uses** ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

#### Warnings

For external use only ■ Do not use on damaged or broken skin ■ When using this product keep out of eyes. Rinse with water to remove. ■ Stop use and ask a doctor if rash occurs ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

**Directions** ■ apply liberally 15 minutes before sun exposure ■ reapply ■ after 80 minutes of swimming or sweating ■ immediately after towel drying ■ at least every 2 hours ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats, and sunglasses ■ children under 6 months of age: Ask a doctor

**Other information** ■ Protect this product from excessive heat and direct sun ■ May stain some fabrics

#### Inactive ingredients

Water, Glycerin, Dimethylolpropylamine, Dimethicone, Alcohol Denat., Silica, Diethylhexyl Carboxylate, Caprylyl Methicone, Sodium Polyacrylate, Acrylates/Crosspolymer, Polyurethane-62, Pentaerythritol Diacetate, Hydroxyacetophenone, Acrylates/Dimethicone Copolymer, Glyceryl Stearate, Phenylethylalcohol, Chlorophenol, Dimethicone Crosspolymer, Fragrance, Tocopheryl Acetate, Octadecyl EDTA, Sodium Hydroxide, Triethylcitrate-5, Chrysantherum Parthenium (Feverfew) Flower Leaf/Stem Juice, Yellow 5, Red 40

#### Questions?

Call toll-free 800-289-4786 or 215-273-0755 (collect) or visit [www.neutrogena.com](http://www.neutrogena.com)



## NEUTROGENA INVISIBLE DAILY DEFENSE SUNSCREEN BROAD SPECTRUM SPF 30

avobenzone, homosalate, octisalate, and octocrylene lotion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69968-0683
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	15 mg in 1 mL
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	50 mg in 1 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	40 mg in 1 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	60 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>DIISOPROPYL ADIPATE</b> (UNII: P7E6YFV72X)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>DICAPRYLYL CARBONATE</b> (UNII: 609A3V1SUA)	
<b>CAPRYLYL TRISILOXANE</b> (UNII: Q95M2P1KJL)	
<b>PENTYLENE GLYCOL</b> (UNII: 50C1307PZG)	
<b>HYDROXYACETOPHENONE</b> (UNII: G1L3HT4CMH)	
<b>BUTYL METHACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID/STYRENE CROSSPOLYMER</b> (UNII: V5RS026Q0H)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	
<b>DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE)</b> (UNII: UF7620L1W6)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)	
<b>SODIUM HYDROXIDE</b> (UNII: 55X04QC32I)	
<b>TRIDECETH-6</b> (UNII: 3T5PCR2H0C)	
<b>FEVERFEW</b> (UNII: Z64FK7P217)	
<b>FD&amp;C YELLOW NO. 5</b> (UNII: I753WB2F1M)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0683-3	88 mL in 1 TUBE; Type 0: Not a Combination Product	10/05/2020	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	10/05/2020	

**Labeler** - Kenvue Brands LLC (118772437)

