

NEUTROGENA INVISIBLE DAILY DEFENSE SUNSCREEN BROAD SPECTRUM SPF 30- avobenzone, homosalate, octisalate, and octocrylene lotion
Kenvue Brands LLC

Neutrogena® Invisible Daily defense lotion sunscreen BROAD SPECTRUM SPF 30

Drug Facts

Active ingredients	Purpose
Avobenzone 1.5%	Sunscreen
Homosalate 5%	Sunscreen
Octisalate 4%	Sunscreen
Octocrylene 6%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

Directions

- apply liberally 15 minutes before sun exposure
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age: Ask a doctor

Other information

- protect this product from excessive heat and direct sun
- May stain some fabrics

Inactive ingredients

Water, Glycerin, Diisopropyl Adipate, Dimethicone, Alcohol Denat., Silica, Dicaprylyl Carbonate, Caprylyl Methicone, Sodium Acryloyldimethyltaurate/VP Crosspolymer, Polyurethane-62, Pentylene Glycol, Hydroxyacetophenone, Acrylates/Dimethicone Copolymer, Glyceryl Stearate, Phenoxyethanol, Chlorphenesin, Dimethicone Crosspolymer, Fragrance, Tocopheryl Acetate, Disodium EDTA, Sodium Hydroxide, Trideceth-6, Chrysanthemum Parthenium (Feverfew) Flower/Leaf/Stem Juice, Yellow 5, Red 40

Questions?

Call toll-free **800-299-4786** or **215-273-8755** (collect) or visit www.neutrogena.com

Distributed by: **JOHNSON & JOHNSON CONSUMER INC.** Skillman, NJ 08558

PRINCIPAL DISPLAY PANEL - 88 mL Tube Label

Neutrogena®

DERMATOLOGIST RECOMMENDED BRAND

Invisible Daily

defense

lotion

sunscreen

BROAD SPECTRUM SPF 30

30

sun + environment

oxybenzone free

water resistant (80 minutes)

3.0 FL OZ (88 mL)

Neutrogena®

DERMATOLOGIST RECOMMENDED BRAND

Invisible Daily defense lotion

sunscreen

BROAD SPECTRUM SPF 30

30

sun + environment

oxybenzone free

water resistant (80 minutes)

3.0 FL OZ (88 mL)

30052183

Neutrogena Invisible Daily™ defense with Helioplex® + technology provides superior broad spectrum UVA/UVB protection. Antioxidant helps fight environmental aggressors such as cold, ozone and pollution. Rubs in invisible on all skin tones.

how2recycle.info



Drug Facts

Active ingredients

Avobenzone 3.5%, Homosalate 8%, Octisalate 4%, Octocrylene 6%

Purpose

Sunscreen

Uses ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only ■ Do not use on damaged or broken skin ■ When using this product keep out of eyes. Rinse with water to remove. ■ Stop use and ask a doctor if rash occurs ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

Directions ■ apply liberally 15 minutes before sun exposure ■ reapply ■ after 80 minutes of swimming or sweating ■ immediately after towel drying ■ at least every 2 hours ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats, and sunglasses ■ children under 6 months of age: Ask a doctor

Other information ■ Protect this product from excessive heat and direct sun ■ May stain some fabrics

Inactive ingredients

Water, Glycerin, Dimethylolpropylamine, Dimethicone, Alcohol Denat., Silica, Diethylhexyl Carboxylate, Caprylyl Methicone, Sodium Polyacrylate, Polyurethane-62, Pentaerythritol Diacrylate, Hydroxycyclohexane, Acrylates/Dimethicone Copolymer, Glyceryl Stearate, Phenylethylalcohol, Chlorophenol, Dimethicone Crosspolymer, Fragrance, Tocopheryl Acetate, Octadecyl EDTA, Sodium Hydroxide, Triethylcitrate-5, Chrysantherum Parthenium (Feverfew) Flower Leaf/Stem Juice, Yellow 5, Red 40

Questions?

Call toll-free 800-289-4786 or 215-273-0755 (collect) or visit www.neutrogena.com



Distributed by: JOHNSON & JOHNSON CONSUMER INC., 55-Brown, NJ 07055 • JAN 1 2012 Pfr www.jnj.com

NEUTROGENA INVISIBLE DAILY DEFENSE SUNSCREEN BROAD SPECTRUM SPF 30

avobenzone, homosalate, octisalate, and octocrylene lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0683
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	15 mg in 1 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	50 mg in 1 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	40 mg in 1 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	60 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
TRIDECETH-6 (UNII: 3T5PCR2H0C)	
FEVERFEW (UNII: Z64FK7P217)	
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
POLYURETHANE-62 (UNII: TBK645J3J8)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIISOPROPYL ADIPATE (UNII: P7E6YFV72X)	
ALCOHOL (UNII: 3K9958V90M)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
DICAPRYLYL CARBONATE (UNII: 609A3V1SUA)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
HYDROXYACETOPHENONE (UNII: G1L3HT4CMH)	
2-ETHYLHEXYL ACRYLATE, METHACRYLATE, METHYL METHACRYLATE, OR BUTYL METHACRYLATE/HYDROXYPROPYL DIMETHICONE COPOLYMER (30000-300000 MW) (UNII: S7ZA3CCJ4M)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0683-3	88 mL in 1 TUBE; Type 0: Not a Combination Product	10/05/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	10/05/2020	

