SINUS RELIEF MAXIMUM STRENGTH- acetaminophen, phenylephrine hcl tablet

Better Living Brands, LLC

Signature Select 44-502

Active ingredients (in each caplet)

Acetaminophen 325 mg Phenylephrine HCl 5 mg

Purpose

Pain reliever/fever reducer Nasal decongestant

Uses

- temporarily relieves these symptoms associated with hay fever or other upper respiratory allergies, and the common cold:
- minor aches and pains
- nasal congestion
- headache
- sinus congestion and pressure
- promotes sinus drainage
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

 with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- diabetes
- liver disease
- heart disease
- thyroid disease
- high blood pressure
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin.

When using this product

do not exceed recommended dosage.

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- pain or nasal congestion gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- do not use more than directed
- adults and children 12 years and over
- take 2 caplets every 4 hours
- do not take more than 10 caplets in 24 hours
- children under 12 years: ask a doctor

Other information

- TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

corn starch, croscarmellose sodium, crospovidone, FD&C yellow #6 aluminum lake, magnesium stearate, microcrystalline cellulose, povidone, silicon dioxide, stearic acid

Questions or comments?

1-800-426-9391

Principal Display Panel

Signature SELECT®

Compare to Sudafed PE[®] Sinus Pressure + Pain active Ingredients[†]

NDC 21130-502-21

MAXIMUM STRENGTH Sinus Relief Acetaminophen 325 mg - Pain Reliever / Fever Reducer Phenylephrine HCl 5 mg - Nasal Decongestant

Relieves: • Sinus pain and headache, sinus pressure, nasal and sinus congestion Non-drowsy

Actual Size

24 CAPLETS

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

† This product is not manufactured or distributed by Kenvue Inc., distributors of SUDAFED PE® SINUS PRESSURE + PAIN. 50844 REV0820N50208

DISTRIBUTED BY: BETTER LIVING BRANDS LLC P.O. BOX 99, PLEASANTON, CA 94566-0009 ‡1-888-723-3929

LOVE IT OR IT'S ON US‡



Signature Select 44-502

SINUS RELIEF MAXIMUM STRENGTH

ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D) ACETAMINOPHEN 325 mg PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV) PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNICOLLORIDE S mg Ingredients S mg Ingredient Name S trength STARCH, CORN (UNII: 08232NY3SJ) Starength CROSSCARMELLOSE SODIUM (UNII: M280L1HH48) Starength CROSSCARMELLOSE SODIUM (UNII: 257830E561) FD&C YELLOW NO. 6 ALUMINUM LAKE (UNII: GYP6Z2JR6Q) Starength MAGRESIUM STEARATE (UNII: 70097M6I30) MICROCRYSTALLINE CELLULOSE (UNII: 621832D61U) Starength POVIDONE, UNSPECIFIED (UNII: FZ 989GH94E) SILICON DIOXIDE (UNII: FZ 989GH94E) SILICON DIOXIDE (UNII: FZ 989GH94E) SILICON DIOXIDE (UNII: ETJ7Z 6XBU4) STEARIC ACID (UNII: 4ELV7Z 65AP) SI Product Characteristics Color Orange Score Sileon Sileon Sileon Sileon Product Characteristics Sileon Sileon <td< th=""><th colspan="9">acetaminophen, phenylephrine hcl tablet</th></td<>	acetaminophen, phenylephrine hcl tablet											
Non-colspan="2">Non-colspan="2" Route of Administration ORAL Active Ingredient/Active Moiety Basis of Strength Strength Active Ingredient/Active Moiety 325 mg PHENYLEPHRINE HYDROCHLORIDE (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII: 36209ITL9D) (ACETAMINOPHEN - UNII: 36209ITL9D) ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII: 36209ITL9D) ACETAMINOPHEN MOPHEN - UNII: 36209ITL9D) STRCH, CORN (UNII: 08232NY3S) CROSSON UONE, UNSPECIFIED (UNII: 257808015) STARCH, CORN (UNII: 08232NY3S) CROSSON MOPHEN MORA - UNII: 325 mg FD&C YELLOW NO. 6 ALUMINUM LAKE (UNII: GYP622JR6Q) STARCH, CORN (UNII: E17726X8U4) STARCH, CORN (UNII: E17726	Product Infor	mation										
Route of Administration ORAL Description of the construction of	Product Type		-		ltem Code	ada (Source)		NDC·21130-502				
Active Ingredient/Active Moiety Basis of Strength Strength Acetaminophen (unii: 36209ITL9D) (Acetaminophen - unii: 36209ITL9D) Acetaminophen 325 mg PHENYLEPHRINE HYDROCHLORIDE (UNII: 04/A59TN5J) (PHENYLEPHRINE - UNII: 1W5297W6MV) PHENYLEPHRINE - HYDROCHLORIDE 5 mg Ingredients Strength Strength Strength </th <th></th> <th>istration</th> <th></th> <th></th> <th>item couc</th> <th>(Source)</th> <th>nboil11</th> <th>50 502</th>		istration			item couc	(Source)	nboil11	50 502				
Ingredient Name Basis of Strewth Strewth ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D) ACETAMINOPHEN 325 mg PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:36209ITL9D) ACETAMINOPHEN 325 mg PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:36209ITL9D) S mg S mg Inactive Ingredients Ingredient Name S trength STARCH, CORN (UNII: 08232NY3SJ) S trength S trength CROSPOVIDONE, UNSPECIFIED (UNII: 2578306561) S trength S trength FD&C YELLOW NO. 6 ALUMINUM LAKE (UNII: GYP6Z2JR6Q) S trength S trength MAGRESIUM STEARATE (UNII: 70097M6I30) S trength S trength MICROCRYSTALLINE CELLUSE (UNII: 021R32D61U) S trength S trength POVIDONE, UNSPECIFIED (UNII: FZ98GH94E) S trength S trength SILICON DIOXIDE (UNII: FZ928GH94E) S trength S trength SILICON DIOXIDE (UNII: BETYZ 65AP) S trength S trength SILICON DIOXIDE (UNII: FZ98GH94E) S trength S trength SILICON DIOXIDE (UNII: BETYZ 65AP) S trength S trength SILICON DIOXID	Route of Admin	oute of Administration ORAL										
Ingredient Name Basis of Strewth Strewth ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D) ACETAMINOPHEN 325 mg PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:36209ITL9D) ACETAMINOPHEN 325 mg PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:36209ITL9D) S mg S mg Inactive Ingredients Ingredient Name S trength STARCH, CORN (UNII: 08232NY3SJ) S trength S trength CROSPOVIDONE, UNSPECIFIED (UNII: 2578306561) S trength S trength FD&C YELLOW NO. 6 ALUMINUM LAKE (UNII: GYP6Z2JR6Q) S trength S trength MAGRESIUM STEARATE (UNII: 70097M6I30) S trength S trength MICROCRYSTALLINE CELLUSE (UNII: 021R32D61U) S trength S trength POVIDONE, UNSPECIFIED (UNII: FZ98GH94E) S trength S trength SILICON DIOXIDE (UNII: FZ928GH94E) S trength S trength SILICON DIOXIDE (UNII: BETYZ 65AP) S trength S trength SILICON DIOXIDE (UNII: FZ98GH94E) S trength S trength SILICON DIOXIDE (UNII: BETYZ 65AP) S trength S trength SILICON DIOXID												
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D) ACETAMINOPHEN 325 mg PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1W5297W6MV) PHENYLEPHRINE HYDROCHLORIDE 5 mg Inactive Ingredients Ingredient Name Strength STARCH, CORN (UNII: 08232NY3SJ) Strength CROSSARMELLOSE SODIUM (UNII: M280L1HH48) Strength CROSPOVIDONE, UNSPECIFIED (UNII: 257830E561) Strength FD&C YELLOW NO. 6 ALUMINUM LAKE (UNII: GYP622JR6Q) MAGNESIUM STEARATE (UNII: 70097M6I30) Strength MICROCRYSTALLINE CELLUOSE (UNII: 021R32D61U) Strength Strength POVIDONE, UNSPECIFIED (UNII: FZ989GH94E) SILICON DIOXIDE (UNII: FZ989GH94E) Strength SILICON DIOXIDE (UNII: FZ97830E561) Strength Strength POVIDONE, UNSPECIFIED (UNII: S7830E501) Strength Strength SILICON DIOXIDE (UNII: FZ978GM94E) Strength Strength SILICON DIOXIDE (UNII: FZ989GH94E) Strength Strength SILICON DIOXIDE (UNII: FZ989GH94E) Strength Strength SILICON DIOXIDE (UNII: FZ980GH94E) Strength Strength SILICON DIOXIDE (UNII: 4ELV72 SAP) Strengt	Active Ingredient/Active Moiety											
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04]459TNSJ) (PHENYLEPHRINE - HYDROCHLORIDE 5 mg MUII: 1WS297W6MV) 5 mg Ingredients Ingredient Name 5 mg STARCH, CORN (UNII: 08232NY3SJ) CROSCARMELLOSE SODIUM (UNII: M280L1HH48) STARCH, CORN (UNII: 08232NY3SJ) CROSCARMELLOSE SODIUM (UNII: M280L1HH48) CROSCARMELLOSE SODIUM (UNII: M280L1HH48) CROSPOVIDONE, UNSPECIFIED (UNII: 257830E561) FDác YELLOW NO. 6 ALUMINUM LAKE (UNII: GYP6Z2JR6Q) MICROCRYSTALLINE CELLULOSE (UNII: 01R32D61U) 1 POVIDONE, UNSPECIFIED (UNII: FZ989GH94E) 1 SILICON DIOXIDE (UNII: FZ989GH94E) 1 SILICON DIOXIDE (UNII: FZ989GH94E) 1 STEARIC ACID (UNII: 4EUV7265AP) 1 Product Characteristic Size Socre 0 Shape 0/0/AL 3ize 1 Flavor 1 1							Strength Strengt					
UNII: 1WS 297W6MV) HYDROCHLORIDE 5 mg Inactive Ingredients Ingredient Name Strength STARCH, CORN (UNII: 08232NY3S)) CROSCARMELLOSE SODIUM (UNII: M280L1HH48) CROSCARMELLOSE SODIUM (UNII: 257830E561) CROSPOVIDONE, UNSPECIFIED (UNII: 257830E561) FDác YELLOW NO. 6 ALUMINUM LAKE (UNII: GYP6Z2JR6Q) MAGNESIUM STEARATE (UNII: 70097M6I30) Image MICROCRYSTALLINE CELLU-OSE (UNII: 0P1R32D61U) Image POVIDONE, UNSPECIFIED (UNII: FZ989GH94E) Image SILICON DIOXIDE (UNII: FJ76XBU4) Image STEARIC ACID (UNII: ETJ76XBU4) Image STEARIC ACID (UNII: ETJ76XBU4) STEARIC ACID (UNII: ETJ76XBU4						L9D) ACETAMINOPHEN		325 mg				
Ingredients Ingredient Name Strength Strength <tr< td=""><td colspan="5"></td><td colspan="2"></td><td>5 mg</td></tr<>								5 mg				
Ingredient NameStrengthSTARCH, CORN (UNII: 08232NY3SJ) <t< td=""><td></td><td></td><td></td><td></td><td></td><td>HIDROCHLORIL</td><td></td><td></td></t<>						HIDROCHLORIL						
Ingredient NameStrengthSTARCH, CORN (UNII: 08232NY3SJ) <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>												
STARCH, CORN (UNII: 08232NY3SJ)Image: CROSPOVIDONE, UNSPECIFIED (UNII: 2S7830E561)Image: CROSPOVIDONE, UNSPECIFIED (UNII: 2S7830E561)FD&C YELLOW NO. 6 ALUHINUM LAKE (UNII: GYP6Z2JR6Q)Image: CROSPOVIDONE, UNSPECIFIED (UNII: 70097M6I30)MAGNESIUM STEARATE (UNII: 70097M6I30)Image: CROSPOVIDONE, UNSPECIFIED (UNII: 70097M6I30)MICROCRYSTALLINE CELLU-OSE (UNII: 0P1R32D61U)Image: CROSPOVIDONE, UNSPECIFIED (UNII: FZ989GH94E)POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)Image: CROSPOVIDONE, UNSPECIFIED (UNII: FZ989GH94E)SILICON DIOXIDE (UNII: ETJ7CAXBU4)Image: CROSPOVIDONE, UNSPECIFIED (UNII: FZ989GH94E)STEARIC ACID (UNII: ETJ7CAXBU4)Image: CROSPOVIDONE, UNSPECIFIED (UNII: FZ989GH94E)STEARIC ACID (UNII: ETJ7CAXBU4)Image: CROSPOVIDONE, UNSPECIFIED (UNII: FZ989GH94E)Image: CROSPOVIDONE, UNSPECIFIED (UNII: ETJ7CAXBU4)Image: CROSPOVIDONE, UNSPECIFIED (UNII: FZ989GH94E)STEARIC ACID (UNII: ETJ7CAXBU4)Image: CROSPOVIDONE, UNSPECIFIED (UNII: FZ989GH94E)Image: CROSPOVIDONE, UNII: ETJ7CAXBU4)Image: CROSPOVIDONE, UNII: CROSPO	Inactive Ingre	edients										
CROSCARMELLOSE SODIUM (UNII: M280L1HH48)Imprint CodeImprint CodeCROSPOVIDONE, UNSPECIFIED (UNII: 2S7830E50)IFD&C YELLOW NO. 6 ALUMINUM LAKE (UNII: GFZ2JR6Q)IMAGNESIUM STEARATE (UNII: 70097M6I30)IIMICROCRYSTALLINE CELLU-OSE (UNII: OP1R32D-1U)IIPOVIDONE, UNSPECIFIED (UNII: FZ989GH94E)IISILICON DIOXIDE (UNII: ETJ7Z6XBU4)IISTEARIC ACID (UNII: 4ELV726XBU4)IISTEARIC ACID (UNII: 4ELV76XBU4)STEARIC ACID (UNII: 4ELV76XBU4)MageSTEARIC ACID (UNII: 4ELV76XBU4)			Ingredien	t Name			St	trength				
CROSPOVIDONE, UNSPECIFIED (UNII: 257830E561)Imprint CodeFD&C YELLOW NO. 6 ALUMINUM LAKE (UNII: GYEZ2JR6Q)6MAGNESIUM STEARATE (UNII: 70097M6I30)1MICROCRYSTALLINE CELLU-SE (UNII: OP1R32DE1U)1POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)SILICON DIOXIDE (UNII: FZ989GH94E)STEARIC ACID (UNII: ETJ7257804)STEARIC ACID (UNII: 4ELV7257804)STEARIC ACID (UNII: 4ELV7257804)STEARIC ACID (UNII: 4ELV7257804)Soreno scoreNageSizeSizeSizeAlexande SizeAlexande SizeAlexande SizeAlexande SizeAlexande SizeAlexande Size	STARCH, CORN (U	NII: 08232NY35	J)									
FD&C YELLOW NO. 6 ALUMINUM LAKE (UNII: GYP6Z2JR6Q)Image: Colspan="2">Image: Colspan="2"PAVIDONE, UNSPECIFIED (UNII: FZ989GH94E)Image: Colspan="2"Image: Colspan="2"Image: Colspan="2"Image: Colspan="2"Image: Colspan="2"Image: Colspan="2"Povidone (OVALSize (Colspan="2")Image: Colspan="2"ShapeOVALSize (Colspan="2")FlavorImprint CodeImprint CodeImprint CodeImprint Code												
MAGNESIUM STEARATE (UNI: 70097M6I30)Imprint CodeImprint CodeMICROCRYSTALLINE CELLU-OSE (UNII: 0P1R32D61U)Imprint CodeImprint CodePOVIDONE, UNSPECIFIED (UNII: FZ989GH94E)Imprint CodeImprint CodeSILICON DIOXIDE (UNII: ETJ7-SXBU4)Imprint CodeImprint CodeSTEARIC ACID (UNII: 4ELV72 5AP)Imprint CodeImprint Code												
MICROCRYSTALLINE CELLUUSE (UNII: OP1R32DIU)Image: Stear of the state o												
POVIDONE, UNSPECIFIED (UNI: FZ989GH94E)in the second seco												
SILICON DIOXIDE (UNII: ETJ75KBU4) Image: Stearing of the steari												
STEARIC ACID (UNII: 4ELV72 SAP) Product Characteristic Color orange Shape OVAL Flavor Imprint Code August 44;502												
ColororangeScoreno scoreShapeOVALSize18mmFlavorImprint Code44;502												
ColororangeScoreno scoreShapeOVALSize18mmFlavorImprint Code44;502												
ColororangeScoreno scoreShapeOVALSize18mmFlavorImprint Code44;502												
Shape OVAL Size 18mm Flavor Imprint Code 44;502	Product Characteristics											
FlavorImprint Code44;502												
	•											
			Imprint C	Code		44;502						
Contains	Contains											
Packaging	Packaging											
Markoting Start Markoting Er		D -	ckage Description		М	Marketing Start M		Marketing End				
# Item Code Package Description Date Date Date	# item Code	Ра	ckage Descr	ιρτιοπ		-		-				
1 NDC:21130- 502-21 2 in 1 CARTON 06/23/2005		2 in 1 CARTON	١			3/2005						
1 12 in 1 BLISTER PACK; Type 0: Not a Combination					pination							
Product												
		1f										
Marketing Information					_							
MarketingApplication Number or MonographMarketing StartMarketing ErCategoryCitationDateDate												
OTC Monograph Drug M012 06/23/2005	OTC Monograph Dru	ug M012			06/	23/2005						

Labeler - Better Living Brands, LLC (009137209)

Establishment									
Address	ID/FEI	Business Operations							
	832867837	manufacture(21130-502) , pack(21130-502)							
	Address								

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(21130-502)

Revised: 11/2024

Better Living Brands, LLC