

**SINUS RELIEF MAXIMUM STRENGTH- acetaminophen, phenylephrine
hcl tablet**

Better Living Brands, LLC

Signature Care 44-502

Active ingredients (in each caplet)

Acetaminophen 325 mg

Phenylephrine HCl 5 mg

Purpose

Pain reliever/fever reducer

Nasal decongestant

Uses

- temporarily relieves these symptoms associated with hay fever or other upper respiratory allergies, and the common cold:
- minor aches and pains
- nasal congestion
- headache
- sinus congestion and pressure
- promotes sinus drainage
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- diabetes
- liver disease
- heart disease
- thyroid disease
- high blood pressure
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin.

When using this product

do not exceed recommended dosage.

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- pain or nasal congestion gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not use more than directed**
- adults and children 12 years and over
- take 2 caplets every 4 hours
- do not take more than 10 caplets in 24 hours
- children under 12 years: ask a doctor

Other information

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°C-30°C (59°F-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

corn starch, croscarmellose sodium, crospovidone, FD&C yellow #6 aluminum lake, magnesium stearate, microcrystalline cellulose, povidone, silicon dioxide, stearic acid

Questions or comments?

1-800-426-9391

Principal Display Panel

Signature care®

Quality
Guaranteed

Compare to
Sudafed PE® Sinus
Pressure + Pain
active Ingredients*

NDC 21130-502-21

MAXIMUM STRENGTH

Sinus Relief

Acetaminophen 325 mg - Pain Reliever / Fever Reducer
Phenylephrine HCl 5 mg - Nasal Decongestant

- Non-drowsy
- Relief of:
Sinus pain & headache, sinus pressure,
nasal & sinus congestion

Actual Size

24 CAPLETS

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS
OPENED OR IF BLISTER UNIT IS TORN, BROKEN
OR SHOWS ANY SIGNS OF TAMPERING**

*This product is not manufactured or distributed by Johnson & Johnson Corporation, distributors of SUDAFED PE® SINUS PRESSURE + PAIN.

50844 REV0820L50208

DISTRIBUTED BY:
BETTER LIVING BRANDS LLC
P.O. BOX 99, PLEASANTON, CA 94566-0009
‡1-888-723-3929

LOVE IT
OR IT'S ON US‡



Quality Guaranteed

Compare to Sudafed PE® Sinus Pressure + Pain active ingredients*
NDC 21130-502-21



MAXIMUM STRENGTH
Sinus Relief

MAXIMUM STRENGTH Sinus Relief

Acetaminophen 325 mg - Pain Reliever / Fever Reducer
Phenylephrine HCl 5 mg - Nasal Decongestant

- Non-drowsy
- Relief of:
Sinus pain & headache, sinus pressure, nasal & sinus congestion



24 CAPLETS

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING
No Print / No Varnish Lot no. & Exp. date

Drug Facts
Active ingredients (in each caplet)
Acetaminophen 325 mg
Phenylephrine HCl 5 mg
Pain reliever/fever reducer
Nasal decongestant

Purpose
Relieves sinus pain and pressure
Relieves nasal congestion and sinus pressure
Relieves minor aches and pains
Relieves fever or other upper respiratory allergies, and the common cold.

Uses
temporarily relieves these symptoms associated with a cold or flu:
fever or other upper respiratory allergies, and the common cold.
temporarily relieves these symptoms associated with a cold or flu:
nasal congestion
headache
sinus congestion and pressure
minor aches and pains
nasal congestion
headache

Drug Facts (continued)

Drug Facts (continued)
Questions or comments? 1-800-426-9391
This product is not manufactured or distributed by Johnson & Johnson Corporation, distributors of SUDAFED PE® SINUS PRESSURE + PAIN. 50844 REV0820LS0208

LOVE IT
OR IT'S ON US!
BETTER LIVING BRANDS, LLC
P.O. BOX 99, PLEASANTON, CA 94566-0099
1-888-723-3929

COATED PAPER
Check Locally
Not recycled in all communities

Scan here for more information
B-1817-502-08-S
REV0820LS0208

Drug Facts (continued)
Warnings
Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take more than 4,000 mg of acetaminophen in 24 hours
with other drugs containing acetaminophen
or more alcohol drinks every day while using this product
Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:
rash
blistering
skin redness
If a skin reaction occurs, stop use and seek medical help right away.

Do not use
with any other drug containing acetaminophen (prescription or nonprescription), if you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have
heart disease
thyroid disease
diabetes
high blood pressure
liver disease
difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.

Drug Facts (continued)
Directions
do not use more than directed
adults and children 12 years and over
take 2 caplets every 4 hours
do not take more than 10 caplets in 24 hours
children under 12 years: ask a doctor

Other information
TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN
store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
see end flap for expiration date and lot number

Inactive ingredients
croscollon, hydroxyethylcellulose, polydioxane, silicon dioxide, stearic acid, microcrystalline cellulose, croscarmellose sodium, magnesium stearate, croscollon, hydroxyethylcellulose, polydioxane, silicon dioxide, stearic acid

Drug Facts (continued)
When using this product do not exceed recommended dosage.
Stop use and ask a doctor if:
fever gets worse or lasts more than 3 days
pain or nasal congestion gets worse or lasts more than 7 days
rash or swelling is present
new symptoms occur
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away. From the medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Signature Care 44-502

SINUS RELIEF MAXIMUM STRENGTH
acetaminophen, phenylephrine hcl tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:21130-502
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
CROSPVIDONE, UNSPECIFIED (UNII: 2S7830E561)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Product Characteristics

Color	orange	Score	no score
Shape	OVAL	Size	18mm
Flavor		Imprint Code	44;502
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:21130-502-21	2 in 1 CARTON	06/23/2005	
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	06/23/2005	

Labeler - Better Living Brands, LLC (009137209)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(21130-502) , pack(21130-502)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(21130-502)

Revised: 5/2024

Better Living Brands, LLC