CAREONE CHILDRENS COLD AND COUGH- brompheniramine maleate, dextromethorphan hbr, phenylephrine hcl solution American Sales Company

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

American Sales Company Children's Cold & Cough Drug Facts

Active ingredients (in each 10 mL)

Brompheniramine maleate, USP 2 mg Dextromethorphan HBr, USP 10 mg Phenylephrine HCl, USP 5 mg

Purposes

Antihistamine

Cough suppressant

Nasal decongestant

Uses

- temporarily relieves cough due to minor throat and bronchial irritation occurring with a cold, and nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- temporarily relieves these symptoms due to hay fever (allergic rhinitis):
- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat
- temporarily restores freer breathing through the nose

Warnings

Do not use

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- to make a child sleepy

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease

- diabetes
- trouble urinating due to an enlarged prostate gland
- glaucoma
- cough that occurs with too much phlegm (mucus)
- a breathing problem such as emphysema or chronic bronchitis
- cough that lasts or is chronic such as occurs with smoking, asthma or emphysema

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers

When using this product

- do not use more than directed
- may cause marked drowsiness
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

Stop use and ask a doctor if

- you get nervous, dizzy or sleepless
- symptoms do not get better within 7 days or are accompanied by fever
- cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosage cup provided
- keep dosage cup with product
- mL = milliliter

age	dose
adults and children 12 years and over	20 mL every 4 hours
children 6 to under 12 years	10 mL every 4 hours
children under 6 years	do not use

Other information

- each 10 mL contains: sodium 4 mg
- store at 20°-25°C (68°-77°F)

Inactive ingredients

anhydrous citric acid, edetate disodium, FD&C blue no. 1, FD&C red no. 40, flavor, glycerin, propylene glycol, purified water, saccharin sodium, sodium benzoate, sorbitol solution

Questions or comments?

1-800-719-9260

Principal Display Panel

Compare to the active ingredients in Children's Dimetapp® Cold & Cough

For Ages 6 and Older

Children's

COLD & COUGH

Antihistamine – Brompheniramine Maleate, 2 mg

Cough Suppressant – Dextromethorphan HBr, 10 mg

Nasal Decongestant – Phenylephrine HCl, 5 mg

FOR RELIEF OF:

Nasal Congestion - Runny Nose

Itchy, Watery Eyes

Coughing & Sneezing

Alcohol Free

Gluten Free

OUR PHARMACISTS RECOMMEND

Grape Flavored

4 FL OZ (118mL)



Cough Suppressant - Dextromethorphan HBr, 10 mg

• Nasal Congestion • Runny Nose

FOR RELIEF OF:

Itchy, Watery Eyes

Alcohol Free

Grape Flavored

Coughing & Sneezing

Nasal Decongestant - Phenylephrine HCI, 5 mg

CARE**ONE**®

Compare to the active ingredients in Children's Dimetapp® Cold & Cough

For Ages 6 and Older

Children's

Antihistamine - Brompheniramine Maleate, 2 mg Cough Suppressant - Dextromethorphan HBr, 10 mg Nasal Decongestant - Phenylephrine HCI, 5 mg

FOR RELIEF OF:

Gluten Free

- Nasal Congestion Runny Nose · Itchy, Watery Eyes Coughing & Sneezing Alcohol Free
- PARENTS:

www.StopMedicineAbuse.org

Drug Facts

Active ingredients

Purposes

For Ages 6 and Older C∀BE**oue**。

(In each 10 mL) Brompheniramine maleate, USP 2 mg.....Antihistamine Dextromethorphan HBr, USP 10 mg...Cough suppressant Phenylephrine HCl, USP 5 mg.....Nasal decongestant

Cough Suppressant - Dextromethorphan HBr, 10 mg Na sal De congestant - Phenylephine HC I, 5 m g

cone

Uses

- temporarily relieves cough due to minor throat and bronchial irritation occurring with a cold, and nasal congestion due to the common cold, hay fever
- or other upper respiratory allergies

 temporarily relieves these symptoms due to hay fever (allergic rhinitis):
- runny nose
- sneezing
 itchy, watery eyes
 itching of the nose or throat
- temporarily restores freer breathing through the nose

Warnings

- Do not use

 if you are now taking a prescription monoamine
 oxidase inhibitor (MAOI) (certain drugs for
 depression, psychiatric, or emotional conditions, or
 Parkinson's disease), of ro? weeks after stopping
 the MAOI drug. If you do not know if your
 prescription drug contains an MAOI, ask a doctor or
 pharmacist before taking this product.

 to make a child sleepy

- Ask a doctor before use if you have

 heart disease high blood pressure
 thyroid disease diabetes
- trouble urinating due to an enlarged prostate gland glaucoma
- cough that occurs with too much phlegm (mucus)
 a breathing problem such as emphysema or
 chronic bronchitis
 cough that lasts or is chronic such as occurs with
- smoking, asthma or emphysema

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

When using this product

- do not use more than directed
 may cause marked drowsiness
 avoid alcoholic beverages
 alcohol, sedatives, and tranquilizers may increase
- be careful when driving a motor vehicle or operating
- macninery
 excitability may occur, especially in children

Drug Facts (continued)

Stop use and ask a doctor if

- you get nervous, dizzy, or sleepless
 symptoms do not get better within 7 days or are accompanied by fever
 cough lasts for more than 7 days, comes back, or
- is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose,

get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosage cup provided
 keep dosage cup with product
 mL = milliliter

age	dose
adults and children 12 years and over	20 mL every 4 hours
children 6 to under 12 years	10 mL every 4 hours
children under 6 years	do not use

Other Information

- each 10 mL contains: sodium 4 mg store at 20°-25°C (68°-77°F)

Inactive Ingredients anhydrous citric acid, edetate disodium, FD&C blue no. 1, FD&C red no. 40, flavor, glycerin, propylene glycol, purified water, saccharin sodium, sodium benzoate, sorbitol solution

Questions or comments? 1-800-719-9260

This product is not manufactured or distributed by Pfizer, distributor of Children's Dimetapp® Cold & Cough.

DISTRIBUTED BY FOODHOLD U.S.A., LLC LANDOVER, MD 20785 · 1-877-846-9949 ©2017 S&S Brands, LLC

Quality guaranteed or your money back.

DO NOT USE IF PRINTED NECKBAND IS BROKEN OR MISSING





LOT NO.

EXP.

: 98726 OF CL

CAREONE CHILDRENS COLD AND COUGH

brompheniramine maleate, dextromethorphan hbr, phenylephrine hcl solution

Product Information HUMAN OTC DRUG Product Type Item Code (Source) NDC:41520-987 Route of Administration ORAL

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
BROMPHENIRAMINE MALEATE (UNII: IXA7C9ZN03) (BROMPHENIRAMINE - UNII:H57G17P2FN)	BROMPHENIRAMINE MALEATE	2 mg in 10 mL	
DEXTRO METHO RPHAN HYDRO BRO MIDE (UNII: 9 D2RTI9 KYH) (DEXTROMETHO RPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg in 10 mL	
PHENYLEPHRINE HYDRO CHLO RIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII: 1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg in 10 mL	

Inactive Ingredients		
Ingredient Name	Strength	
ANHYDRO US CITRIC ACID (UNII: XF417D3PSL)		
EDETATE DISO DIUM (UNII: 7FLD9 1C86K)		
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)		
FD&C RED NO. 40 (UNII: WZB9127XOA)		
GLYCERIN (UNII: PDC6A3C0OX)		
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		
WATER (UNII: 059QF0KO0R)		
SACCHARIN SODIUM (UNII: SB8 ZUX40 TY)		
SODIUM BENZOATE (UNII: OJ245FE5EU)		
SORBITOL (UNII: 506T60A25R)		

Product Characteristics		
Color	PURPLE (Clear bluish-red)	Score
Shape		Size
Flavor	GRAPE	Imprint Code
Contains		

l	Packaging			
l	# Item Code	Package Description	Marketing Start Date	Marketing End Date
l	1 NDC:41520-987-26	1 in 1 CARTON	10/09/2017	
l	1	118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	09/07/2006	

Labeler - American Sales Company (809183973)

Revised: 10/2017 American Sales Company