

**SIGNATURE CARE ALLERGY AND CONGESTION RELIEF- loratadine,  
pseudoephedrine tablet, extended release  
Safeway**

-----  
**Better Living Brands LLC Allergy & Congestion Relief Drug Facts**

**Active ingredients (in each tablet)**

Loratadine 5 mg

Pseudoephedrine sulfate 120 mg

**Purpose**

Antihistamine

Nasal decongestant

**Uses**

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
- sneezing
- itchy, watery eyes
- runny nose
- itching of the nose or throat
- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- reduces swelling of nasal passages
- temporarily relieves sinus congestion and pressure
- temporarily restores freer breathing through the nose

**Warnings**

**Do not use**

- if you have ever had an allergic reaction to this product or any of its ingredients
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- heart disease
- thyroid disease
- high blood pressure
- diabetes
- trouble urinating due to an enlarged prostate gland
- liver or kidney disease. Your doctor should determine if you need a different dose.

**When using this product do not take more than directed.**

Taking more than directed may cause drowsiness.

**Stop use and ask a doctor if**

- an allergic reaction to this product occurs. Seek medical help right away.
- symptoms do not improve within 7 days or are accompanied by a fever
- nervousness, dizziness or sleeplessness occurs

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Directions**

- do not divide, crush, chew or dissolve the tablet

adults and children 12 years and over	1 tablet every 12 hours; not more than 2 tablets in 24 hours
children under 12 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

**Other information**

- **each tablet contains:** calcium 25 mg
- do not use if blister unit is broken or torn
- store between 20° to 25°C (68° to 77°F)
- keep in a dry place

**Inactive ingredients**

croscarmellose sodium, dibasic calcium phosphate, hypromellose, lactose monohydrate, magnesium stearate, pharmaceutical ink, povidone, titanium dioxide

**Questions or comments?**

**1-888-723-3929**

**Package/Label Principal Display Panel**

12 HOUR | ORIGINAL PRESCRIPTION STRENGTH

Allergy & Congestion Relief

Pseudoephedrine Sulfate 120 mg/Loratadine 5 mg

Extended Release Tablets

Nasal Decongestant/Antihistamine

Compare to Claritin-D® 12 hour Tablets active ingredients

Indoor & outdoor allergies

Non-drowsy\*

12 Hour relief of:

nasal and sinus congestion due to colds or allergies

sneezing; runny nose; itchy, watery eyes; itchy throat or nose due to allergies

Actual Size

20 Tablets

\*When taken as directed. See Drug Facts Panel.



NDC 21130-007

<b>Drug Facts</b> <b>Active ingredients (in each tablet)</b> <b>Purpose</b> Loratadine 5 mg.....Antihistamine Pseudoephedrine sulfate 120 mg.....Nasal decongestant	
<b>Uses</b> ■ temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ■ sneezing      ■ itchy, watery eyes ■ runny nose    ■ itching of the nose or throat ■ temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies ■ reduces swelling of nasal passages ■ temporarily relieves sinus congestion and pressure ■ temporarily restores freer breathing through the nose	
<b>Warnings</b> <b>Do not use</b> ■ if you have ever had an allergic reaction to this product or any of its ingredients ■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.  <b>Ask a doctor before use if you have</b> ■ heart disease      ■ thyroid disease ■ high blood pressure    ■ diabetes ■ trouble urinating due to an enlarged prostate gland ■ liver or kidney disease. Your doctor should determine if you need a different dose.	
<b>Drug Facts (continued)</b> <b>When using this product do not take more than directed.</b> Taking more than directed may cause drowsiness.  <b>Stop use and ask a doctor if</b> ■ an allergic reaction to this product occurs. Seek medical help right away. ■ symptoms do not improve within 7 days or are accompanied by a fever ■ nervousness, dizziness or sleeplessness occurs  <b>If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.</b> In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)	
<b>Directions</b> ■ do not divide, crush, chew or dissolve the tablet adults and children      1 tablet every 12 hours; not more than 2 tablets in 24 hours 12 years and over children under 12 years of age    ask a doctor consumers with liver or kidney disease      ask a doctor	
<b>Other information</b> ■ each tablet contains: calcium 25 mg ■ do not use if blister unit is broken or torn ■ store between 20° to 25°C (68° to 77°F) ■ keep in a dry place	
<b>Inactive ingredients</b> croscarmellose sodium, dibasic calcium phosphate, hypromellose, lactose monohydrate, magnesium stearate, pharmaceutical ink, povidone, titanium dioxide	
<b>Questions or comments? 1-888-723-3929</b>	

S 1872      RD 15132

\*This product is not manufactured or distributed by MSD Consumer Care, Inc., distributor of Claritin-D® 12 hour Tablets.

DISTRIBUTED BY: BETTER LIVING BRANDS LLC  
 P.O. BOX 99, PLEASANTON, CA 94566-0009  
 1-888-723-3929/www.betterlivingbrandsLLC.com

**OUR PROMISE**  
 QUALITY & SATISFACTION  
**100% GUARANTEED**  
 OR YOUR MONEY BACK.

## SIGNATURE CARE ALLERGY AND CONGESTION RELIEF

loratadine, pseudoephedrine tablet, extended release

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:21130-007
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LORATADINE (UNII: 7AJ03BO7QN) (LORATADINE - UNII:7AJ03BO7QN)	LORATADINE	5 mg
PSEUDOEPHEDRINE SULFATE (UNII: Y9DL7QPE6B) (PSEUDOEPHEDRINE - UNII:7CUC9DDI9F)	PSEUDOEPHEDRINE SULFATE	120 mg

### Inactive Ingredients

Ingredient Name	Strength
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
ANHYDROUS DIBASIC CALCIUM PHOSPHATE (UNII: L11K75P92J)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	

TITANIUM DIOXIDE (UNII: 15FIX9V2JP)

### Product Characteristics

<b>Color</b>	WHITE	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	12mm
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:21130-007-60	20 in 1 CARTON	10/30/2015	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA076050	10/30/2015	

**Labeler** - Safeway (009137209)

Revised: 12/2019

Safeway