

ASPERFLEX MAX- lidocaine 4% with menthol 1% patch
Akron Pharma Inc.

AsperFlex MAX
Tough on Pain
Lidocaine Patch 4% with Menthol 1%

Drug Facts

Active Ingredient

Lidocaine 4%

Menthol 1%

Purpose

Topical anesthetic

Uses

for the temporary relief of pain

Warnings

For external use only

Do not use

- on puncture wounds, cuts, irritated or swollen skin
- more than 1 patch on your body at a time or with other topical analgesics at the same time
- with a heating pad or apply local heat to the area of use

When using this product

- use only as directed. Read and follow all directions and warnings on this carton.
- do not allow contact with the eyes
- do not bandage tightly or apply local heat (such as heating pads) to the area of use
- do not use at the same time as other topical analgesics
- dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch

Stop use and ask a doctor if

- condition worsens or symptoms persist for more than 7 days
- symptoms clear up and occur again within a few days
- redness or irritation develops

- you experience signs of skin injury, such as pain, swelling, or blistering where the product was applied

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children and pets.

If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

adults and children over 12 years:

- clean and dry affected area
- remove backing from patch by firmly grasping both ends and gently pulling until backing separates in middle
- carefully remove smaller portion of backing from patch and apply exposed portion of patch to affected area
- once exposed portion of patch is positioned, carefully remove remaining backing to completely apply patch to affected area
- use 1 patch at a time and not more than 3 to 4 times daily

children 12 years or younger:consult a doctor

Other Information

store at room temperature 15°-30°C (59°-86°F).

Inactive ingredients

aluminum glycinate, glycerin, methyl acrylate, polyacrylic acid, polysorbate 80, propylene glycol, sodium polyacrylate, tartaric acid, titanium dioxide urea, poval, alcohol, water

Questions or Comments?

Call toll-free 1-877-255-6999.

Manufactured for:

Akron Pharma Inc.,

Fairfield, NJ-07004

www.akronpharma.com



ASPERFLEX MAX

lidocaine 4% with menthol 1% patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:71399-4453
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	240 mg
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	60 mg

Inactive Ingredients

Ingredient Name	Strength
MINERAL OIL (UNII: T5L8T28FGP)	
DIHYDROXYALUMINUM AMINOACETATE ANHYDROUS (UNII: 1K713C615K)	

GLYCERIN (UNII: PDC6A3C0OX)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
POLYACRYLIC ACID (8000 MW) (UNII: 73861X4K5F)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SODIUM POLYACRYLATE (8000 MW) (UNII: 285CYO341L)	
HYDROXYACETOPHENONE (UNII: G1L3HT4CMH)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
KAOLIN (UNII: 24H4NWX5CO)	
TARTARIC ACID (UNII: W4888I119H)	
WATER (UNII: 059QF0KO0R)	
POVIDONE K90 (UNII: RDH86HJV5Z)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71399-4453-5	5 in 1 CARTON	11/04/2021	
1		1 in 1 PATCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	11/04/2021	

Labeler - Akron Pharma Inc. (067878881)

Revised: 7/2025

Akron Pharma Inc.