# TRICALM HYDROGEL- aluminum acetate gel Cosmederm Bioscience

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

TriCalm<sup>®</sup> Hydrogel

**Drug Facts** 

## Active ingredient

Aluminum acetate (0.2%)

## **Purpose**

Astringent

#### Uses

For temporary relief of minor skin irritations due to:

- poison ivy
- poison oak
- poison sumac
- insect bites
- athlete's foot n
- rashes caused by soaps, detergents, cosmetics or jewelry

## Warnings

For external use only.

### When using this product

- Avoid contact with eyes. If contact occurs, rinse thoroughly with water.
- Do not apply to open wounds.

## Stop use and ask a doctor if

• condition worsens or symptoms last for more than 7 days.

Keep out of reach of children.

• If swallowed, get medical help or contact a Poison Control Center right away.

### **Directions**

• Adults and children two years of age and older, apply to affected area as needed or as directed by a physician. Consult a physician for children under the age of two.

## **Inactive ingredients**

Butylene glycol, caprylyl glycol, dehydroacetic acid, ethylhexylglycerin, glycine, hexylene glycol, malic acid, phenoxyethanol, purified water, strontium chloride hexahydrate, xanthan gum.

## Questions?

Call 855-TRI-CALM

## PRINCIPAL DISPLAY PANEL - 60 mL Tube Carton

5X MORE EFFECTIVE THAN HYDROCORTISONE 1%\*

TRICALM®

Rapid Relief From Itching, Burning & Stinging

SOOTHING ITCH RELIEF

HYDROGEL

Steroid-Free Aluminum Acetate Astringent

2 FL OZ (60mL)



STEROID-FREE HYDROGEL



## **Drug Facts**

Active ingredient Purpose Aluminum acetate (0.2%)...... Astringent

For temporary relief of minor skin irritations due to: m poison by m poison cak m poison sumac m insect bites

■ athlete's foot ■ rashes caused by soaps, detergents, cosmetics or jeweln

## Wamings

For external use only.

When using this product

Avoid contact with eyes, If contact occurs, rinse thoroughly with water. Do not apply to open wounds.

Stop use and ask a doctor if condition worsens or symptoms last for more than 7 days.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

 Adults and children two years of age and older, apply to affected area as needed or as directed by a physician. Consult a physician for children under the age of two.

#### Inactive ingredients

Butylene glycol, caprylyl glycol, dehydroacetic acid, ethylhexylglycerin glycine, hexylene glycol, malic acid, phenoxyethanol, purified water, strontium chloride hexahydrate, xanthan gum.

Questions? Call 855-TRI-CALM

NDC# 76312-001-01

#### LEARN ABOUT TRICALM'S ITCH FREE GUARANTEE AT TRICALM.COM/GUARANTEE

\*Data on file.

8910 University Center Lane (Suite 120 San Diego, CA 92122) 835-TR4-CALA) tricalm.com US Patents: 5.716,625; 5,804,200; 6,109,850. 7,404,987; 6,147,855



RAPID RELIEF

**5X MORE** 

**EFFECTIVE THAN HYDROCORTISONE 1%** 



Rapid Relief DERMATOLOGIST RECOMMENDED From Itching, STEROID FREE

FOR RELIEF OF:

ACHING WANING LINGING

FAST ACTING

PATENTED FORMULA WITH

SOOTHING INGREDIENTS

Lczema

2. 6

ITCH.BURN.STING.GONE,

TRICALM'

**Burning** & Stinging

> SOOTHING ITCH RELIEF HYDROGEL

Steroid-Free **Aluminum Acetate Astringent** 

2 FL OZ (60mL)



## FOR RELIEF OF

Dry, itchy skin

Itchy rashes from soaps detergents cosmetics jewelry

**Bug bites** 


Poison ivy, oak, sumac

Athlete's foot

tricalm.com

PN66053.01





## TRICALM HYDROGEL

aluminum acetate gel

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:76312-001	
Route of Administration	TOPICAL			

l	Active Ingredient/Active Moiety				
l	Ingredient Name	Basis of Strength	Strength		
l	ALUMINUM ACETATE (UNII: 80 EHD8 I43D) (ALUMINUM CATION - UNII:3XHB1D0 32B)	ALUMINUM ACETATE	2 mg in 1 mL		

Inactive Ingredients	
Ingredient Name	Strength
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
CAPRYLYL GLYCOL (UNII: 00 YIU5438 U)	
<b>DEHYDRO ACETIC ACID</b> (UNII: 2KAG279 R6 R)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
GLYCINE (UNII: TE7660 XO1C)	
HEXYLENE GLYCOL (UNII: KEH0 A3F75J)	
MALIC ACID (UNII: 817L1N4CKP)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
WATER (UNII: 059QF0KO0R)	
STRONTIUM CHLORIDE HEXAHYDRATE (UNII: O09USB7Z44)	
XANTHAN GUM (UNII: TTV12P4NEE)	

Packaging				
# Item C	o de	Package Description	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1 NDC:76312-	001-01 1 in 1	BOX		
1	60 m	L in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC MONOGRAPH FINAL	part347	11/0 1/20 13		

# Labeler - Cosmederm Bioscience (054730518)

Revised: 6/2015 Cosmederm Bioscience