

HYSAN HUA TUO HUO LU- methyl salicylate, camphor (synthetic) oil
HYSAN PHARMACEUTICAL CO LTD

Drug Facts

Active Ingredients

Methyl Salicylate 37%

Camphor 10%

Purpose

External Analgesic

Uses

Temporarily relieves minor aches, pains of muscles and joint pains due to:

- simple backache
- arthritis
- strains
- sprains
- bruises

warnings

- external use only
- use only as directed

Do not use

- on opened wounds
- on damaged skin

When using this product

- avoid contact with the eyes
- do not bandage tightly

Stop use and ask a doctor if

- a rash or irritation develops
- condition worsens
- symptoms persist for more than 7 days or clears up and occur again within a few days

if pregnant or breast-feeding, ask a health professional before use

Keep out of reach of children to avoid accidental poisoning. If swallowed, get medical help or contact a Poison Control Center right away

Directions

- adults and children 12 years and older, clean and dry the affected area, apply and massage gently not more than 3 to 4 times daily
- children under 12 years of age, consult a doctor before using

Other information

- be stored below 28°C (82°F)
- closed tightly after used

Inactive ingredients

menthol, turpentine oil, eucalyptus oil, lavender oil, tolu balsam

Question or comments?

(626) 354 1819 M-F 9am to 5pm


Hua Tuo Huo Lu Oil

適應：暫時性神經肌肉疼痛，背痛，或因關節炎，損傷，扭傷及瘀傷所引起的疼痛。
 用法：成人及十二歲以上兒童，塗於患處，緩和地旋轉按摩，直至完全痊癒。每
 天塗於患處不可超過三至四次。十二歲以下兒童，塗用前請先查閱醫生。


 HYSAN BRAND

海山華陀

EXTERNAL ANALGESIC
NDC



跌打聖藥



古方配製

活絡油

1.7 FL OZ (50mL)

有效成份：

水楊酸甲酯	37%	外用止痛
樟腦	10%	外用止痛

用途

警告：僅供外用，直接塗於患處，切勿塗於破損的傷口及皮膚，避免觸及眼晴。孕婦或哺育人乳之婦女，塗用前請先詢問醫生。請將本藥油放置於兒童無法觸及之處。使用前請詳細參閱盒內說明書。

華陀活絡油

Drug Facts

Active Ingredients	Purpose
Methyl Salicylate 37%	External Analgesic
Camphor 10%	External Analgesic

Uses
 Temporarily relieves minor aches, pains of muscles and joint pains due to:
 ■ simple backache ■ arthritis ■ strains ■ sprains ■ bruises

Warnings
 ■ external use only ■ use only as directed

Do not use
 ■ on opened wounds ■ on damaged skin

When using this product
 ■ avoid contact with the eyes ■ do not bandage tightly

Stop use and ask a doctor if
 ■ a rash or irritation develops
 ■ condition worsens
 ■ symptoms persist for more than 7 days or clears up and occur again within a few days.

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children to avoid accidental poisoning. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
 ■ adults and children 12 years and older, clean and dry the affected area, apply and massage gently not more than 3 to 4 times daily.
 ■ children under 12 years of age, consult a doctor before using.

Other information
 ■ be stored below 28°C (82°F) ■ closed tightly after used

Inactive ingredients
 menthol, turpentine oil, eucalyptus oil, lavender oil, tolu balsam.

Question or comments? Please read leaflet before use
 (626) 3541819 M-F 9am to 5pm

MANUFACTURED BY:
Hysan Pharmaceutical Co., Ltd.
 E-mail: hysan@hysan.imsbiz.com.hk
 海山堂藥業有限公司

DISTRIBUTED BY:
East West (USA), Inc.
 Alhambra, CA 91801 U.S.A.
MADE IN CHINA
PRODUCT OF HONG KONG

02/2021 (美國版-726) Size: 26 x 65 x 114 mm

 4 892874 878191

LOT.:
 EXP.:
 (日/月/年 D/M/Y)

盒面盒底不要保檢扣



HYSAN HUA TUO HUO LU

methyl salicylate, camphor (synthetic) oil

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63255-123
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
METHYL SALICYLATE (UNII: LAV5U5022Y) (SALICYLIC ACID - UNII:O414PZ4LPZ)	METHYL SALICYLATE	37 g in 100 mL

CAMPHOR (SYNTHETIC) (UNII: 5TJD82A1ET) (CAMPHOR (SYNTHETIC) - UNII:5TJD82A1ET)

CAMPHOR
(SYNTHETIC)

10 g
in 100 mL

Inactive Ingredients

Ingredient Name	Strength
MENTHOL (UNII: L7T10EIP3A)	
TURPENTINE OIL (UNII: C5H0QJ6V7F)	
EUCALYPTUS OIL (UNII: 2R04ONI662)	
LAVENDER OIL (UNII: ZBP1YXW0H8)	
TOLU BALSAM (UNII: TD2LE91MBE)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63255-123-01	50 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	02/18/2021	
2	NDC:63255-123-02	3 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	02/18/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M	02/18/2021	

Labeler - HYSAN PHARMACEUTICAL CO LTD (666427133)

Establishment

Name	Address	ID/FEI	Business Operations
HYSAN PHARMACEUTICAL CO LTD		666427133	manufacture(63255-123)

Revised: 10/2024

HYSAN PHARMACEUTICAL CO LTD