

HYSAN HUA TUO HUO LU- methyl salicylate, camphor (synthetic) oil
HYSAN PHARMACEUTICAL CO LTD

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active Ingredients

Methyl Salicylate 37%

Camphor 10%

Purpose

External Analgesic

Uses

Temporarily relieves minor aches, pains of muscles and joint pains due to:

- simple backache
- arthritis
- strains
- sprains
- bruises

warnings

- external use only
- use only as directed

Do not use

- on opened wounds
- on damaged skin

When using this product

- avoid contact with the eyes
- do not bandage tightly

Stop use and ask a doctor if

- a rash or irritation develops
- condition worsens
- symptoms persist for more than 7 days or clears up and occur again within a few days

if pregnant or breast-feeding, ask a health professional before use

Keep out of reach of children to avoid accidental poisoning. If swallowed, get medical help or contact a Poison Control Center right away

Directions

- adults and children 12 years and older, clean and dry the affected area, apply and

massage gently not more than 3 to 4 times daily

- children under 12 years of age, consult a doctor before using

Other information

- be stored below 28°C (82°F)
- closed tightly after used

Inactive ingredients




menthol, turpentine oil, eucalyptus oil, lavender oil, tolu balsam

Question or comments?

(626) 354 1819 M-F 9am to 5pm



Hua Tuo Huo Lu Oil
 通應：暫時性緩解肌肉疼痛，背痛，或因關節炎，扭傷，扭傷及瘀傷所引起的疼痛。每
 用法：成年人及十二歲以上兒童，塗於患處，緩慢地旋轉按摩，直至完全痊癒。每
 天塗於患處不可超過三至四次。十二歲以下兒童，塗用前請先諮詢醫生。



海山華陀
 EXTERNAL ANALGESIC
 NDC

跌打聖藥 **古方配製**

活絡油
 1.7 FL OZ (50mL)

有效成份：
 水楊酸甲酯 37% 外用止痛
 樟 腦 10% 外用止痛
用途
 警告：僅供外用，用時，直接塗於患處，切勿塗於破損的
 傷口及皮膚，避免觸及眼晴。孕婦或哺乳人乳之婦
 女，塗用前請先諮詢醫生。請將本藥油放置在兒童無
 法觸及之處。使用前請詳細參閱盒內說明書。

甲 跌 打 聖 藥
 HUA TUO HUO LU OIL

Drug Facts

Active Ingredients	Purpose
Methyl Salicylate 37%	External Analgesic
Camphor 10%	External Analgesic

Uses
 Temporarily relieves minor aches, pains of muscles and joint pains due to:
 ■ simple backache ■ arthritis ■ strains ■ sprains
 ■ bruises

Warnings
 ■ external use only ■ use only as directed

Do not use
 ■ on opened wounds ■ on damaged skin

When using this product
 ■ avoid contact with the eyes ■ do not bandage tightly

Stop use and ask a doctor if
 ■ a rash or irritation develops
 ■ condition worsens
 ■ symptoms persist for more than 7 days or clears up and occur again within a few days.

Directions
 ■ adults and children 12 years and older, clean and dry the affected area, apply and massage gently not more than 3 to 4 times daily.
 ■ children under 12 years of age, consult a doctor before using.

Other information
 ■ be stored below 28°C (82°F) ■ closed tightly after used

Inactive ingredients
 menthol, turpentine oil, eucalyptus oil, lavender oil, tolu balsam.

Question or comments? Please read leaflet before use
 (626) 3541819 M-F 9am to 5pm

MANUFACTURED BY: Hysan Pharmaceutical Co., Ltd. DISTRIBUTED BY: East West (USA), Inc.
 E-mail: hysan@hysan.msbiz.com.hk Alhambra, CA 91801 U.S.A.
 海山堂藥業有限公司 **MADE IN CHINA**
 PRODUCT OF HONG KONG

02/2021 (美國版-726) Size: 26 x 65 x 114 mm




 4 892874 878191
 LOT.:
 EXP.:
 (日/月/年 D/M/Y)



盒面盒底不要保檢扣



HYSAN HUA TUO HUO LU

methyl salicylate, camphor (synthetic) oil

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63255-123
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
METHYL SALICYLATE (UNII: LAV5U5022Y) (SALICYLIC ACID - UNII:O414PZ4LPZ)	METHYL SALICYLATE	37 g in 100 mL

CAMPHOR (SYNTHETIC) (UNII: 5TJD82A1ET) (CAMPHOR (SYNTHETIC) - UNII:5TJD82A1ET)

CAMPHOR
(SYNTHETIC)

10 g
in 100 mL

Inactive Ingredients

Ingredient Name	Strength
MENTHOL (UNII: L7T10EIP3A)	
TURPENTINE OIL (UNII: C5H0QJ6V7F)	
EUCALYPTUS OIL (UNII: 2R04ONI662)	
LAVENDER OIL (UNII: ZBP1YXW0H8)	
TOLU BALSAM (UNII: TD2LE91MBE)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63255-123-01	50 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	02/18/2021	
2	NDC:63255-123-02	3 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	02/18/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	02/18/2021	

Labeler - HYSAN PHARMACEUTICAL CO LTD (666427133)

Establishment

Name	Address	ID/FEI	Business Operations
HYSAN PHARMACEUTICAL CO LTD		666427133	manufacture(63255-123)

Revised: 2/2021

HYSAN PHARMACEUTICAL CO LTD