

MULTI DOSE MD- iodine solution, concentrate

DeLaval

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click [here](#).

Multi Dose MD™

Concentrated Teat Sealant

Helps reduce the transmission of microorganisms that cause mastitis

Veterinary Use

Registration Q-0650-049

ACTIVE INGREDIENTS

Iodine.....4.0% W/V

OTHER INGREDIENT

Excipients.....sufficient quality for100%

KEEP OUT OF REACH OF CHILDREN

CAUTION

READ AND UNDERSTAND ALL INSTRUCTIONS BEFORE USING THIS PRODUCT

FIRST AID

Contact with product may cause irritation. Avoid contact.

Eye Contact: Rinse with water. Remove contact lenses, if present, after first 5 minutes. Then continue rinsing. Seek medical attention immediately.

If Swallowed: Do not induce vomiting. If victim is fully conscious, give them a glass of water. Never give anything else.

STORAGE AND DISPOSAL

THOROUGHLY RINSE ALL MEASURING DEVICES AND STORE OUT OF REACH OF CHILDREN. Avoid contact with food or animal feed. Avoid storing near heat or open flame. Keep container tightly closed when not in use. If product has frozen, thaw in a warm room and shake well before use. Do not reuse empty container. Rinse containers before safe disposal. Do not store in direct sunlight. **Store this product in an area where the temperatures is below 35°C.**

ANIQ-SETIQ Emergency Number 01-800-00-214-00

Not for Human Use

Additional Information in the Safety Data Sheet

Follow the dilution instructions to obtain the desired formula. DeLaval recommends mixing with DeLaval's automatic systems and dispensers. Failure to follow these mixing instructions could cause injury to animals or reduce the effectiveness as a teat sealant. Use the sealant within two months of dilution.

GENERAL INSTRUCTIONS

- Do not use this product concentrated. It must be diluted according to the instructions.

- Consult your veterinarian before using the sanitizer on cows with sensitive or cracked teats.
- Thoroughly clean and disinfect teats before milking to prevent contamination and help control mastitis.
- The teat sealant solution should be discarded if it appears dirty or contains residue.
- After milking: Dip teats in Multi Dose MD solution to help control mastitis.

Dilution Relationships

1% Iodine 10% Emollient Post-Milking Application	0.75% Iodine 7.5% Emollient Post-Milking Application	0.5% Iodine 5% Emollient Pre-Post Milking Application	0.25% Iodine 2.5% Emollient Pre-Milking Application
1 L DeLaval Multi Dose MD in 3 L of water	1 L DeLaval Multi Dose MD in 4 L of water	1 L DeLaval Multi Dose MD in 7 L of water	1 L DeLaval Multi Dose MD in 15 L of water

BEFORE MILKING

- Remove excess dirt and solids from the teat skin and trim the teat ends.
- Immerse or spray the teats in the Multi **Dose MD**[™] dilution.
- Wait a minimum of 30 second for contact time.
- Dry the teats thoroughly with a clean, disposable paper towel.
- Attach the milker unit.

AFTER MILKING

- Immediately after removing the milking unit, dip or spray the teats with **Multi Dose MD**[™]. Do not dry the teats
- Before exposing cows to temperatures below freezing, ensure that the teats are completely dry to prevent frostbite. Failure to follow these instructions may result in frostbite and injury to the animals.

NET CONTENTS: US GAL. (L)

LOT NO.:

EXP. DATE:

Prepared By:

DeLaval Manufacturing

11100 N. Congress Avenue
Kansas City, MO 64153 USA

Imported and Distributed By:


DeLaval S.A de C.V.

Acceso III No 16-B, Int 6 Zona

Zona Industrial Benito Juarez

Queretaro,Qro. C.P. 76120

Label



DeLaval

2570-D0121

Multi Dose MD

Sellador Concentrado Para Pezones
Ayuda a reducir la transmisión de microorganismos que causan mastitis

USO VETERINARIO

REGISTRO: Q-0650-049

FÓRMULA
Cada 100 mL del producto concentrado contiene:
Yodo..... 4.0%
Excipientes c.b.p. 100.0%

MANTENER FUERA DEL ALCANCE DE LOS NIÑOS

CUIDADO

2570

LEA Y ENTIENDA TODAS LAS INSTRUCCIONES ANTES DE USAR ESTE PRODUCTO

PRIMEROS AUXILIOS
El contacto con este producto puede causar irritación en los ojos. Evite su contacto.
Contacto con ojos: Lavar con agua. Remueva los lentes de contacto si usa, después de 5 minutos. Luego continúe lavando. Busque atención médica inmediatamente.
Si es ingerido: No inducir al vómito. Si la persona está completamente consciente, dele un vaso con agua. Nunca dar nada por la boca a una persona inconsciente. Busque atención médica inmediatamente.

ALMACENAJE Y DESECHO
ENJUAGAR TOTALMENTE TODOS LOS APARATOS DE MEDICIÓN Y ALMACENAR FUERA DEL ALCANCE DE LOS NIÑOS. Evite el contacto con alimentos y piensos. Evite almacenar cerca al calor o a flama abierta. Mantenga el recipiente bien cerrado cuando no esté en uso. Si el producto se ha congelado, descongele en una habitación tibia y agite bien antes de usar. No vuelva a usar los envases vacíos. Enjuague los envases antes de su eliminación en forma segura. No almacene directamente a la luz. **Almacene este producto en una área donde la temperatura esté por debajo de 35°C.**

NÚMERO DE EMERGENCIA ANIQ-SETIQ 800-00-214-00

No Para Uso Humano
Información Adicional en la Hoja de Datos de Seguridad

Siga las instrucciones de dilución para obtener la fórmula deseada. DeLaval recomienda que se haga la mezcla con sistemas automáticos y dispensadores de DeLaval. El incumplimiento de seguir estas instrucciones de mezcla puede causar lesiones a los animales o reducir la eficacia del producto como sellador de pezones. Use el sellador entre los próximos dos meses después de diluido.

INSTRUCCIONES GENERALES

- No use este producto concentrado. Debe ser diluido de acuerdo a las instrucciones de arriba.
- Consulte a su veterinario antes de usar el sanitizante en vacas con pezones sensibles o cuarteados.
- Limpie y desinfecte completamente los pezones antes del ordeño para evitar contaminación y ayudar en el control de la mastitis.
- La solución de sellador de pezones debe ser descartada si se ve sucia, o si contiene residuos.
- Después del ordeño: sumerja los pezones en la solución de **Multi Dose MD** para ayudar en el control de la mastitis.

CONSULTE AL MÉDICO VETERINARIO

RELACIONES DE DILUCIÓN

1% Yodo - 10% Emolientes Aplicación Post Ordeño	0.75% Yodo - 7.5% Emolientes Aplicación Post Ordeño	0.5% Yodo - 5% Emolientes Aplicación Pre-Post Ordeño	0.25% Yodo - 2.5% Emolientes Aplicación Pre Ordeño
1 L DeLaval Multi Dose MD en 3 L de agua	1 L DeLaval Multi Dose MD en 4 L de agua	1 L DeLaval Multi Dose MD en 7 L de agua	1 L DeLaval Multi Dose MD en 15 L de agua

ANTES DEL ORDEÑO

- Remueva exceso de suciedad y sólidos de la piel del pezón y despunte.
- Sumerja o rocíe los pezones en la dilución de **Multi Dose MD**.
- Espere 30 segundos como tiempo mínimo de contacto.
- Seque los pezones totalmente con una toalla de papel desechable limpia.
- Ponga la unidad de ordeño.

DESPUÉS DEL ORDEÑO

- Inmediatamente después de remover la unidad de ordeño, sumerja o rocíe los pezones con **Multi Dose MD**. No seque los pezones.
- Antes de exponer a las vacas a una temperatura por debajo del punto de congelación, asegúrese de que los pezones estén secos completamente para evitar que se congelen. El fracaso de seguir estas instrucciones puede resultar en pezones congelados y animales lesionados.

Elaborado por:
DeLaval Manufacturing
11100 N. Congress Ave.
Kansas City, MO 64153-1296
EE.UU.

Importado y Distribuido por:
DeLaval S.A. de C.V.
Acosco III, No. 16 B, Int. 6
Zona Industrial Benito Juárez
Querétaro, Qro. C.P. 76120
México Tel. +52 442 248 1761

CONTENIDO NETO:

LOTE NO.:

FECHA DE CADUCIDAD:

MULTI DOSE MD

iodine solution, concentrate

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:55756-570
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	4000 mg in 1 L

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	

C9-11 PARETH-8 (UNII: 80E6PSE1XL)	
POLOXAMER 335 (UNII: G6DQL26D50)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SODIUM IODIDE (UNII: F5WR8N145C)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55756-570-01	208.2 L in 1 DRUM		
2	NDC:55756-570-02	56.8 L in 1 DRUM		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/10/2025	

Labeler - DeLaval (173704867)

Registrant - WestAgro, Inc. (069288728)

Establishment

Name	Address	ID/FEI	Business Operations
WestAgro, Inc.		147528723	analysis, api manufacture, label, manufacture, pack

Establishment

Name	Address	ID/FEI	Business Operations
WestAgro, Inc.		095906480	analysis, api manufacture, label, manufacture, pack

Establishment

Name	Address	ID/FEI	Business Operations
DeLaval Inc.		159786966	repack