

FLORONA ACTILIFE HYDROGEN PEROXIDE 3 %- hydrogen peroxide liquid

SPARROW LIFE CARE PRIVATE LIMITED

Active Ingredient

Hydrogen peroxide 3%

Purpose

First Aid Antiseptic

Uses

First aid to help prevent the risk of infection in

- Minor cuts
- Scrapes
- Burns
- Aids in the removal of phlegm, Mucus, or other secretions associated with occasional sore mouth.

Warnings

- **For external use only**
- Do not use
- in the eyes or apply over large area of the body Longer 1 week
- Ask doctor before use if you have deep or puncture wounds, animal bites or serious burns.
- Stop use and ask a doctor if the condition persist or gets worse
- Sore mouth symptoms do not improve in 7 days
- irritation, pain, or redness persist or worsen
- swelling, rash or Fever develops
- Keep out of reach of children :If swallowed ,get medical help or contact a Poison Control Center right away .
- Children under 12 years of age should be supervised in the use of this product
- Children under 2 year of age : consult a dentist or doctor.

Directions

- First aid antiseptic
- Clean the affected area
- Apply a small amount of product on the area 1 to 3 times daily
- May be covered with a sterile bandage
- If bandage, let dry first
- Oral debriding agent (oral rinse): adults and children 2 years of age and over: Mix with an equal amount of water
- Swish around in the mouth over the affected area for atleast 1 minute and then spit

out.

- Use up to 4 times daily after meals and after bedtime or as directed by a dentist or doctor

Other Information

- Keep bottle tightly closed and controlled room temperature.
- Do not shake bottle. Hold away from face when opening.

Inactive ingredients

Water

Product label

Drug Facts/ Datos de drogas/ Faits sur les médicaments

Active ingredient / Ingrédients actifs /
ingrédient actif

Hydrogen Peroxide 3%
Péroxido de Hidrógeno 3%
Peroxyde d'hydrogène 3%

Purpose /
Objetivo / But

First Aid Antiseptic / Oral Debriding Agent
Primeros auxilios Antiséptico / Agente de Desbridamiento Oral


Use: First aid to help prevent the risk of infection in minor cuts, scrapes & burns.
Aids in the removal of plaque, mucus, or other secretions associated with occasional sore mouth / **Usos:** Primeros auxilios para ayudar a prevenir el riesgo de infección en pequeñas cortes, arañazos e quemaduras. Ayuda en la remoción de placa, moco o otras secreciones asociadas a dolor ocasional en la boca / **Utilisation:** Premiers secours pour aider à prévenir le risque d'infection dans les coupures, éraflures et brûlures mineures. Aide à éliminer les muqueuses, le mucus ou d'autres sécrétions associées à des maux de bouche occasionnels.

Warnings: For external use only. Do not use in the eyes or apply over large areas of the body longer than 1 week. Ask a doctor before use if you have deep or puncture wounds, animal bites or serious burns. Stop use and ask a doctor if: the sore/lesion persists or gets worse • sore mouth symptoms do not improve in 7 days • irritation, pain, or redness persists or worsens • swelling, rash, or fever develops / **Advertencias:** Agente para uso externo. No use en ojos ni sobre grandes áreas del cuerpo por más de 1 semana. Consulte un médico antes de usar si tiene heridas profundas o perforantes, mordidas de animales o quemaduras graves. Interrumpa el uso e consulte a un médico si: • la condición persiste o empeora • síntomas de boca inflamada no mejoran en 7 días • irritación, dolor o enrojecimiento persisten o pioran • hinchazo, erupción cutánea o fiebre se desarrollan / **Avertissements:** Pour usage externe uniquement. Ne pas utiliser dans les yeux ou appliquer sur de grandes surfaces du corps plus d'une semaine. Consultez un médecin avant utilisation si vous avez des plaies profondes ou perforantes, des morsures d'animaux ou des brûlures graves. Arrêtez l'utilisation et demandez à un médecin si: • la lésion persiste ou s'aggrave • les symptômes de la bouche deviennent de plus en plus graves • les symptômes de la bouche deviennent de plus en plus graves • l'enflure, l'éruption cutanée ou de la fièvre se développent.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. Manténgase fóra do alcance de crianças. Se ingerido, procure ajuda médica ou entre em contato com um Centro de Controle de Intoxicações imediatamente. / **Tenir hors de portée des enfants. En cas d'ingestion, obtenir de l'aide médicale ou contacter immédiatement un centre antipoison.**

Children under 12 years of age should be supervised in the use of this product. / **Children under 12 years of age consult a dentist or doctor.** / **Crianças menores de 12 anos devem ser supervisionadas no uso deste produto.** / **Crianças menores de 12 anos devem consultar um dentista ou médico.** / **Les enfants de moins de 12 ans doivent être surveillés lors de l'utilisation de ce produit.** / **Enfants de moins de 12 ans: consultez un dentiste ou un médecin.**

Other information: Keep tightly closed and at controlled room temperature. Do not shake bottle. Hold away from face when opening. / **Outras informações:** Manter bem fechado e em temperatura ambiente controlada. Não agitar a garrafa. Segure longe do rosto ao abrir. / **Autres informations:** Conserver hermétiquement fermée et à température ambiante contrôlée. Ne secouer pas la bouteille. Tenir loin du visage lors de l'ouverture.



Hydrogen Peroxide 3%

TOPICAL SOLUTION | FIRST AID ANTISEPTIC | ORAL DEBRIDING AGENT

For Treatment of minor cuts and abrasions.
For use as a gargle or rinse.

16 FL.OZ. (473 ml)


Directions: First aid antiseptic. Clean the affected area. Apply a small amount of product on the area 1 to 3 times daily. May be covered with a sterile bandage. If bandaged, let dry first. Oral debriding agent (post-meal): adults and children 2 years of age and over: Mix with an equal amount of water. Swish around in the mouth over the affected area for at least 1 minute and then spit out. Use up to 4 times daily after meals and at bedtime or as directed by a dentist or doctor. / **Indicações:** Antisséptico de primeiros socorros. Limpe a área afetada. Aplique uma pequena quantidade do produto na área 1 a 3 vezes ao dia. Pode ser coberto com um curativo estéril. Se enfaixado, deixe secar primeiro. Agente debridante oral (jornalístico oral): adultos e crianças com idade igual ou superior a 2 anos: Misture com uma quantidade igual de água. Bocheche na boca sobre a área afetada por pelo menos 1 minuto e depois cuspa. Use até 4 vezes ao dia após as refeições e ao deitar ou conforme indicado por um dentista ou médico. / **Mode d'emploi:** Premiers soins antiseptiques. Nettoyer la zone affectée. Appliquer une petite quantité de produit sur la zone 1 à 3 fois par jour. Peut être recouvert d'un pansement stérile. Si bandé, laisser sécher d'abord. Agent de débridement oral (post-prandial): adultes et les enfants de 2 ans et plus. Mélanger avec une quantité égale d'eau. Agiter dans la bouche sur la zone affectée pendant au moins 1 minute puis recracher. Utiliser jusqu'à 4 fois par jour après les repas et au coucher ou selon les directives par un dentiste ou un médecin.

Inactive ingredient purified water / Ingrediente inerte água purificada /
Agredient inert/ eau purifiée

Country of Origin / País de origem / Pays d'origine: India

Marketed By/ Comercializado Por/ Commercialisé Par:
Florona (UK) Ltd.

Batch No / N° de Lot /
No Lot. :
Mfg. Dt / Data de Fab /
Date of fab. :
Exp. Dt / Data de Exp /
Date of exp. :



8 904344 617820

16 FL.OZ. (473 ml)

FLORONA ACTILIFE HYDROGEN PEROXIDE 3 %

hydrogen peroxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:85891-006
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYDROGEN PEROXIDE (UNII: BBX060AN9V) (HYDROGEN PEROXIDE - UNII:BBX060AN9V)	HYDROGEN PEROXIDE	3 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85891-006-01	473 mL in 1 BOTTLE; Type 0: Not a Combination Product	05/15/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	05/15/2025	

Labeler - SPARROW LIFE CARE PRIVATE LIMITED (767599018)

Establishment

Name	Address	ID/FEI	Business Operations
SPARROW LIFECARE PRIVATE LIMITED		767599018	manufacture(85891-006)

Revised: 7/2025

SPARROW LIFE CARE PRIVATE LIMITED