# CLOTRIMAZOLE- clotrimazole cream QUALITY CHOICE (Chain Drug Marketing Association)

-----

Clotrimazole Vaginal Cream, USP

#### **Drug Facts**

#### Active ingredients

Clotrimazole, USP 1% (50 mg in each applicatorful)

Clotrimazole USP, 1% (external cream)

#### **Purpose**

Vaginal antifungal

Vaginal antifungal

#### Uses

- treats vaginal yeast infections
- relieves external itching and irritation due to a vaginal yeast infection

#### Warnings

For vaginal use only

Do not use

if you have never had a vaginal yeast infection diagnosed by a doctor

#### Ask a doctor before use if you have

- vaginal itching and discomfort for the first time
- lower abdominal, back or shoulder pain, fever, chills, nausea, vomiting, or foul-smelling vaginal discharge. You may have a more serious condition.
- vaginal yeast infections often (such as once a month or 3 in 6 months). You could be pregnant, or have a serious underlying medical cause for your symptoms, including diabetes or a weakened immune system.
- been exposed to the human immunodeficiency virus (HIV) that causes AIDS

#### When using this product

- do not use tampons, douches, spermicides, or other vaginal products. Condoms and diaphragms may be damaged and fail to prevent pregnancy or sexually transmitted diseases (STDs).
- do not have vaginal intercourse
- mild increase in vaginal burning, itching or irritation may occur

• if you do not get complete relief, ask a doctor before using another product

#### Stop use and ask a doctor if

- symptoms do not get better in 3 days
- symptoms last more than 7 days.
- you get a rash or hives, abdominal pain, fever, chills, nausea, vomiting, or a foul-smelling vaginal discharge

#### If pregnant or breast-feeding,

ask a health professional before use.

#### Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

#### **Directions**

- before using this product, read the enclosed educational brochure for complete directions and information
- adults and children 12 years of age and over:
  - **vaginal cream:** insert one applicatorful of cream into the vagina at bedtime for 7 days in a row. Wash applicator after each use.
  - external cream: use the same tube of cream if you have itching and irritation on the skin outside the vagina. Squeeze a small amount of cream onto your fingertip. Apply to itchy, irritated skin outside the vagina. Use 2 times daily for up to 7 days as needed.
- children under 12 years of age: ask a doctor

#### Other information

- to open tube: unscrew cap, lift tab, and pull to remove foil seal prior to use
- do not use if foil seal on tube opening is broken or missing
- do not purchase if carton is open
- store at room temperature 20º to 25ºC (68º to 77ºF)
- before using any medication, read all label directions. Keep carton, it contain important information.

#### Inactive ingredients

benzyl alcohol, cetostearyl alcohol, cetyl esters wax, 2-octyldodecanol, polysorbate 60, purified water, sodium phosphate monobasic, sorbitan monostearate

#### Questions?

Call 1-**800-935-2362** Monday-Friday 9AM-5PM EST

#### Principal display panel

**Educational Pamphlet Enclosed** 

7-Day Treatment

Clotrimazole

Vaginal Cream USP, 1%

#### **Vaginal Antifungal**

# Clotrimazole Vaginal Cream Can Kill The Yeast That May Cause Vaginal Infection

#### **Cures Most Vaginal Yeast Infections**

One 45g (1.59 OZ) Tube of Vaginal Cream (1%) and 1 Reusable Applicator (7-Day Therapy

Distributed by CDMA, Inc.

Novi, MI 48375

www.qualitychoice.com

#### Package label

Stop use and sets a doctor if  $\blacksquare$  symptoms do not get better in 3 days  $\blacksquare$  symptoms last more Than Y days  $\blacksquare$  you get a rest or hives, abdominal pain, fovor, chills, nauses, vomiting, or a foul-smelling vaginal descharge

- ii you do not get complete relief, ask a doctor before using another product
- deseses (STDs). © on not have veginal infernomes 

  © mild increase in veginal burning, inching or imitation may occur

When using this product 

Condoms and dispinagms may be damaged and fail to prevent pregnancy or other veginal products.

Condoms and dispinagms may be damaged and fail to prevent pregnancy or askually transmitted.

- system. To been exposed to the human immunodeficiency virus (HIV) that causes ADS
- discharge. You may have a more senous condition. • vaginal yeast infections often (such as once a month or 3 in 6 months). You could be pregnant, or have a serious underlying medical cause for your symptoms, including diabetes or a weakened immune.
- Ask a dector before use if you have a vaginal acting and discomfort for the first time
  a lower abdominal, back or shoulder pain, fever, chills, nauses, vomiting, or foul-smelling vaginal

Do not use if you have never had a vaginal yeast infection diagnosed by a doctor.

Warnings For veginal use only.

USCS - treats vaginal yeast infections in relieves external liching and imitation due to a vaginal yeast infection

Active ingredients
Active ingredients
Codmazole, USP 1% (50 mg in each applicatorlu),
Codmazole, USP 1% (external creem)
Vaginal antifungal

Drug Facts

CINGRIDOUS & CFI 1-800-839-5395 Woodsh-Hilday 9AM-5PM EST

Inactive ingredients benzy acohol, ceostearyl acohol, celyl esters wax, 2-octylodecanol, polysorbate 60, pumied water, sodium phosphate monotasic, sodium phosphate monotasic, sodium phosphate monotasic, sodium prosphate monota

- before using any medication, read all label directions. Keep carbon, it contains important information.
  - store at noom bemperature 20° to 25°C (68° to 777)
    - do not purchase if carton is open
  - gnissim to makind at gnineqo edut no lesa lich ti eau ton ob
  - to open tube: unscrew cap, lift tab, and pull to remove foil seal prior to use

#### Other information

- children under 12 years of age: ask a doctor
- vagina. Squeeze a small amount of cream orby your fingeritp. Apply to itchy, imitated skin cutside the vagina. Use 2 times daily for up to 7 days as needed.
- equivalent after each sea.

   external cream uses the same tube of cream if you have fiching and imitation on the skin outside the

   external cream cases a series to be a cream if you have flower that initiation or the skin outside the
- edults and children 12 years of age and over.
   edults and children 12 years of age and over.


DIRECTIONS - before using this product, read the enclosed educational brochure for complete

(1-800-222-1222) right away.

DIRECTOR STO INTOMISSION

if pregnant or breast-feeding, sak a health professional before use. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center

Drug Facts (continued)



NDC 63868-259-15



**Educational Pamphlet Enclosed** 

7-Day Treatment

# Clotrimazole

Vaginal Cream USP, 1%

### Vaginal Antifungal

Clotrimazole Vaginal Cream Can Kill The Yeast That May Cause Vaginal Infection Cures Most Vaginal Yeast Infections

One 45g (1.59 OZ) Tube of Vaginal Cream (1%) and 1 Reusable Applicator (7-Day Therapy)







Code: 60/DRUGS/361 AAD3B/03

#### **QUALITY CHOICE Vaginal Antifungal Cream**

#### **CLOTRIMAZOLE**

clotrimazole cream

#### **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:63868-259

**Route of Administration** VAGINAL

#### **Active Ingredient/Active Moiety**

Ingredient Name

CLOTRIMAZOLE (UNII: G07GZ97H65) (CLOTRIMAZOLE - UNII:G07GZ97H65)

CLOTRIMAZOLE (UNII: G07GZ97H65) CLOTRIMAZOLE

10 mg in 1 g

Inactive Ingredients				
Ingredient Name	Strength			
BENZYL ALCOHOL (UNII: LKG8494WBH)				
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)				
CETYL ESTERS WAX (UNII: D072FFP9GU)				
OCTYLDODECANOL (UNII: 461N1O614Y)				
POLYSORBATE 60 (UNII: CAL22UVI4M)				
WATER (UNII: 059QF0KO0R)				
SODIUM PHOSPHATE, MONOBASIC, MONOHYDRATE (UNII: 593YOG76RN)				
SORBITAN MONOSTEARATE (UNII: NVZ 410H58X)				

Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:63868-259- 15	1 in 1 CARTON	10/15/2014			
1		45 g in 1 TUBE; Type 0: Not a Combination Product				

Marketing Information					
Marketing	Application Number or Monograph	Marketing Start	Marketing End		

Category	Citation	Date	Date
ANDA	ANDA074165	10/15/2014	

## **Labeler -** QUALITY CHOICE (Chain Drug Marketing Association) (011920774)

Revised: 9/2022 QUALITY CHOICE (Chain Drug Marketing Association)