

**CHILDRENS LORATADINE ODT - loratadine tablet, orally disintegrating
WALGREEN CO.**

Loratadine Orally Disintegrating Tablets USP 10 mg

Drug Facts

Active ingredient (in each tablet)

Loratadine USP 10 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

Warnings

Do not use

if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have

liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product

do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if

an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- place 1 tablet on tongue; tablet disintegrates, with or without water

| | |
|--|--|
| adults and children 6 years and over | 1 tablet daily; not more than 1 tablet in 24 hours |
| children under 6 years of age | ask a doctor |
| consumers with liver or kidney disease | ask a doctor |

Other information

- Phenylketonurics: Contains phenylalanine 2.25 mg per tablet
- do not use if the individual blister unit is open or torn
- store at 20° to 25°C (68° to 77°F)
- use tablet immediately after opening individual blister
- Complies with USP test 2 for Disintegration

Inactive ingredients

aspartame, crospovidone, mannitol, microcrystalline cellulose, peppermint, pregelatinized starch (maize), sodium stearyl fumarate

Questions or comments?

call 1-855-274-4122

DISTRIBUTED BY:

**WALGREEN CO.
200 WILMOT RD., DEERFIELD, IL 60015**

Walgreens

**100% SATISFACTION
GUARANTEED**

walgreens.com ©2018 Walgreen Co.

MADE IN INDIA

PACKAGE LABEL-PRINCIPAL DISPLAY PANEL - 10 mg, Blister Carton 30 (3 x 10) Orally Disintegrating Tablets

Walgreens

**Compare to Claritin® RediTabs®
active ingredient^{††}**

NDC 0363-4020-84

children's

ALLERGY

ORIGINAL PRESCRIPTION STRENGTH

Wal-itin®

LORATADINE ORALLY DISINTEGRATING TABLETS USP 10 mg / ANTIHISTAMINE DISSOLVABLE TABLET NON-DROWSY* 24 - HOUR

- Melts in mouth with no water needed
- 24-hour relief of sneezing, runny nose, itchy throat or nose & itchy, watery eyes
- Indoor & outdoor allergies

30

ORALLY

DISINTEGRATING TABLETS

ACTUAL SIZE

6

YEARS

& OLDER

***WHEN TAKEN AS DIRECTED. SEE DRUG FACTS PANEL.**

LEBG938H



6 YEARS & OLDER

30 ORALLY
DISINTEGRATING TABLETS

• Melts in mouth with no water needed
• 24-hour relief of sneezing, runny nose, itchy throat or nose & itchy, watery eyes
• Indoor & outdoor allergies

DISINTEGRABLE TABLET NON-DROWSY* 24-HOUR

LORATADINE ORALLY DISINTEGRATING TABLETS USP 10 mg / ANTIHISTAMINE

ND C09634 00 04

Compare to Claritin® RedTabs® active ingredient!

Walgreens

children's ALLERGY ORIGINAL PRESCRIPTION STRENGTH
Wal-itin®

LORATADINE ORALLY DISINTEGRATING TABLETS USP 10 mg / ANTIHISTAMINE

Walgreens

children's ALLERGY ORIGINAL PRESCRIPTION STRENGTH
Wal-itin®

Lat. Exp.

Drug Facts

Active ingredient (in each tablet) Purpose
Loratadine USP 10 mg Antihistamine

Uses
temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 ■ runny nose
 ■ sneezing
 ■ itchy, watery eyes
 ■ itching of the nose or throat

Warnings
Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Drug Facts (continued)

Directions
 ■ place 1 tablet on tongue; tablet disintegrates, with or without water

| | |
|--|--|
| adults and children 6 years and over | 1 tablet daily; not more than 1 tablet in 24 hours |
| children under 6 years of age | ask a doctor |
| consumers with liver or kidney disease | ask a doctor |


Other information
 ■ Phenylketonurics: Contains phenylalanine 2.25 mg per tablet
 ■ do not use if the individual blister unit is open or torn
 ■ store at 20° to 25°C (68° to 77°F)
 ■ use tablet immediately after opening individual blister
 ■ Complies with USP test 2 for Disintegration

Inactive ingredients
 aspartame, crospovidone, mannitol, microcrystalline cellulose, peppermint, pregelatinized starch (maize), sodium stearyl fumarate

Questions or comments? call 1-855-274-4122

Walgreens Pharmacist Recommended
 Walgreens Pharmacist Survey
 *This product is not manufactured or distributed by Bayer HealthCare LLC, distributor of Claritin® RedTabs®. Bayer HealthCare LLC is the owner of the registered trademark Claritin® RedTabs®.

DISTRIBUTED BY: WAGREEN CO.
 200 WILMOT RD., DEERFIELD, IL 60015
 Walgreens
100% SATISFACTION GUARANTEED
 wdgreens.com @2000 Walgreen Co
 MADE IN INDIA
 Order: TSDRHUS2222009



Loratadine Orally Disintegrating Tablets USP 10 mg

Instructions for Opening Blister Pack



ORIG0220-F LM-4018

CHILDRENS LORATADINE ODT

loratadine tablet, orally disintegrating

Product Information

| | | | |
|-------------------------|----------------|--------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:0363-4020 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|----------|
| LORATADINE (UNII: 7AJ03BO7QN) (LORATADINE - UNII:7AJ03BO7QN) | LORATADINE | 10 mg |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| ASPARTAME (UNII: Z0H242BBR1) | |
| CROSPVIDONE (120 .MU.M) (UNII: 68401960MK) | |
| MANNITOL (UNII: 3OWL53L36A) | |
| MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U) | |
| PEPPERMINT (UNII: V95R5KMY2B) | |
| STARCH, CORN (UNII: O8232NY3SJ) | |
| SODIUM STEARYL FUMARATE (UNII: 7CV7WJK4UJ) | |

Product Characteristics

| | | | |
|----------|----------------------------|--------------|----------|
| Color | WHITE (White to Off-white) | Score | no score |
| Shape | ROUND (Biconvex) | Size | 8mm |
| Flavor | PEPPERMINT | Imprint Code | K;9 |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:0363-4020-84 | 3 in 1 CARTON | 04/11/2018 | |
| 1 | | 10 in 1 BLISTER PACK; Type 0: Not a Combination Product | | |

Marketing Information

| | | | |
|--------------------|--|----------------------|--------------------|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| ANDA | ANDA208477 | 04/11/2018 | |

Labeler - WALGREEN CO. (008965063)

Registrant - Aurohealth LLC (078728447)

Establishment

| Name | Address | ID/FEI | Business Operations |
|--------------------------|---------|-----------|--|
| Aurobindo Pharma Limited | | 650381903 | ANALYSIS(0363-4020) , MANUFACTURE(0363-4020) |

Revised: 3/2020

WALGREEN CO.