

FORTICEPT ANTIMICROBIAL HYDROGEL WOUND DRESSING- benzethonium chloride, thymol gel
Lidan, Inc

Forticept Antimicrobial Hydrogel Wound Dressing

Active Ingredient/Purpose

Benzethonium Chloride - 0.1%.....Antiseptic

Thymol - 0.1%.....Antiseptic

Uses

Helps protect skin and supports healing of minor cuts, scrapes, burns and wounds, including pressure sores, diabetic ulcers, cracked skin and lips. Topical antiseptic to help decrease the risk of skin infections.

Warnings For external use only.

Do not use on children under 2 years of age unless directed by a doctor.

When using this product avoid contact with eyes.

Stop use and ask a doctor if condition worsens, symptoms last more than 7 days or clear up and occur again within a few days.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

Directions:

Adults and children 2 years of age and older:

Clean affected area from dirt and debris, let it dry. Apply a thin layer of Forticept Antimicrobial Gel and cover affected area with a clean bandage if needed. Repeat this procedure 1-3 times daily or as needed until condition improves.

Children under 2 years of age: please, consult a doctor

Storage and handling:

Store at room temperature, avoid freezing

Inactive ingredients:

Acrylamide/Sodium Acryloyldimethyltaurate Copolymer, Allantoin, Alpha Tocopherol, Cetostearyl Alcohol, Panthenol, Glycerin, Hydrolyzed Collagen, Isohexadecane, Lanolin, Mineral Oil, Petrolatum, Polihexanide, Polysorbate 80, Shea Butter, Steareth-2, Steareth-21, Water

85g Tube



Antimicrobial Hydrogel Wound Dressing

(Benzethonium Chloride 0.1%, Thymol 0.1%)



Advanced Polymer Technology

- Infection Control
- Moisture Balance
- Healing Support


FOR EXTERNAL USE ONLY
3 oz./ 85g

Forticept® Antimicrobial Hydrogel

Drug Facts	
Active Ingredient	Purpose
Benzethonium Chloride (0.1%).....	Antiseptic
Thymol (0.1%).....	Antiseptic
Uses	
Helps protect skin and supports healing of minor cuts, scrapes, burns and wounds, including pressure sores, diabetic ulcers, cracked skin and lips. Topical antiseptic to help decrease the risk of skin infections.	
Warnings	
For external use only	
Do not use on children under 2 years of age unless directed by a doctor.	
When using this product avoid contact with eyes.	
Discontinue Use if condition worsens or does not improve within 7 days.	
Keep out of reach of children.	
If swallowed, get medical help or contact a Poison Control Center immediately.	
Directions	
Adults and children 2 years of age and older:	
Clean affected area from dirt and debris, let it dry. Apply layer of the Antimicrobial Gel to cover affected area. Use a gauze or clean bandage if needed. Repeat this procedure 1-3 times daily or as needed until condition improves.	
Children under 2 years of age: please, consult a doctor	
Storage & Handling:	
store at room temperature, avoid freezing	
Inactive Ingredients:	
Acrylamide/Sodium Acryloyldimethyltaurate Copolymer, Allantoin, Alpha Tocopherol, Cetostearyl Alcohol, D-Panthenol, Glycerin, Hydrolyzed Collagen, Isohexadecane, Lanolin, Mineral Oil, Petrolatum, Polyhexanide, Polysorbate 80, Shea Butter, Steareth-2, Steareth-21, Thymol, Water	



MADE IN USA
LIDAN, INC. 30 WALL STR., 8th FLOOR
NEW YORK, NY 10005 USA
WWW.FORTICEPT.COM
For questions, please call:
+1 (212) 709-8133



Forticept® is registered Trademark of Lidan, Inc. all rights reserved 2016

FORTICEPT ANTIMICROBIAL HYDROGEL WOUND DRESSING

benzethonium chloride, thymol gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72127-0901
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
benzethonium chloride (UNII: PH41D05744) (BENZETHONIUM - UNII:1VU15B70BP)	benzethonium chloride	1 g in 1000 g
thymol (UNII: 3J50XA376E) (THYMOL - UNII:3J50XA376E)	thymol	1 g in 1000 g

Inactive Ingredients

Ingredient Name	Strength
SODIUM ACRYLATE/SODIUM ACRYLOYLDIMETHYLTAURATE COPOLYMER (4000000 MW) (UNII: 1DXE3F3OZX)	
ALLANTOIN (UNII: 344S277G0Z)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
DEXPANTHENOL (UNII: 1O6C93RI7Z)	
GLYCERIN (UNII: PDC6A3C0OX)	
HYDROLYSED BOVINE COLLAGEN (ENZYMATIC; 2000-5000 MW) (UNII: 5WE8P977RQ)	
ISOHEXADECANE (UNII: 918X1OUF1E)	
LANOLIN (UNII: 7EV65EAW6H)	
MINERAL OIL (UNII: T5L8T28FGP)	
PETROLATUM (UNII: 4T6H12BN9U)	
POLIHEXANIDE (UNII: 322U039GMF)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
SHEA BUTTER (UNII: K49155WL9Y)	
STEARETH-2 (UNII: V56DFE46J5)	
STEARETH-21 (UNII: 53J3F32P58)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72127-0901-1	85 g in 1 TUBE; Type 0: Not a Combination Product	02/20/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M005	02/20/2022	

Labeler - Lidan, Inc (014456716)

Registrant - Lidan, Inc (014456716)

Establishment

Name	Address	ID/FEI	Business Operations
Cosco International, Inc.		016433141	manufacture(72127-0901) , label(72127-0901) , pack(72127-0901) , api manufacture(72127-0901)