

PARASITOL- pyrantel pamoate suspension
Menper Distributors Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

ACTIVE INGREDIENTS

PYRANTEL PAMOATE 144 MG/ML

PURPOSE

PARASITICIDE

USES

FOR THE TREATMENT OF PINWORMS.

WARNINGS

ABDOMINAL CRAMPS, NAUSEA, VOMITING, DIARRHEA HEADACHES OR DIZZINESS SOMETIMES OCCUR AFTER TAKING THIS DRUG. IF ANY OF THOSE CONDITIONS PERSIST, CONSULT A DOCTOR. IF YOU ARE PREGNANT OR HAVE LIVER DISEASE, DO NOT TAKE THIS PRODUCT UNLESS DIRECTED BY A DOCTOR. PROTECT FROM EXCESSIVE HEAT AND FREEZING. SHAKE WELL.

STORE AT CONTROLLED ROOM TEMPERATURE.

READ WARNINGS AND PACKAGE INSERT CAREFULLY BEFORE TAKING THIS MEDICATION.

KEEP OUT OF REACH OF CHILDREN. IF SWALLOWED, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER IMMEDIATELY.

DIRECTIONS

ADULTS AND CHILDREN 12 YEARS OF AGE AND OVER AND CHILDREN 2 YEARS OF AGE TO UNDER TWELVE YEARS, ORAL DOSAGE IS A SINGLE DOSE OF 5MG OF PARASITOL PER POUND OR 11 MG PER KG OF BODY WEIGHT, NOT TO EXCEED 1 GM. TAKE ONLY ACCORDING TO DIRECTIONS AND DO NOT EXCEED RECOMMENDED DOSAGE UNLESS DIRECTED BY A DOCTOR. MEDICATION SHOULD ONLY BE TAKEN ONE TIME AS A SINGLE DOSE. DO NOT REPEAT TREATMENT UNLESS DIRECTED BY A DOCTOR. WHEN ONE INDIVIDUAL IN HOUSEHOLD HAS PARASITES, THE ENTIRE HOUSEHOLD SHOULD BE TREATED UNLESS OTHERWISE ADVISED.

INACTIVE INGREDIENTS

PURIFIED WATER, SUCROSE, PROPYLENE GLYCOL, SODIUM CARBOXYMETHYLCELLULOSE, XANTHAN GUM, METHYL PARABEN, CHERRY FLAVOR AND PROPYL PARABEN

DRUG FACTS**ACTIVE INGREDIENTS**

PYRANTHEL PAMOATE.....144 mg/ml
equivalent to 50 mg/ml
of Pyrantel base

PURPOSE**PARASITICIDE****USES**

FOR THE TREATMENT OF PINWORMS

WARNING

ABDOMINAL CRAMPS, NAUSEA, VOMITING, DIARRHEA, HEADACHES OR DIZZINESS, SOMETIMES OCCUR AFTER TAKING THIS DRUG. IF ANY OF THOSE CONDITIONS PERSIST, CONSULT A DOCTOR. IF YOU ARE PREGNANT OR HAVE LIVER DISEASE, DO NOT TAKE THIS PRODUCT UNLESS DIRECTED BY A DOCTOR. PROTECT FROM EXCESSIVE HEAT AND FREEZING. SHAKE WELL.

STORE AT CONTROLLED ROOM TEMPERATURE.

READ WARNINGS AND PACKAGE INSERT CAREFULLY BEFORE TAKING THIS MEDICATION. (INSTRUCCIONES EN ESPAÑOL DENTRO DE LA CAJA)

DIRECTIONS

ADULTS AND CHILDREN 12 YEARS OF AGE AND OVER, AND CHILDREN 2 YEARS OF AGE TO UNDER TWELVE YEARS OF AGE, ORAL DOSAGE IS A SINGLE DOSE OF 5 MG OF PARASITOL PER POUND, OR 11 MG, PER KG OF BODY WEIGHT, NOT TO EXCEED 1 GM. TAKE ONLY ACCORDING TO DIRECTIONS AND DO NOT EXCEED RECOMMENDED DOSAGE UNLESS DIRECTED BY A DOCTOR. MEDICATION SHOULD ONLY BE TAKEN ONE TIME AS A SINGLE DOSE. DO NOT REPEAT TREATMENT UNLESS DIRECTED BY A DOCTOR. WHEN ONE INDIVIDUAL IN HOUSEHOLD HAS PARASITES, THE ENTIRE HOUSEHOLD SHOULD BE TREATED, UNLESS OTHERWISE ADVISED.

INACTIVE INGREDIENTS

PURIFIED WATER, SUCROSE, PROPYLENE GLYCOL, SODIUM CARBOXYMETHYLCELLULOSE, XANTHAN GUM, METHYLPARABEN, CHERRY FLAVOR AND PROPYLPARABEN.

TAMPER EVIDENT DO NOT USE IF SAFETY SEAL IS BROKEN OR REMOVED

DISTRIBUTED BY:

MCNEPER DISTRIBUTORS INC. 6500 NW 35TH AVE., MIAMI, FL 33147

THE SMART
CHOICE



- For the treatment of Pin Worms •
- Para Tratamientos de Lombrices Intestinales •

PARASITOL

Shake Well
Measuring Cup Included

PYRANTEL PAMOATE SUSPENSION

PARASITOL

Contents; 1 fluid oz. (30 ML)

DO NOT USE IF SAFETY SEAL IS BROKEN OR MISSING.

Labeler - Menper Distributors Inc. (101947166)

Revised: 3/2013

Menper Distributors Inc.